

- 6 Editorial
- 8 Letters

#### **DEPARTMENTS**

- 10 Readers' Rides
- 16 Inside Scoop by Chris Chianelli
- 19 What's New
- 220 Grassroots Racing
- 248 National Organizations
- 264 Index of Manufacturers
- 265 Classifieds
- 266 Chris's Back Lot by Chris Chianelli


#### COLUMNS

- 20 Troubleshooting by George M. Gonzalez
- 26 Pit Tips by Jim Newman
- 32 R/C Doctor by Doug Mertes
- 36 Getting Started by Brian Leslie
- 198 Tech Head by Frank Masi

#### THRASH TESTS


- 46 Tamiya Chevy S-10
  A desert truck that's "like
  a rock"
  by Jeff Bartlett
- 52 A Tale of Two Opels
  Testing Tamiya's Opel
  Calibra V6 DTM and
  Kyosho's Opel Calibra V6
  by Stacey Granelli
  and Derek Buono
- 60 BoLink Super-T
  Putting this budget
  NASTRUCK through
  its paces
  by Kevin Holmlund


ON THE COVER: Tamiya's Chevy S-10 walks the wasteland (photo by John Howell).




- 115 ROAR On-Road Nats
  Racers shine through despite the weather
  by Rick Schwartz
- 124 How To: Make
  Opening Doors
  Adding hinges to your ABS plastic bodies
  by Kevin Hetmanski
- 132 New for '96
  Preview all the hot products for the coming year
  by John Howell, Chris Chianelli and George M. Gonzalez
- 144 Project Formula 1, Part 1
  Building a bodacious Benetton by Mike Ogle
- 164 How To: Touring Car Tuning
  Techniques
  Set up your sedan for the best ride possible
  by Doug Mertes
- 192 Equal Opportunity Racing
  Accommodating the physically challenged
  at your local track by Mike Ogle

  256 How To: Make Your







#### EDITORIAL

### Who's *Really* Steering This Ship?

t's hard to believe, but another year has gone by. That's 12 months of "Thrash Tests," product reviews, columns, interesting tidbits and mind-boggling features—all in your number-one R/C car magazine. As is customary in every January issue, we've taken on the enormous and difficult task of choosing the Reader's Ride of the Year. But how did we pick just one from the more than 100 that have appeared in the past year of Car Action? I'll tell you, it was a close race, but in the end, no one could dispute that Randy Coolbaugh's awesome T3 spy/assault vehicle was the most impressive in both design and execution. You'll see more on Randy's ride in this issue.

On to the big question: who's responsible for the contents of this magazine? It's you! We're just your humble editorial servants. It's you who tell us, through letters, faxes, e-mails and, yes, even "Readers' Rides," what should be on these pages.

You see, without a link to you, deciding what goes into the magazine every month would be a guessing game that would undoubtedly result in a mediocre magazine, at best. So if you're hesitant to write to us because you think, "Aww, these guys get so much mail, I bet they'll never read my

letter," think again. We read every letter, fax and postcard that comes through our hallowed mail slot. Believe it!

#### **New People** and New Products

I'm extremely pleased to welcome George Gonzalez on board as a full-time, dyed-inthe-wool associate editor. If the name sounds familiar,

it's because George has been a contributing writer for more than four years. He has always impressed us with the quality of his work and his knowledge of the hobby.

For his first assignment (and to see whether he could take the pressures of an editor's life), George helped Chris Chianelli and John Howell to compile this issue's mammoth "New for '96" epic saga. It highlights new goodies from all the major players in the R/C car industry, and you'll see it all here first.

I'll spare you the gory details about how we get this type of top-secret information, but, suffice it to say, this project involved hundreds of phone calls and lots of Jimmy Olsentype cub reporting. As expected, George came through unscathed—Chris and John, on the other hand....



Frank Masi, Executive Editor

We want to hear from you! Write, fax, or e-mail us over the Internet: Car Action, Air Age Publishing, 251 Danbury Rd., Wilton, CT 06897; fax: (203) 762-9803; e-mail: Chris Chianelli-chrisc@airage.com; John Howell (Doog)-johnh@airage.com; Frank Masifrankm@airage.com; George Gonzalez—georgeg@airage.com. Stacey Granelli: staceyg@airage.com

Group Publisher LOUIS V. DeFRANCESCO JR. Publishers

DR. LOUIS V. DeFRANCESCO YVONNE M. DeFRANCESCO Associate Publisher GARY DOLZALL

Group Editor-in-Chief TOM ATWOOD

**Executive Editor** FRANK MASI

CHRIS CHIANELLI Senior Editor

JOHN HOWELL Editor Associate Editor GEORGE M. GONZALEZ

**Editorial Assistant** STACEY GRANELLI

LYNNE SEWELL Copy Director

Senior Copy Editor KATHERINE TOLLIVER **Assistant Copy Editors** 

ANNETTE PARKER MARTIN KATHLEEN J. DOHERTY

Managing Art Director ALAN J. PALERMO **Art Director** BETTY K. NERO

Assistant Art Director ANGELA A. CARPENTER

**Graphic Artist** MICHAEL BOUSE

WALTER SIDAS Staff Photographer

CHRISTOPHER HOFFMASTER Image Technician

Systems Manager GORDON OPPENHEIMER

Director of Marketing GARY DOLZALL

ARLENE A. DELGIUDICE Circulation Manager

Circulation/Marketing JENNIFER KELSEY

MARY REID McELWEE **Production Manager** 

ARLENE MELKO **Production Assistant** 

Advertising Manager

SHARON WARNER

Advertising Account Executives

JILL ELLEN MOLINARO JENNIFER IZZO HILARY BURKE REICHHELM

**Advertising Traffic** 

ELISE SILKOWSKI

Advertising Coordinator

ANN T. WIEBER

SUBSCRIPTION PRICES:

SUSSCRIPTION PRICES:
U.S. & Possessions (including APO & FPO): 1 year (12 issues), \$34.95; 2 years (24 issues), \$59.95. Canada: 1 year, \$51.31; 2 years, \$91.97 (includes G.S.T.). Elsewhere: 1 year, \$47.95; 2 years, \$93.95 (Payment in U.S. funds, Single-copy prices; \$4.95 (USA); \$5.95 (Canada). Canadian G.S.T. number R130754872. Canada Post International Publications Mail Product (Canadian Distribution) Sales Agreement No. 0609153.

RADIO CONTROL CAR ACTION (ISSN 0886-1609, USPS 001-087) is published monthly by Air Age, Inc., 251 Danbury Rd., Wilton, CT 06897, USA. Connecticut Editorial and Business Office, 251 Danbury Rd, Wilton, CT 06897, Phone: 203-834-2900. FAX: 203-762-9803. Michael F. Doyle, Chief Executive Officer; YP. Johnson, President; GL. DeFrancesco, Vice President; L. V. DeFrancesco, Secretary; Yvonne M. DeFrancesco, Treasurer. Second Class Postage Permit paid at Wilton, Connecticut, and additional Mailing Offices. Copyright 1995 by Air Age, Inc. All rights reserved.

CONTRIBUTIONS: All materials published in Radio Control Car Action become the exclusive property of Air Age, Inc., unless prior arrangement is made in writing with the Publisher. The Publisher assumes no responsibility for unsolicited material. Only material accompanied by a SASE will be returned.

ADVERTISING: Advertising rates available on request. Please send advertising materials, insertion orders, etc., to Radio Control Car Action, Advertising Dept., Air Age, Inc., 251 Danbury Rd., Wilton, CT 06897. Phone: 203-834-2900. FAX: 203-762-9803.

CHANGE OF ADDRESS: Don't miss any issues! Send your new address to *Radio Control Car Action*, Subscription Dept., P.O. Box 427, Mount Morris, IL 61054, six weeks before you move. Include the address label from a recent issue, or print the information exactly as shown on the label. The Post Office will not forward copies unless you provide extra postage. Duplicate issues cannot be sent.

POSTMASTER: Please send Form 3579 to Radio Control Car Action, P.O. Box 427, Mount Morris, IL 61054.



Member Audit Bureau of Circulations PRINTED IN THE USA

#### LETTERS

#### **QUIT YER GRIPIN'!**

After reading your October '95 "Editorial" about racing, I started thinking about racing in general. It's unfortunate that more of the people involved in R/C cars do not get involved in racing. They don't know what they're missing! I was recently at a race where the track was on the rough side. A few of the racers decided that it wasn't suitable for racing and complained to the race directors. It was 103 degrees outside, but the argument got even hotter. It was horrible; racing is supposed to be fun! Furthermore, racers should not argue with the race director. People

seem to forget that we are racing off-road and not on dirty concrete. If it is the same for everybody, why should anybody care about the condition of the track? Last, under no circumstances. should an argument develop. Most track owners make very little profit off the race entries and will soon tire of racers' complaints about an off-road track being, actually, off-road with bumps, moguls and inconsistencies.

Many racetrack owners have probably given up business because of impolite, unappreciative racers. Racers of the world, have fun and let the race director worry

about the track; you'll become a better driver when you learn to race on slippery, adverse conditions.

KHAL DAGHESTANI Skokie, IL

Well, Khal, I couldn't have said it any better myself! I totally agree with everything you say-especially the part about everyone being equally matched on a rough track. That's so true! Frank and I received a phenomenal number of responses to that Editorial. It was pretty funny-some people took everything we said to heart; others knew we were being sarcastic and were joking. I have also been to tracks at which the racers were thrashin' on the track owner because, in their opinion, conditions were not "perfect." Fine, then; if you don't like it, go make your own "perfect" track and race on that. I'd like to see how quickly all those whining racers shut up when they hear the track owner say that his track is closing down and they'll have to find another place to race. You have the right attitude, Khal. Thanks for your input. Doogie

#### DOUBLE-X-PLANATION!

You are the best in R/C cars, so maybe you can answer two questions I have. On the Losi Double-X buggy, the shock-cartridge body comes assembled with the O-rings inside. Do the O-rings have to be changed? If so, how do I get them out?

Also, is there a 4WD conversion for the Double-X buggy?

ANDREW MILLER

Union, KY

When it's time to rebuild your shocks, Andrew, your best bet is to buy a direct-replacement shock cartridge. It's the easiest and least complicated way to rebuild shocks. Inspect the shock shafts closely for damage (scratches and nicks), or you'll be replacing that shock cartridge again sooner than you might want to.

As for your other question: no one yet offers a 4WD conversion kit for the Losi Double-X. As far as I know, MIP was the only company that made a 4WD conversion kit for a 2WD buggy, and it was designed for an Associated RC10. If you're interested in 4WD, I recommend that you check out the Kyosho Lazer ZX-R, the Yokomo YZ-10, or the Schumacher Cat 2000 E.C.S. Doogie

WRITE TO US! We welcome your photos, drawings, comments and suggestions. Letters should be addressed to "Letters." Radio Control Car Action, 251 Danbury Rd., Wilton, CT 06897-3035. Letters may be edited for clarity and brevity, and each must include a full name and address or telephone number so that the identity of the sender can be verified. We regret that, owing to the tremendous number of letters we receive, we can't respond to every one.

INTERNET ADDRESSES: Frank Masi: frankm@airage.com
John Howell: johnh@airage.com.
Chris Chianelli: chrisc@airage.com.
Stacey Granelli: staceyg@airage.com
George Gonzalez: georgeg@airage.com.



#### **ENDURANCE LIMITED EDITION CAST STATUES**

Limited to only 5000 pieces world wide, these hand painted cold cast porcelin statues are a thing of beauty. 8" tall on a wooden base with engraved plaque. Each statue depicts one of the best Formula 1 drivers in the

world in a	classic pose.	List Price	Your price!
DD2000	Nigel Mansell	\$129.00	\$99.99
DD2001	A. Senna (pictured)	\$139.00	\$109.99
DD2002	Michael Schumacher	\$129.00	\$99.99
DD2003	Jimmy Clark	\$129.00	\$99.99
DD2004	Graham Hill	\$129.00	\$99.99
DD2005	Alan Prost	\$129.00	\$99.99
DD2006	Niki Lauda	\$129.00	\$99.99



#### 1/43 SCALE DIORAMA DISPLAY BASES

You'll never display your F-1, Indy or Touring car collection on a dusty, boring shelf again. New Microworld race track dioramas add that missing action and excitement to your 1/43rd race car collection.

y or Touring car If again. New	50
add that your 1/43rd	
list Deica Vous prical	DD1003

DD1000 Single Car Display \$24.99 \$20.99
DD1001 Chicane \$29.99 \$25.99
DD1002 Wet Track \$59.99 \$55.99
DD1003 Tamburella Curve \$61.99 \$57.99

### QUARTZO STOCK CARS-ONXY F1 AND INDY WE HAVE THE LOWEST PRICES!

#### Speed Metal™

1901 E. Linden Ave #8 Linden, N.J. 07036 Ph: 908-862-1705 Fx: 908-862-6875



Stock car and

Indy bases

coming soon!

VISA MASTER AMEX

Dealer

Inquiries

Invited

# READERS'

#### BLAZIN' INFERNO

David Feltner of Toledo, OH, sent us this shot of his Kyosho Turbo Inferno. It's equipped with Futaba radio gear, a Kyosho fuel warning light, full rubber sealed bearings and turnbuckles. On race days, it's powered by a Paris Racing modified Picco p5 buggy engine. But for photos, David prefers the OFNA Super Force 6 port, the red head of which matches his candy-red to candy-purple, three-tone-fade paint job. Now that's a stylin' wardrobe!




#### WATCH OUT FOR THAT R/C T-REX!

It looks as if Dr. Grant took a wrong turn and ended up in Mike Rinck's backyard in The Dalles, OR. Actually, this is a Tamiya Jeep Wrangler made up like a Jurassic Park Jeep. What? You say you already knew that? Mike's Jeep has a Novak Rooster ESC, a Futaba 4NBL radio, a 20-tooth pinion gear, a Trinity EX Tech 16-turn double modified motor, and working headlights and fog lights. As a finishing touch, Mike added tires and wheels from Tamiya's Mitsubishi Pajero kit. Mike brush-painted the body and made the decals out of a poster. Now all you need are some R/C dinosaurs to complete the scene, Mike!



"Readers' Rides" is our way of recognizing the unique, innovative-and sometimes bizarre!-vehicles that our readers have created. Send us a sharp, uncluttered, wellexposed color photo of your car or truck (no Polaroids, please!), along with a brief description, to Readers' Rides, R/C Car Action, 251 Danbury Rd., Wilton, CT 06897. If we choose your photo, you'll receive a 6-month subscription to Car Action, or an extension of your existing subscription. You'll also be eligible for the fifth annual "Reader's Ride of the Year Contest" in the fall of 1996. Write your address and phone number on your letter and on the back of each photo you send, in case we need to contact you.



#### JEFF'S GEM

This killer ride comes from Jeff Johnson of West Fargo, ND. His Losi Double-X has been modified with the following goodies: MIP CVDs, Tecnacraft titanium turnbuckles, a lightweight Losi motor plate and a lightweight Losi aluminum top shaft in the gearbox. Jeff has been painting bodies for almost 10 years, and this Dahm's Tiger X body sports his latest design.

#### GO, GO STREET RACER

After thrashing monster trucks for 9 years, Kevin Hunt of East Leroy, MI, decided to join the street-racing crowd. Except for the Trinity Green Machine motor, his Tamiya Alfa Romeo 155 V6 is entirely stock. He painted the body with some guidance from R/C Car Action, and he says that now he can go racing in style. Have a blast, Kevin.



#### READERS' PICES



#### A PAIR OF PULLERS

The husband and wife team of Dave and Carol Queen of Dearborn Heights, MI, runs these identical trucks in the dual-motor modified class at local pulling events. The "Wild Thing" and the "Twilight Zone" feature scratchbuilt chassis, two Pullmaster 4 motors, 14 Stage III matched cells and Futaba radio gear. These trucks can pull up to 450 pounds.



#### **LUCKY #7**

This cool-lookin' Legend comes to us from Dee Dutro of Zanesville, OH. Dee's ride is set up with a Futaba radio system and ESC, a 6-cell battery pack and a closed-endbell Mabuchi 540 motor. Dee's husband, Fritz, and her son, Mike, also race identically equipped Legends in an informal group that runs weekly at a variety of tracks where they say it's common to have eight to 10 cars on the track at a time. Run times are 20 to 25 minutes, and the races they attend have gone 150 laps.



#### **GODZILLA**

Felix Leung of Surrey, B.C., Canada, decided that it was time for an overhaul and facelift for his Tamiya Clod Buster. He added: a Tamiya ball-bearing kit; long, yellow shocks; flashing headlights; an ESP aluminum lower chassis brace, suspension stabilizers and lift kit; homemade front and rear aluminum lower bumper protectors and skid plates; aluminum, side, body guards; and a polished aluminum wing. The beast is powered by six, Sanyo, 4400mAh D-cells and controlled by KO radio gear. A Parma Hemi engine rests under the Parma Clod Buster Lexan body. Felix says it took him 1½ months to design and paint the body. Nice job Felix! It's a hot ride!



#### SUPREME SAND RAIL

Is this a wild-lookin' machine or what? Dale Badger of Phoenix, AZ, sent us this photo of his completely scratch-built ½0-scale sand rail. The rail has seats, pedals, a functional steering wheel, a gear stick (which is actually the on/off switch for the Futaba radio gear), lights and an O.S. .21 engine. The roll bar is made of mig-welded, chrome-plated ½-inch piano wire. Dale told us that he has received quite a few comments from a ton of people—understandably so! It's a nice-lookin' rig. Maybe we'll pass along another look to our readers in a future issue....



EY, YOU, yeah, you! Pay attention! You product hounds who regularly turn to my pages for all the latest-breaking info on the really cool stuff that's just hitting the market, turn to our "New for '96" article in this issue. We've featured all the coolest stuff that will be coming out in the new year. Those of you who need to see some off-thewall, out-of-the-ordinary stuff, stick around.

# "Scoop's" 10 Predictions for the New Year

- 1. Pro-Line will make a tire that will enable you to drive your R/C car on the ceiling.
- 2. Team Losi will replace the Double-X with the Double-U.
- Tekin will produce an ESC that will not only give you 30 extra seconds of run time, but it will also help you with your calculus homework.
- 4. A new form of superspeedway racing will evolve: one of the 10 cars in the A-Main has to run the track backwards without hitting any of the other cars!
- 5. A future space-shuttle mission will consist of launching an issue of CAR ACTION into deep space in the hope of spreading ultimate coolness throughout the galaxy.
- 6. All Associated RC10GTs will be required to meet California emissions standards.
- 7. Tyco will produce a full-blown 2WD buggy and win the '96 Off-Road ROAR Nats.
- 8. All Team Losi and Team Associated drivers will miss their flights and show up a day late for the '96 Off-Road ROAR Nats.
- 9. Chris Chianelli will join the cast of "Friends."
- 10. We will meet all of our deadlines!

You Haven't Been Unless You Are Using Our New Light Weight Purple Aluminum Screw Kits!

#### PURPLE SCREW SETS

TOIL UT	PURPLE SCREW SET	>
TRINITY		
EV0142	Evolution 10, On-road	\$19.99
EV0157	Evolution 10, SS or LSD	\$19.99
RE1027	Revolver 12, On-road or SS	\$13.50
ASSOCIA	ATED	1
EV0146	10L, On-road or LSO	\$11.99
EV0156	12L, On-road	\$11.99
EV0147	RC10 Buggies, All Styles	\$14.99
	RC10T Trucks, All Styles	\$18.99
BOLINK		1 2 2
EV0158	Bolink, On-road or SS	\$12.99
TEAM LO	IZO	

EV0149 Losi XX Buggy

EV0155 Losi XX Truck

\$12.99

#### **PURPLE SCREWS AND NUTS**

	OKI BE CONCENTO MILE HOT		
D1052	4-40x3/8 Cap Head Screws, 12pc	\$4.99	
D1053	4-40x3/8 Flat Head Screws, 12pc	\$4.99	
D1054	8-32x7/8 Flat Head Screws, 8pc	\$2.99	
D1055	4-40x1/4 Cap Head Screws, 12pc	\$4.99	
EV0150	2-56x1/4 Button Head Screw, 12pc	\$5.99	
EV0151	8-32x5/8 Flat Head Screw, 12pc	\$4.99	
EV0152	4-40x1/2 Socket Head Screw, 12pc	\$5.99	
EV0153	4-40x1/2 Flat Head Screw, 12pc	\$4.99	
EV0154	4-40x3/4 Socket Head Screw, 12pc	\$4.99	
EV0143	4-40 Mini Lock Nuts, 8pc	\$3.50	
EV4054	8-32 Nuts, 8pc	\$3.99	





### NEWS BRIEFS

#### A New Losi Team

We always like to hear good news about good people, and this is one of those times! We just received word from the folks over at Team Losi that Gil Losi Jr. got married! Junior and his longtime girlfriend, Julie Rodgers, were married at his parents' house on September 16. Congratulations, Gil, we all wish you and Julie the



his mild-mannered-looking lad has proven to be a formidable 1/8-scale on-road driver. His name is Chris Tosolini, and he recently won his second consecutive ROAR 1/6-scale On-Road National Championship. To clinch his latest title, Chris battled the likes of gas-racing legends Ralph Burch and Art Carbonell. Expect to see more on Chris and his BMT car in this magazine (mostly because he lives near us and won't leave us alone!).

just got a sneak peek at Kyosho's newest Hyper Fly helicopter, and it sure looks great. The Apache has the same features as the original Hyper Fly that I previewed in the March '95 "Scoop." For those of you who missed it. here it is again: the Apache Hyper Fly is an affordable, entry-level electric helicopter that has a basic, easy-to-understand gear train (the entire drive

#### **Attack of the Killer Apache**



system, including the Le Mans AP29 motor, is factory-installed) and a fixed tail rotor. The Hyper Fly Apache is easy to assemble in a few hours with the tools that most R/C'ers already have on hand. All you need to get up and running is a 2-channel radio system (aircraft frequency) with servos, a 7.2V 1000mAh Ni-Cd battery and a charger.

# 2-Timing Tosolini



#### Watch Out for the Baby in the Buggy

A ware that his on-road, superstar-driver Joel Johnson will inevitably become too old to race someday, Trinity's Ernie Provetti went out scouting for new, up-and-coming drivers. We were told that this little driver was out with

a commanding lead over the other babies in their buggies.

The tyke chalked up the win thanks, in part, to Trinity Zip Pak power! Just imagine if the baby buggy had been hit with some Trinity Buggy Grip traction compound; this "1/10-scale" driver might have lapped the entire



Trinity Pinions...Ours are precision machined from 6061 T-6 aircraft aluminum and teflon impregnated for smooth meshing and minimum friction.



Brand"R" ... They have poor tooth finish and . They don't mesh e spur gear.

From Magic Motor Sports

\$5.99 In 48 pitch from 12 to 30 teeth • In 64 pitch pitch from 15 to 50 teeth



**Trinity** 

Gravity

Zero

Brand "R" **Pinions** Are All So Over-Weight, Power is Reduced!



We Are Your Source for ALL R/C Racing Needs Trinity Products Inc, 1901 E. Linden Ave, #8, Linden, NJ 07036 • (908) 862-1705 • Fax (908) 862-6875

# new



#### FUTABA FP-S3003 Standard Servo

This new servo is standard equipment with Futaba's 2VR and 2CR 2-channel radio systems. It uses advanced design and manufacturing techniques to produce performance that's virtually identical to that of the popular S148—but at a more economical price.

Part no.—FP-S3003. Futaba Corp. of America, P.O. Box 19767, Irvine, CA 92713-9767; (714) 455-9888; fax (714) 455-9899.

### ASSOCIATED Car Carrier Boxes

Tote your gear like a Team driver. The new carrier bag is made of black nylon with a brass zipper. It features a heavy-duty carrying handle and is designed to fit over the heavy-duty carrier box. The carrier box is made of double-wall, corrugated cardboard and has been tested to carry up to 275 pounds; it comes with three 12x24x6-inch insert boxes. Part nos.—SP-415 (carrier bag only), SP-100 (carrier box with three insert boxes), SP-101 (replacement boxes); prices-

\$39.95, \$15, \$5.25.
Associated Electrics
Inc., 3585 Cadillac
Ave., Costa
Mesa, CA
92626-1403;
(714) 8509342; fax
(714) 8501744




**KYOSHO** 

#### "Pure Ten" GP 4WD Spider

This new 4WD falls under the "Pure Ten" designation; it's closer to scale and much more detailed than any other body/chassis configuration. It's available in two body styles—the Porsche 911 and the Nissan Skyline. A powerful GS-11X pull-start engine is included in the kit.

Part nos.—KY0C0446 (Porsche 911 with GS-11X), KY0C0447 (Nissan Skyline with GS-11X); prices—\$349.99 each.
Kyosho; distributed by Great Planes Model Distributors, P.O. Box 9021, Champaign, IL 61826-9021; (217) 398-6300; fax (217) 398-1104.



**GLOBAL HOBBY DISTRIBUTORS** 

#### Pro-Max AC/DC Adjustable Current Charger

This reliable, economical charger can charge any 100 to 1800mAh, 4- to 8-cell Ni-Cd pack. Features include: adjustable charging rate; resettable circuit breaker; built-in jacks for monitoring voltage peak with a digital voltmeter; 15-minute mechanical timer; automatic trickle with indicator light; input clips that attach to a 110V AC source or a 12V DC source battery; cooling vents; tough polycarbonate case.

Part no.—885610; price—\$64.99.

Global Hobby Distributors, 10725 Ellis Ave., Fountain Valley, CA 92728-8610; (714) 963-0133; fax (714) 962-6452.

#### TEKIN Titan

This high-power, high-frequency, reversing ESC features 12 GoldFET transistors for more speed. The QuickTune setup adjusts to your radio in seconds. Part no.—2110; price—\$210. Tekin Electronics, 940 Calle Negocio, San Clemente, CA 92673; (714) 498-9518; fax (714) 498-6339.



### TRINITY Midnight

This new 27turn stock motor features: an internal Magnetic Flux Collector™; narrow crosssection bushings; a shortstack, slotted armature

with Thermal Transfer
Gateways™; a 1.3mm-thick
can with v.5.2 wet magnets
and cooling tunnels; presoldered, hard-compound,
laydown brushes and
capacitors; and removable,
black-anodized heat sinks.
Part no.—RC2095; price—\$39.99.
Trinity Products Inc., 1901 E.
Linden Ave. #8, Linden, NJ
07036; (908) 862-1705; fax (908)
862-6875.



Descriptions of the products shown here were taken from manufacturer and/or advertising agency press releases. The information given does not constitute an endorsement by Radio Control Car Action or guarantee product performance or safety. When contacting a manufacturer about any product described here, be sure to say you read about it in Radio Control Car Action. Manufacturers! To have your products mentioned here, send press releases to R/C Car Action, What's New, 251 Danbury Rd., Wilton, CT 06897.



#### ROUBLE SHOOTING

by George M. Gonzalez

#### HITTING ROCK BOTTOM

About a year ago, I bought a Tamiya Stadium Blitzer, and it has two problems: first, whenever it goes over a jump, its suspension bottoms out; second, whenever it goes around a turn, it spins out. Can you please help? **BOBBY PHILLIPS** Anchorage, AK

Thanks for the letter, Bobby. Here are a couple of tips: fill your shocks with high-quality, 100percent-silicone shock fluid. Team Associated, **Team Losi and Trinity** offer this in an assortment of weights. Start with 30 to 40WT, which

will be considerably thicker than that used in the stock setup. This should take care of your bottoming-out problem.

It sounds as if your truck has a bad case of oversteer. In other words, your truck's front tires have more traction than the rear tires. To remedy this, install rear tires that have more traction. You didn't mention what kind of surface you run your truck on, so I can't recommend

rear tires

for you. Check out the ones that the fast guys use, and use them. I know this sounds kind of lame, but that's how I usually decide which tire combinations to use.

simply rotating the spur

To test the diff, lock up

problem that your hobby shop or racing friends can't resolve, give us a shout at Radio Control Car Action, and we'll see if we can chase down an answer for you. Questions should be of a technical nature and should be addressed to Troubleshooting, Radio Control Car Action, 251 Danbury Road, Wilton CT 06897. We regret that, owing to the tremendous number of letters we receive, we can't respond to every one.

If you have a technical

#### LOUD AND OBNOXIOUS DIFF

I've been driving R/C cars for about three years now, and I recently bought an RC10T. I have a couple of questions. First, the slipper clutch is making a lot of noise. I've tried tightening it and loosening it, but that didn't help. I then rebuilt the slipper and diff, but the clutch still makes noise. What's wrong?

Also, which company makes an adapter kit that will allow me to put a Losi Hydra Drive on my truck? If you could help, I would really appreciate it. CRAIG HELLER Manheim, PA

First of all, Craig, the slipper and the diff have their own distinct sounds, and you have to know the difference between the two before you can fix the problem. The slipper has a smooth, whining sound, while the diff makes more of a rough screech. From your description, it sounds as if your diff may not be properly set. Before you check the diff, however, make sure that the slipper clutch has been set up correctly. Check for gaps in the slipper pad (it's between the two slipperclutch pressure plates) by

gear and making sure that the slipper pad rotates true and that there aren't any gaps present. If it checks out, move on to the diff. the slipper clutch by tightening the adjustment nut until the coil

spring collapses completely. Then place your truck on your driveway or carpet, and push down on the rear end so that the suspension bottoms out. While you're pushing down on the rear end, try to rotate the spur gear. It shouldn't move at all; if it does, you'll have to tighten the diff. The RC10T has a 5/64 diff-adjustment screw on the inside of the left outdrive (it could be on the right side if you installed the diff backward). Tighten the screw, then repeat the same process until the spur gear is almost impossible to rotate. If the diff continues to slip, you've probably stripped the diff nut; replace it before you damage the diff gear. Also, while you have the

diff apart, it's a good time to replace the diff balls and rings.

To adjust the slipper, loosen the slipper-adjustment nut until the slipper starts to slip. This setting will vary greatly, depending on the type of surface you drive your truck on; there is no way to set the slipper so that it works perfectly on all types of surfaces. I set up my slipper clutch to slip for approximately 3 feet before it engages the tranny, and this has proven to be a good starting point.

Now, let's move on to your Hydra Drive question. Team Losi offers a top shaft for the Stealth transmission that allows you to install the Hydra Drive traction-control unit on your truck, but I only recommend this hop-up if you plan to do some hard-core racing on bumpy tracks with hot modified motors. If you plan to bash around your neighborhood, you would be better off investing your hard-earned cash in more battery packs.



#### FISH-TAILING XX-T

I race on a fairly demanding off-road course, and I'm having problems keeping the rear end of my Losi Double-XT planted on the track. When I turn a corner-even when I'm still in the groovethe truck's rear end does a major fishtail, and I lose all control and the speed carried through the turn. I've tried all kinds of suspension/shock setups-all with the same result. I've also tried transferring the battery from the front to the back of the truck to keep the tires biting. The track is concrete-hard, and I use Fuzzie rear tires. Sweeping the dirt "marbles" off the track helps a little, but I still can't make it to the podium because of poor traction. Please help me. CHAD ARNDT Omaha, NE

Chad, I know this will sound sarcastic, but have you ever tried to slow

down before you enter a

turn? Going into a turn fast and furious will only make matters worse and make the other racers angry when you plow them into the washboards. It's better to let off the throttle way before you enter a corner than to slam the brakes as you enter it. You can also try to adjust your steering dual rate on your trans-

mitter to give less steering. If this doesn't help, install lighter springs in the rear, or firmer springs up front. Also, try a different set of rear tires, and loosen up the slipper a tad. When I race, I always take along a variety of tires and springs, and I've yet to find a track that my Double-XT won't hook up on. I may not always

make the A-Main, but I rarely get frustrated because my truck isn't hooked up. You could also call Team Losi at (909) 465-9728 and speak to one of their team drivers for technical advice on shock piston and oil selection, camber-link locations and tire combinations. Good luck, and get dialed, dude.



#### CRAZY WORLDS CAR

Please help! I own an RC10 Worlds Car. This is my first car. Every time I run it, it goes crazy when it's 15 feet away. Last night, I looked through some back issues of your

magazine and read about sending radios back to the company for re-tuning. Is this service free? I own an Airtronics XL2P, so I need the address for Airtronics. Any help you

could pass along will be appreciated. Your magazine is the best!

Chris, there is a charge to have your radio gear tuned, but you may be able to fix the problem yourself. First, you should have at least two capacitors installed on your motor. If you don't, get

in another location, such as on the shock tower. Also, try installing a new set of crystals, or borrow a set from a friend or a hobby shop to see whether that corrects the problem. If none of this helps...well, here's Airtronics' address: 11 Autry, Irvine, CA 92718.





#### ROUBLE SHOOTING

#### **BOTTOMS DOWN!**

I own an RC10 Team Car with a stock motor and speed control. Whenever I run my car over a curb or a jump, it always bottoms out. How can I stop this?

Also, I'm thinking about racing. Do MIP CVDs for the RC10 really improve its performance? TIM SHAEFFER San Diego, CA

If your car bottoms out too easily, the oil is the problem. Just as I say in "All Knuckles and Arms," the oil controls the speed at which the

suspension travels, and the spring controls ride height. Set the spring adjusters so that the suspension arms are about level, and try a thicker oil. With a little experimentation, you'll find an oil that will give you good damping and handling. The MIP CVD drive shafts are very nice; they provide better acceleration and handling, and they're smooth and beefy enough to last a while. They can also be rebuilt when something wears out.





#### IN A BIND!

I've been driving R/C vehicles for about 6 years. Recently, my Tamiya Blackfoot's left front steering knuckle arm keeps breaking off where the ball connector and steering arm are screwed in. My truck is stock except for the Futaba 2PB radio system, Trinity Green Machine 2 motor and Novak Rooster ESC. How do I solve the knuckle-breaking problem?

Also, since I redid my Blackfoot, it has run hot. I can hold my hand on the motor only for 5 to 10 seconds. I installed a Holeshot Super Cooler 2000 heat sink, but that didn't help. I run the stock gear train and a 10tooth pinion gear. My hobby shop says I should use a 13-tooth pinion gear because I'm geared too high. Can you help?

Great mag! Don't change a thing. JAMIE BARNETT Eminence, KY

I'm not sure why the part keeps breaking, but I assume you're hitting something. I don't know if there's a more heavyduty version of those knuckles; maybe you can beef them up by making an aluminum brace out of scrap parts. And try a new servo-saver. If you use a larger pinion, the gearing problem will only get worse. If you go up to the 13-tooth, you'll gain a little speed, but your run times will suffer and things will get even hotter. A hot motor usually means the pinion is too large, so try a smaller one. Also, make sure that the drive system runs freely and doesn't bind anywhere.

#### ALL KNUCKLES AND ARMS!

I own a Turbo Inferno. and I have noticed that if I tighten its suspension, the right and left front knuckle arms rub against the front suspension arms. I could loosen the suspension to stop this, but then I wouldn't be able to take off from jumps. How could I adjust my suspension? I'd appreciate help. JUSTIN CLARKE Waterloo, Ontario, Canada

Well, Justin, the problem of the knuckle arms



SUSPENSION ADJUSTMENTS REQUIRED


rubbing the suspension arms isn't really a problem because it will only happen when the car is airborne. Don't adjust the springs to prevent the front end bottoming out. Use the spring adjustments only to set ride height-usually, the arms level with the ground. If you bottom out too much with this setting, shock oil is your problem. Try a thicker oil, or shock pistons with fewer or smaller holes. This will allow the car to handle the jumps with the suspension set correctly.



#### VISIBLE LINES

Before you trim the scrap material off a transparent body shell, run masking tape or artist's white tape inside the body along the scribe lines, then run a fine marker pen along the lines to make them easy to see when


you cut. MARK MCCLURE, House Springs, MO



#### **FILTER** ADAPTER


You can adapt a K&N air filter (or similar) for use on your .12 engine by using a short piece of plastic tubing (available at hobby stores in many sizes). Hold the tubing in place by twisting fine wire around it at the filter and carburetor throat.

GARY UNDERWOOD, Abilene, TX



#### **INFERNO 10** MAKE-DO


Keep a few washers and 2.5mm E-clips handy. If you lose the nut from a steeringrod connector, you can replace it with a washer and an E-clip. KRIS SCHENK, Woodstock, Ontario, Canada



#### PVC CAR STAND


PVC plumbing pipe. You'll need: a 15-inch length of pipe: four 90-degree elbows; four combination "Ts"; four risers; PVC pipe cement. Cut the pipe into two 6-inch (152mm) pieces and two 1.5inch (38mm) pieces. Assemble as shown, but do not glue the 1.5-inch lengths into place, because you want to be able to disassemble the stand and carry it flat. To protect your car, you can add foam pipe insulation (dashed lines) if you wish. DAN JOHNSON,

Las Vegas, NV




#### DREMEL FLEX FIX

If the flexible coupling on your Dremel tool wears out, remove it and replace it with a section of 1/4-inchi.d. latex-rubber tubing from a hardware store. JOHN BRIGHT, Calgary, Alberta, Canada



Radio Control Car Action will give a one-year subscription (or one-year renewal if you already subscribe) for each idea used in "Pit Tips." Send a rough sketch to Jim Newman, c/o Radio Control Car Action, 251 Danbury Rd., Wilton, CT 06897-3035. BE SURE YOUR NAME AND ADDRESS ARE CLEARLY PRINTED ON EACH SKETCH, PHOTO AND NOTE YOU SUBMIT. We're unable to publish many good tips because we don't have the sender's name and address. Please note: because of the number of ideas we receive, we can neither acknowledge every one, nor can we return unused material.






#### SPEEDY BODY REMOVAL

When you race, quick pit stops are essential. To remove your vehicle's body faster and more easily, cut the body around the suspension posts to increase the clearance.

MATHEW THOMPSON, Ypsilanti, MI




#### **ESC COOLING LOUVERS**


To make forward-facing louvers that will scoop air over an ESC's heat sinks, drill ½6-inch (1.5mm) holes, then connect the holes with knife cuts to make louvers, as shown. Pry up the "louvers" with a hobby knife, then grip them with flat-nose pliers to bend them as required. **WENDY MATSUDA, Oakland, CA** 

#### **INSTANT NUMBERS**

Keep a roll of wide, foam servo tape and a permanent marker in your toolbox. If you need instant numbers, cut off a piece of tape that's the size you need, and stick it on your vehicle, leaving the paper in place on the tape. Write the number on the paper with the permanent marker.

JOE KRAMER, Elmwood Park, IL





#### QUICK THREADING

To thread a tie rod quickly into a ball joint, hold the rod in the chuck of a variable-speed drill; then, with the drill turning very slowly, thread the rod into the joint as shown.

DUANE CHAVEY, Twisp, WA



#### PRE-THREADED JOINTS

Use a rod to precut left- and right-handed threads

into your spare ball joints. Do not score the plastic, but use a water-

proof pen to mark L and R (left and right) on the joints. Now, to avoid confusion in the heat of races, you can install all the lefts on the left and all the rights on the right.

CRAIG BAXTER, Waterloo, Ontario, Canada



### A Mixed **Bag of Tricks**

HIS HAS BEEN a busy racing season for me. I've done some offroad truck and buggy racing and a lot of parkinglot, Tamiya\* and Formula-1 stuff on both carpet and asphalt. I even raced my Yokomo\* YR-4 4WD sedan on carpet in a short series

held at The Track-a terrific indoor facility in Gaithersburg, MD. I also have more tips for a broad range of vehicles that will make R/C life easier, faster, smoother and more productive; maybe there's something here for you!



If you're using Tamiya or Kyosho's hard plastic parts, don't use CA or thread-lockers that contain CA. Instead, try some Kyosho or Tamiya screw cement or a dab of Shoe Goo or Pactra paint.

#### CRAZY GLUE MAKES PLASTIC GO CRAZY!

When I was racing with the Tamiya crowd this past summer, I noticed that a lot of racers, particularly novices, carried CA or Crazy Glue in their toolboxes. They thought it was great stuff (especially the gel type) for repairing torn-off tire chunks, and it was the first thing that they reached for when they didn't have the spare parts to fix a plastic chassis or a suspension part. I've seen the resulting mess often enough to feel the need to issue this warning: don't use CA on hard plastics!

Many CAs, which include several thread-locking products, don't react well with the hard plastics used in Tamiya kits. CA can make the plastic crack and reduce it to fragments around the screw hole or the place where the breakage occurred. I ruined a brand-new Bull Head chassis by using a CA-based thread-locking product on the nuts that held the suspension balls to the inside of the chassis tub. The next morning, the tub bottom was full of cracks that ran from hole to hole. I was bummed, and a new chassis wasn't cheap!

I should have used Tamiya or Kyosho\* screw cement. These non-CA products work well with their plastics (especially hard plastics). As an alternative, try a dab of Shoe Goo\*, Pactra\* polycarbonate paint, or RTV\*. They do the job just as well, and there's no adverse reaction!


#### YOKOMO EXTRAORDINAIRE

I really love Yokomo's YRX-10 on-road pan car. This marvel is a real scrapper right out of the box, and it requires little in the way of aftermarket parts to make it competitive on any level. One thing that's missing from the original kit, however, is a way to adjust rear ride height and to compensate for different tire sizes. I may start the day with a 62mm rear tire, which is the optimum height for the nonadjustable rear pod that comes on the car, but, by the third heat, the tire may be down to 60mm. I don't want to throw away a perfectly good set of tires, especially if the car is running the way I want it to, but with the kit's side plates, you don't have much choice.

I enlisted the help of master machinist Kevin Byrne, who made me a set of rear-pod side plates that accepted Associatedstyle ride-height adjusters. Associated\*, Trinity\*, Bolink\* and Yokomo cars all use the

same size rear bearing, so finding adjusters that fit was no problem. We carefully measured the available space on the kit's side plates, hoping that a relief could be machined into them, but there wasn't enough metal surrounding the bearing socket for the adjusters.

To allow enough "meat" around the adjusters, these new side plates are a little longer than the originals. That's fine with me, because the additional 3/16 inch or so gives me a little more leeway when I use larger spur gears and pinions. You can have a set of these made for you, too. Just look in the Yellow Pages under "Machine Shops," and take your original plates with you when you visit the machinist. Sometimes, if you ask around at your track, you can find someone like Kevin-a talented machinist who also races




The original YRX-10 side plates for the rear pod don't come with rear ride-height adjusters. Try to find a local machinist who will make a set for you at a reasonable price. The new side plates you see here allow me to keep the rear ride height constant, even when the tires wear and get smaller.

#### WIDE OR NARROW? YOU BE THE JUDGE

I was talking to Dave Irrgang from IRS\* (this company makes some great differential pieces), and he told me that, in Europe, where 1/10scale pan-car racing is very popular, people think that the Yokomo YRX-10 has a little too much rear traction. To solve this problem, they use a rear axle and hub combination that's slightly narrower than the one that comes with the car.

By swapping the kit's graphite rear axle and hubs for standard RC10L hubs and an axle, you can cut the rear track by about 3/8 inch and still use full-width rear tires. This way, you'll get the extra steering you need without resorting to narrower rear tires, harder tire compounds, or stiffer rear suspension-all of which can be bad if you're juggling the optimum handling setup.

The IRS setup shown here features a full-width 10L axle, a double-clamping left hub that eliminates having to file a flat on the axle, a lightweight right diff hub and diff rings that are retained by rubber O-rings instead of pins. The O-rings also cushion any impacts while racing, and they make the diff balls last a lot longer. It's smooth!



The original YRX-10 hubs have a rear track of about 6.25 inches. That's great if you need a lot of traction and if you like your car to push a little.

#### **CHEAPO TIRE LINERS**


If you run off-road or in the popular sedan classes, you know that the new breed of soft-compound rubber tires requires a foam tire liner to be installed before the tires are glued to the rims. The liner keeps the tire from collapsing during use and presses the entire width of the tire's tread against the surface while you're cornering. Most of the off-road designs and many of the sedan tires come with foam liners. Are they the right ones for you and your driving style? What do you do if the new sedan

tires you just bought don't come with liners?

If you're interested in experimenting with tireliner density and stiffness, you can do it pretty inexpensively. Carpet padding, which is available in an amazing array of thicknesses and densities, does the job very well. I just watch the neighborhood as I drive through on my way to and from work. When I see a carpet-installation truck (the big rolls of carpet and padding are a dead giveaway), I ask the installers for a scrap or two of leftover padding. I've never had to pay for a piece of foam, and my collection includes everything from very thin, very dense stuff to thicker, more cloud-like padding. Stay away from padding

that's made of chopped-up pieces of scrap foam; the density is inconsistent.

Cut and measure your liners to fit the application, or use liners from another set of tires as a guide (make sure all the tires are the same size). Stuff the liners into the tires, and check out how they feel before you glue the tires to the rims. To determine whether I've made the right choice, before I glue the tires to the rims, I run a lap or two with my tires unglued.



These foam pieces are scraps that a carpet-installation crew gave me. Now I can try different foam densities without having to run to the hobby shop!

#### **FORMULA-1** TIRE-O-RAMA

I love to race my Formula-1 cars; it's probably my favorite class. It can be difficult, however, to find foam tires that are the right size and compound. I've used 1/12-scale tires for years, but they're really too small when they've been mounted-even when they're new and carefully trued. Now there's an answer for those who race in this class: premounted and trued foam tires in just about any compound you could want!

Both TRC\* and Jaco\* now sell pre-trued tire and rim combos that fit Tamiya F1 and Indy cars. Tire compounds are available in pink, white, purple, green and blue. They just slide right on, and they're sized so that the fronts and rears will give you the proper ride height when they're used together. I've been testing them for a couple of weeks, and they're just as true and long-lasting as the tires that I mount and true on my own machine.

### •THE 19th ANNUAL• IMS MODEL SPORT & HOBBY SHOW

BIGGEST & BEST in the WEST! Trade Only: Friday, 9am-1pm

### PASADENA CENTER

300 East Green Street, Pasadena, California **JANUARY 19, 20, 21, 1996** 

Friday: 1pm-7pm, Saturday: 10am-6pm, Sunday: 10am-5pm.

Win an R/C System (1st) or Trophies (2nd & 3rd) with your Static Display Models!

> **FREE Model Airplane Building Lessons!** LARGE INDOOR CARTRACK R/C PLANES • CARS • BOATS HELICOPTERS • ROCKETS • TRAINS


FOR SHOW INFORMATION, PHONE (702) 896-2162, Fax (702) 897-7775 SWAP SHOP - For Info, contact IMS office. LIVE R/C DEMOS • RAFFLE

Admission: \$7.00 • Children ages 5 & under FREE when with an adult.

ADVANCE ADMISSION TICKETS: \$6.00 Send check or M.O. and S.A.S.E. by 12/22/95

International Modeler Shows, Inc., P.O. Box 50729, Henderson, NV 89016-0729

### 'Say NO to Drugs, YES to Model Hobbies!"



3941 Legacy Drive, Suite 204, Plano, TX 75023 USA Tel: (214) 618-7038 Fax: (214) 618-7637

Mfr. of fine R/C products using our own CNC machines. Tamiya TAO2 aluminum modified parts, wheels. Titanium tie-rod, dogbone, screws, transmission shaft, wheel shaft. Tire cutting machine, Tire gluing machine, Tire, Chassis, Bodies, Allen wrench, Silicone oil, Oil filter, Modified engines, Engine mount, Fuel, Tuned pipe, and many others.



#### HPI FRONT-END FIXER-UPPER

I really love HPI's\* articulated-arm, frontend designs. Their F1 and on-road suspension systems give you a lot of adjustments, including caster, camber, spring rate and a choice of in-line or trailingaxle setups-so many choices! The designs aren't perfect, however, as the company discovered shortly after releasing their fabulous Super Graphite F1 kit.

The front ends on these cars have a lot of steering, and they have a respectable amount of front-end travel. In an effort to reduce steering response, many drivers followed the kit's directions and installed a pair of black O-rings instead of springs on the front joint pins. This reduced travel and response, but it also meant that most of the suspension's reaction to bumps and imperfections came from suspension-arm deflection—not a good thing, because you can't damp or regulate a nylon arm that's bending up and down.

To cure this, HPI has come out with an alternative joint pin that allows you to install springs on the front end again. Springs of various thicknesses are also available as tuning aids, along with a red, rubber O-ring that provides damping as it grips the joint pin and slows the front end's reaction time. The result is more front-end travel that's regulated by the spring and controlled by the O-ringsimple and effective!

Three joint pins are now available: the original short one comes with the F1 front suspension; the medium length piece is part of the Street Machine/ Roadstar design; and a new, longer aluminum pin is an aftermarket piece. If you're careful about spring preload and ride height, you'll even be able to install longer springs that provide added suspension travel, e.g., Associated, BRP\* and Wolfe\* springs, along with an O-ring. A few words of caution: before you take your car to the track, check the clearance between the bottom of the joint pin and the racing surface. Some spring and jointpin combinations may cause the E-clip that holds the spring and washer on the pin to snag on the carpet or pavement. This will cause teeny little parts to scatter to the four winds and the front end to hit the ground. Not a pretty sight! For that reason, I discourage the use of the longest pin with the F1 suspension. The mediumlength pin should do the trick.

\*Addresses are listed alphabetically in the Index of Manufacturers on page 264.

# Learning the Basics

HERE ARE approximately 46 bazillion makes and models of R/C vehicles—give or take a few. So how do you know which one is right for you? The decisionmaking process that leads to your first R/C purchase can be dizzying. Before you can make a sound choice, many questions need to be answered, such as: should I buy a car or truck?-and, if a truck, should it be a stadium racer or a monster truck? Should I get an onroad pan car or a 4WD sedan? Who knows?

Here are some basic guidelines to help you.

#### **GAS OR ELECTRIC?**

If this is your first R/C vehicle, I recommend electric rather than nitro power. Electric cars and trucks are generally cleaner, quieter and easier to start with. Electric is the most commonly used R/C power in the U.S., so getting help and buying replacement and hop-up items is pretty easy.

If racing is in your future then, again, electric-

powered cars may be your best bet because during the winter months, they can be run indoors.

There's an unbelievable number of motors avail-

able, so you can choose one that matches your skill level. As you improve, you can upgrade. Gas vehicles don't really lend themselves to a learning curve; they're very fast right out of the box, and there's no really easy way to tone them down.





#### WHICH MANUFACTURER?

For cars, motors, batteries, radios and anything else you need, you'll usually do well by sticking with well-known manufacturers. Companies such as Tamiya\*, Kyosho\*, Associated\*, Trinity\*, Losi\* and Traxxas\* all have proven track records and go out of their way to support their products and the R/C industry. It is important to purchase a vehicle that is supported by its manufacturer and by your local hobby shop. It's no fun ordering parts and waiting weeks for the delivery because the part had to be back-ordered. When you need help or want hop-up parts, consult an expert.

• Which motor? Your first motor should be a stock motor, which will provide all the speed and power you could want (at




least, for now). If the kit you bought doesn't include one, you can pick one up for around \$25. After you have mastered the stock motor, if you feel you need more power, look into buying a modified motor much faster!



- Batteries? There are a million kinds of batteries on the market. To start, I strongly suggest that you use 1400 to 1800mAh SCR sport-type packs. Expect to spend about \$15 to \$20 for a sport pack.
- Charger? If you want to spend a little extra, this is where to do it. Any 15-minute, timer-type charger will work, but peak-detect-type chargers work best because they peak the battery pack at its full charge then shut off automatically to prevent overcharging. With these

chargers, all the guesswork is eliminated, so you never have to wonder whether your packs are fully charged. Timertype chargers work well but require guesswork and risk



overcharging—a big no-no. Peak-detecttype chargers are worth the extra money. Check the December 1995 issue of *Car Action* for a comprehensive guide to all the chargers currently on the market.

• Radios? I recommend that you start with an AM pistolgrip radio system. There are many good, inexpensive units on the market. The only feature that you should look for in your first radio is servo-




reversing capability. You'll find good entry-level radio systems in the \$50 to \$100 range. There are even some entry-level radios that have a servo/ESC combo available instead of the standard two-servo setup. For a better look at entry-level radio systems, check out *Car Action's* "Budget Radio Guide" in the November 1995 issue.

• **Servos?** Certain vehicles have certain steering servo requirements. Monster trucks require servos that provide more

#### CAR OR TRUCK? ON OR OFF-ROAD? 2WD OR 4WD?

To start. I recommend offroad vehicles because they're versatile. Just change to on-road-type tires, and you can run on any pavement, cement or carpet surfaces. Most onroad cars should be run on smooth surfaces such as cement and asphalt, and they don't perform well on dirt. Also, off-road buggies and trucks are designed for the roughand-tumble world of offroad driving-perfect for



beginners. Believe me, if there is an obstacle to hit, you'll hit it. The speed that these cars deliver is definitely fast enough to do lots of damage, so ruggedness is key.

If I had to choose between a buggy or truck, I'd choose a truck because it's a little heavier and wider and is equipped with bigger wheels. These factors make R/C trucks (especially stadium-type trucks) easy and fun to drive. Because they have a wide stance and a long wheelbase, they're less likely to spin out and are best-suited to rough terrain and sandy areas with large jumps. They can literally run over anything that gets in their way including other R/C cars!

The design of 4WD vehicles is pretty complex. Learn how to build and drive 2WD first, then join the seasoned RC'ers in 4WD.





torque than speed. Racing trucks require both torque and speed. 2WD buggies work best with a servo that provides a moderate

amount of torque and speed, and on-road pan cars need more speed than torque. You're always better off buying a servo (within your budget) that has a combination of both high torque and fast transit speeds. Cars that don't require more torque can easily use the servo that comes with the radio system until you need to upgrade to a better servo.


• Electronic speed control. This is one of the biggest, most important upgrades that you can make to electric-powered R/C vehicles. Many beginner R/C kits come with mechanical speed controls. Though some of these work well, they tend to be inefficient and unreliable. Do yourself a favor, and get a sport-type ESC as soon as possible. ESCs increase run times, deliver silky-smooth throttle and brake control and are nearly 100-percent reliable. If you

ever plan to race, be sure to purchase an ESC without reverse; only forward and brake are allowed in competition. A good sport ESC should cost you in the neighborhood of \$60.

Purchasing the correct equipment up front can make a big difference to how much fun you have in the future. Hard-to-find parts and shoddy equipment can very quickly turn a person sour on R/C.

Talk to people who are already involved with the sport. Read R/C Car Action. If you're into racing, pay attention to the

cars and trucks that win at big events. After a while, you'll see a trend: the same types, makes and models keep cropping up. There's a reason for this! It shows that the equip-



ment is among the top in its field. If you do some homework now, you won't be sorry later.

\* Addresses are listed alphabetically in the Index of Manufacturers on page 264.



World's driving a Clod-A-Leaver Ilequipped Clod Buster. Other special parts used included a Tekin 420-62 speed control, PTI batteries, Trinity Kinwald motors and Thorp ball diffs.

The same chassis/suspension/steering kit is available to you and gives much better handling, much better steering, superb high-speed stability and tremendous durability for high-speed racing or just having a great time.

The kit fits both Clod Buster and Bullhead vehicles. Included in the kit are the lightweight chassis, battery tray, receiver and speed-control tray, long-wheelbase stainless ladder bars, heavy-duty 6-32 ball ends, axlemounted steering-servo bracket/brush guard assembly, stainless-steel tie rods, full cantilever shock-mounting system and front and rear sway bars. All of these things are standard equipment on every Clod-A-Leaver II (note: cantilever shock-mounting and sway bars have been standard on Clod-A-Leavers since they became available in 1992). If you don't have a Clod Buster and would like to build one up from parts, you will need the following: the Clod-A-Leaver II Kit, two complete Clod Buster axle/gearbox assemblies, shocks, motors, all electronics, body, body mounts, wheels and tires. These parts are all available new from Bennett Equipment, or we also have a good selection of used parts at a 30 to 50% savings. We also have available rolling chassis or complete vehicles with the Clod-A-Leaver II Kit installed. We also have in stock motors, custom wheels and most other special parts for Clods as well as the stock Tamiya parts. The suggested 2-wheel-steering version of the Clod-A-Leaver II is \$225 and the 4-wheel-steering version is \$250 (both are 4-wheel drive).

The Clod-A-Leaver Jr. is a new chassis kit available for those on a budget or as an entry-level vehicle. This kit can be upgraded at any time to the full Clod-A-Leaver II specifications. The kit features the same lightweight (81/4 oz.) chassis, the same long wheelbase, stainless-steel ladder bars and the same heavy-duty 6-32 ball ends. The kit also includes extended steering rods and a relocated steering-servo mount. This kit will greatly improve handling and durability of the stock Clod Buster or Bullhead. The Clod-A-Leaver Jr. sells for \$129. The upgrades to bring it up to Clod-A-Leaver II specifications are: the steering kit with brush guard for \$32 (two required for 4-wheel steering), the swaybar kit for \$40 and the full cantilever shockmounting brackets for \$50.

**Bennett Equipment** 

900 East 1300 South, Romney, IN 47981 (317) 538-2725 (eve.) SEND \$2.00 FOR BROCHURE Mark's Yokomo YZ-10

TOS BY WALTER SIDAS

# Number-one guys! Mark Pavidis (let champ; Matt Francis—2WD world co

# ELLES Minning Pars

by GEORGE M. GONZALEZ

40 RADIO CONTROL CAR ACTION



"hobby," but if you ever went to a world championship race, you'd immediately notice that the racers aren't exactly relaxing. Winning a world championship takes time, patience, concentration and the ability to drive under the most adverse conditions. Being able to dial-in a car precisely is probably the most important skill needed to win a race—besides driving skill, of course. Trick racing parts—ones that aren't usually available to the

Both Matt Francis and Mark Pavidis managed to come up with the perfect combination of dialed-in car and superb skill, and they should be recognized as masters of their

If you're curious about how these two R/C warriors set up their cars to take on the Worlds in Japan, read on. Who knows? Maybe you, too, can become an R/C samurai!

win a really cool '95 Worlds T-shirt. But wait .... These aren't your basic change the oil in your car, clean out your basement, wipe the floor with them T-shirts. We're talkin' official, custom, silk-screened, '95 IFMAR World Championship T-shirts that were available only in Japan during the Worlds. Every T-shirt has been autographed by Matt Francis and Mark Pavidis, and there are only five of them in the U.S. Of course, we have all five, and they're locked up safely in the Car Action vault.

#### The Rules

Design your own World Championship dream track with all the twists, turns, bumps and jumps that you'd want to tame. Get it down on paper, and send us your illustration. That's it! What could be easier? Your layout drawing can be drafted by hand or computer-generated; but keep in mind that we aren't after the best-looking illustration, we're looking for the best track layout.

Make your illustration as detailed as possible, and please include your name, address and phone number on each one that you submit. We will publish the five winning layouts, so start drafting.

All entries must be postmarked by January 5, 1996.

Send your entries to:

#### **T-Shirt Contest**

**Radio Control Car Action** 251 Danbury Rd., Wilton, CT 06897 41



### **Matt's Associated RC10B2**

The Team Shocks have MIP Golden shock shafts, Associated Green springs, Lunsford Punisher titanium turnbuckles and Losi Silver ribs. An Airtronics 94151 servo provides the lightning-fast steering, while a set of Reedy/Orion cells provide the juice. Matt altered the suspension geometry by installing three spacers on the steering blocks under the ball joints.

### Matt used the standard 1.02 shock bodies with MIP .71 Golden shock shafts. He

installed a set of number 1 shock pistons and used one travel-limiting spacer in each shock. He filled the shocks with 40WT shock fluid and used a set of Associated Green springs. Matt set up his front end with the standard 25-degree caster blocks and, on the steering blocks, he installed three steering spacers that altered the geometry considerably:

according to Matt, this makes the car push slightly, which, in turn, makes the car more forgiving when it exits turns. Matt mounted the front shocks in the inside shockmounting hole of the front shock tower and in the inside shock-mounting hole of the suspension arms. In addition, he set up his car with 1 degree of toe-in.

Matt found Pro-Line's\* new Squared Fuzzies to be the hot ticket for the rear end, and a set of Team Losi\* Full-Radius Ribbed front tires balanced the traction superbly. He used foam inserts on the rears, but left them out of the Losi fronts. He also used a complete set of Lunsford's\* indestructible Punisher titanium tie rods.

As for electronics, Matt used a potent Reedy\* Sonic 10-turn double modified motor and six Orion/Reedy 1700 SCRC Sanyo cells. LRP's\* new ICS Digital speed control handled the heavy horsepower, while an Airtronics\* Caliber 3Ps and 94151 servo kept his car on the right track. Matt geared his car with a 17/84 pinion-to-spur combination and found this to be the best componise between top speed and out-of-thecorner punch.

The chassis and suspension components on Matt's car are molded out of a light, rigid, carbonfiber/nylon material.



The Team Shocks are outfitted with Silver springs and MIP Golden shock shafts. MIP CVDs, Lunsford Punisher turnbuckles and Pro-Line Squared Fuzzies round out the rear end. A Reedy Sonic 10-turn double provides the "mondo" horsepower.

### **IN THE REAR:**

Matt used standard Associated\* 1.32 shock bodies and MIP\* 1.02 Golden shock shafts. He used one travel-limiting shim on the inside of each shock shaft, and he installed a set of number 1 shock pistons.

He filled the shocks with Associated 25WT shock fluid and used the kit's stock Silver springs. He kept the camber links in the recommended positions, and he set up his car with 1 degree of negative camber. Matt chose to run 3 degrees of rear toe-in and 3 degrees of anti-squat, and he installed a set of MIP CVDs, which he swears by.

### Mark's Yokomo YZ-10



### IN THE FRONT Mark installed a set of Associated 1.02 Team Shocks and be outfitted

Mark installed a set of Shocks, and he outfitted

them with number 1 shock pistons, 40WT oil and a set of Yokomo Copper springs. The car has 1 degree of negative camber and 0 degrees of toe-in, and the camber links and shock bodies are in their stock positions. A set of Pro-Line Squared Fuzzies with foam inserts were nar-

rowed to fit the front wheels.

Up front, Mark used a set of Associated 1.02-stroke Team Shocks with Yokomo Copper springs, Lunsford Punisher titanium turnbuckles and narrowed-down Pro-Line Squared Fuzzies. An Airtronics 94151 servo


provides the steering while an LRP ICS Digital ESC manages the power.

Mark's YZ-10 was outfitted with Yokomo's\* all-new, prototype, graphite chassis, which was designed for the bumpy terrain at the Yatabe Arena. The new chassis features an improved battery position—closer to the chassis' center line. In addition, new graphite shock towers and battery braces reduce weight and increase strength.

Mark used a Reedy Sonic 10turn modified motor, Orion/Reedy 1700 SCRC Sanyo cells and an LRP ICS Digital electronic speed control. He found a 17/87 pinion-to-spur-gear combination perfect for the high-speed Yatabe Arena track. His "lucky" Airtronics CS-2P transmitter and 94151 high-speed servo allowed him to slice through traffic with surgeon-like precision.




Yokomo's prototype graphite chassis and suspension components, Associated 1.32-stroke Team Shocks with Yokomo Copper springs and Pro-Line's new Squared Fuzzies round off the rear end of Mark's YZ-10.



Fuzzies were cut down to fit the YZ-10's narrow front wheels. Mark did such a fine job that it looks as if the tire has been made this

You'll find a pair of Associated 1.32 Team Shocks with number 1 shock pistons, 35WT oil and Yokomo Copper springs. Mark set up the car with 1 degree of negative camber, 3 degrees of toe-in and 1.5 degrees of anti-squat. He installed the shock bodies in the middle mounting hole on the shock tower and outside mounting hole on the A-arms. The camber links remained in their stock positions (inside mounting hole on the rear bulkhead). A pair of Pro-Line Squared Fuzzies with foam inserts finished off the rears.

\* Addresses are listed alphabetically in the Index of Manufacturers on page 264. lacksquare



### Tamiya

### Chevy S-10

by JEFF BARTLETT

as the Chevy S-10 4WD truck rolled out of the laboratory and into hobby stores. Over the past year, Tamiya's vehicles have become increasingly realistic. Gone are the days when buggies such as the Frog and the Hornet ruled neighborhoods. Today, R/C rebels can choose from a variety of Formula 1 cars, European touring sedans, high-performance Japanese cars and trucks such as this one.

#### KIT FEATURES

The kit contains fasteners that are packed in clearly labeled bags, a detailed instruction manual complete with exploded-view diagrams, standard box and hex wrenches, diff lube, grease, a Mabuchi 540 motor and a 3-step mechanical speed control.

Many novices are afraid of complex transmissions, which, no doubt, scares many of them away from 4WD kits. The S-10's full-time, steel, shaft-driven, 4WD transmission assembly, however, is quite simple. The front planetary diff and the rear ball diff are housed in sealed gearboxes, which are equipped with quick-release hatches for easy maintenance.

Unlike some kits that require "fiddling" to properly align the pinion gear with the spur gear, the S-10 includes a spacer to ensure proper offset. The plastic motor mount has a ring of numbered holes, which are used according to the number of teeth on the pinion gear. I was skeptical about how well I had screwed the motor and mount into place because I couldn't see them. When I had completed the kit and fired up the truck, however, the fit proved to be dead-on.

The S-10 features independent, doublewishbone suspension. All four, oil-filled, coil-over shocks are built and installed at the same time. Tamiya's shocks are always easy to assemble, and they're leak-free. The kit also includes assorted pistons and ride-height spacers.

The one-piece Lexan body is covered with a protective vinyl coating to keep the body free from overspray when you paint it. The kit includes handy window masks that must be cut out; they're much easier to use than masking tape! A complete decal set is included, so the patient modeler can replicate the paint and sticker scheme of the full-size truck—even the distinctive lightning streak. The decals are mounted on clear, adhesive film. The kit includes semi-pneumatic, all-terrain, synthetic-rubber tires. Also included is a set of true-to-scale wheels with an aluminum finish.

#### **TEST GEAR**

Before I even had the truck, I had a radio system ready and waiting. Because this truck was destined for backyard bashing and parking-lot fun, I wanted radio gear that was simple to install and easy to use. An Airtronics\* Rival RV2P radio, 92721 2-channel receiver and 94102 servo fit the bill at a reasonable price. Because I'm not a fan of the standard mechanical speed control, I used the Airtronics Contender ESC. Current was provided by a Parma\* 6-cell 1700mAh pack.

#### PERFORMANCE

After having spent eight hours assembling the truck and another four detailing the body, I was ready to drive. With a couple of 1700mAh SCR battery packs in hand, I headed to the neighborhood BMX track. With just a turn of the Rival's dials, I was all set.

The kit contains 16 plastic bushings and six metal bushings. Because of the added friction caused by a second differential, you should install a set of ball bearings. I used

> Tamiya's 53073 Manta Ray Ball Bearing Set, which is recommended for Tamiya's line of touring cars that use the same chassis.



HE REAL INING


Tamiya's S-10 is based on the full-size off-road race trucks run by Nelson & Nelson Racing (N&N). The paint-and-decal schemes resemble those of the winning N&N trucks that are driven by Larry Ragland (through the desert) and Rick Johnson (in stadiums). These trucks are so heavily modified for their specific racing styles that only the bodies resemble the production versions. The N&N Class-8 desert racer, which I think the Tamiya truck most closely resembles, is built to withstand 500 miles or more of full-bore racing across open desert, diving into large depressions and taking flight over sandy rises. A 630hp engine and a whopping 23 inches of suspension travel are key ingredients.

### likes 🖟


- · Straightforward assembly.
- Well-engineered kit.
- Protective vinyl coating on body to protect from overspray.
- Fills market niche between on-road and off-road vehicles.
- Very realistic looks, right down to the tires and wheels.

### dislikes 🕷

- Narrow track and low clearance for a truck.
- Too many plastic bushings, many of which would be difficult to replace later with bearings.



I drove the truck around the parking lot. At first, I just stuck to a basic square pattern so that I could check wheel alignment and steering response. When no problems had arisen after a few laps, I performed some figure-8s and just messed around. The truck was faster than I had expected it to be on pavement (probably owing to the bearings). The suspension was a little soft for hard turning, and that allowed a bit of body roll, but it was tight enough to keep all four wheels planted. Handling is a notch looser than the handling on the sedan versions that use the same chassis and feel as if they're on rails. Before I knew it, 15 minutes had passed, and the battery had died.



When you assemble the two differentials, line up the pieces as shown in the instructions. Sometimes you can't put down the half-assembled diff without the pieces becoming misaligned, so stack them one right after the other. This also ensures that you use the proper components.

Slapping in the second battery, I walked over to the dirt track that the neighborhood kids had built on an open lot. After a few sliding turns through the fine dirt, I knew that the truck would never be as clean as it had been a half hour before. In the dirt, the handling was predictable and steady.

I moved to the series of jumps that the local kids love to show off on, and I lined the truck up for a run through the moguls. The truck leaped gracefully off the first two smaller jumps, but the larger jumps were a challenge. The truck's narrow track isn't very forgiving on less-than-perfect landings, which is similar to the Blackfoot's handling, but not as bad. Fortunately, the low center of gravity helps to keep the top up.

#### **Building and Setup Tips**


- · The instructions call for the installation of 16 plastic and six metal bushings-most of which go in the gearboxes. With all these bushings, the drive train is bound to have considerable drag, so be sure to apply plenty of grease to all the bushings. Because I didn't want to have to tear the units apart later, I installed a complete set of ball bearings during assembly.
- · The exploded view of the rear differential shown in step 1 would send chills up most people's backs; however, if the pieces have been laid out as shown, the assembly is quite simple. I usually put the parts on a paper towel because the texture prevents the small diff balls from rolling away, and it makes the small parts easier to see. Be sure to apply plenty of diff grease where the instructions indicate, and apply grease liberally to all the gears.
- Step 7 shows how to install the rear gearbox joints; don't install them backward—a common mistake. The longer joint that's used in this step is identical to the one used in step 1 for assembling

- the front differential.

  Although the instructions don't call for it, in steps 8 and 9, I added grease to the rods on which the A-arms pivot. I thought that friction should be minimized on all the moving parts.
- When you thread the ball socket onto the shock shafts, don't touch the metal shafts with pliers. If you scratch the shock shaft, it will catch on the rubber O-rings and affect shock performance. To protect the shaft, wrap the rod in paper towels or affix a couple of pieces of servo tape to the pliers.
- The radio installation couldn't have been easier. The receiver is secured to the radio tray with servo tape, and the ESC is mounted vertically right in front of it. Although the stock servosaver effectively protects your servo, I used a large Kimbrough\* servo-saver for additional protection.
- In preparation for painting, the body should be cleaned with soapy water and dried with paper towels to remove unwanted dirt and fingerprints. The darkest colors should be painted on first, so I

began by painting the tailgate and bed using Pactra's\* Outlaw Black spray paint. Next, I painted the hood and the front fenders in Blue Streak. The grill was easy to spray paint because the kit includes decals for the head lamps and the black spaces between the grill slats; otherwise, I would have had to use a paint brush or a paint marker. When these pieces had dried, I sprayed a couple coats of Sprint White on the underside. Painting the white behind the colors enriches the paint and prevents light from shining through any thin spots.

After I had completed the painting, I removed the masking tape, the window mask and the protective vinyl coating. To apply the decals, cut them out, peel off the backing, and stick them on. This took me more than an hour to do because I was extremely careful to line up the stickers and prevent bubbles from forming. Many people recommend that you use soapy water on the body to help position the decals. When the soapy water has dried, the decals stick permanently.



As with real cars, you build the subassemblies of the two transmissions before you fasten them to the chassis. This makes the kit easy to work with.

#### **FINAL THOUGHTS**

The batteries became drained, the truck got filthy, and I developed a wide smile. In jumping prowess, the S-10 poses no threat to purpose-built racing trucks, but it does fill a niche somewhere between Tamiya's touring sedans and ultra-realistic trucks, such as the new Jeep Wrangler. The S-10 is one of only a few American vehicles replicated in the R/C industry, which tends to build more European and Japanese vehicles. We asked Tamiya why they duplicate so few American vehicles, and they explained that they sell more cars in Europe and Japan than they do in the United States. There's also the sticky matter of licensing (the rights given by a company to use their name or logo).

For the average enthusiast, the S-10 offers a great alternative in an entry-level market that's becoming saturated with cars and race-oriented trucks.

Chevrolet, Chevy, the Bow Tie emblem, the S-10 emblem and body design and Chevy Thunder are trademarks of the Chevrolet Motor Division, General Motors Corporation and used under license to Tamiya Inc.

\*Addresses are listed alphabetically in the Index of Manufacturers on page 264.

#### Tamiya Opel Calibra V6 DTM

#### by Stacey Granelli

E ALL have to start somewhere. So, when several new kits arrived at the Car Action office, I decided it was time for me to build my first R/C car. I had been an R/C poser for some time-working on R/C articles for months without ever having assembled a car myself. I asked the editors which kit was beginner-proof, and they pointed to the Tamiya\* 1/10-scale Opel Calibra V6 DTM. It's a cool 4WD parking-lot pounder, and Tamiya kits are famous for having excellent instructions. The adventure began.

#### KIT FEATURES

I got a little scared when I opened the box and saw all the parts bags, boxes and "bubble packs." Assembly would clearly take me more than the mere three hours that so many R/C'ers boast about. Luckily, the instruction manual couldn't have been clearer; it contained step-by-step instructions with full-size diagrams, and the multicolored, plastic-resin parts were clearly marked.

The Opel is based on the advanced TA02 chassis. This design has wider front suspension arms for more stability during high-speed maneuvering. The stiff, molded chassis doesn't twist during suspension operation, so it provides consistent handling. The motor, battery and gearbox are centered in the vehicle for optimum balance and weight distribution.

The 4WD transmission includes a rear ball diff and a front planetary-gear diff. The transmission gears are molded out of white-nylon, fiber-filled composite, so they should be pretty strong. The front and rear gearboxes are simple, efficient and easy to maintain, and they're connected by a metal drive shaft. To access them, you simply remove four screws.

The car features 4W independent suspension that consists of lower suspension arms and fixed upper links. Rounding out the suspension are four plastic, independent, oil-filled, coil-over shocks. They provide good handling over the bumpy stuff (you know-curbs, potholes and that occasional roller-blader).

(Continued on page 54)

# A Cale of

t was the best of times for parking-lot racers; it was the worst of times for parking-lot racers (actually, it leaned more toward the best of times); it was the age of plastic chassis; it was the age of aluminum chassis; it was the epoch of oilfilled shocks; it was the epoch of coil springs; it was the season of shaft drive; it was the season of belt drive.... What the Dickens is going on here?



TESTING


[AMIYA'S OPEL CALIBRA V6 DTM

PHOTOS BY WALTER SIDAS

RECARD BILSTEIN

# Towo Opels

What you see before you are two of the hottest, newest Opels that are currently hitting the parking-lot scene—Tamiya's venerable TA02 (left) and Kyosho's newest endeavor, the TF-2. They may look similar on the outside, but underneath the Opel body shells are two completely different machines. Let's take a look at what each has to offer us parking-lot prowlers.



KYOSHO'S OPEL CALIBRA V6

#### Kyosho Opel Calibra V6

by Derek Buono

Tils

Mobilin

Bills

TELL

Mobilin

Bills

Bills

TELL

Mobilin

Bills

Bill

Bills

YOSHO IS KNOWN for producing high-performance, competitively priced vehicles. The new Opel Calibra V6 is their latest venture into the ever-popular 4WD touring-car class. It's the first Kyosho\* product in the U.S. to use the new TF-2 4WD chassis—a narrow, belt-drive platform that can credit some of its design to Kyosho's popular Lazer off-road buggy. With this in mind, I had no doubts about the Calibra's performance capabilities, even before I opened the box!

#### KIT FEATURES

There are two versions of the TF-2 chassis: a sport model that is intended for budget-conscious racers; and a high-zoot competition model. I received the sport version for review.

The TF-2 chassis has an attractive, aluminum, strong double-deck design. A simple, two-belt transmission system transfers the power of the included RS-540 motor from a center shaft/pulley to front and rear gear differentials. Steel dogbones connect the drive system to two pairs of Kyosho's cool-looking, BBS-type wheels, which are shod with rubber slick tires.

The TF-2's drive system is completely open, but given the relatively clean surfaces on which touring cars are usually run, reliability shouldn't be a problem. In fact, I believe that a fully enclosed belt-drive system is actually more prone to being damaged by small pebbles and debris, which can be trapped inside a transmission case.

On all four corners, suspension is independent with non-adjustable upper links. I feel that non-adjustable upper links are better for beginner builders, who tend to have trouble setting up adjustable links to achieve the correct amount of wheel camber. The base-model TF-2 doesn't come with oil-filled shocks—somewhat disappointing. But coil-spring dampers are included instead; I'll reserve judgment on their

(Continued on page 55)

#### Tamiya Opel Calibra V6 DTM



(Continued from page 52)

The kit also comes with an unpainted, polycarbonate body; a separately molded rear spoiler; decals for either Keke Rosberg or Manuel Reuter's car; window masking; one-piece, mesh-pattern wheels and rubber racing slicks; a 540 stock motor; and a 3-step mechanical speed control. Did I mention the substantial front bumper? I must say, I'm glad it's included.

#### **TEST GEAR**


I ran the Opel with the included 3-step mechanical speed control and 540 motor. I added JR\* Python radio gear, which includes two NES-510 servos and an NER-102 AM receiver. The Python transmitter is comfortable to hold and offers a lot of features for the money.

Current was provided by a Tamiya 6-cell 1400 SCR pack. I also added a full set of Pro-Line\* Sedan Hawg tires, which fit perfectly on the Opel's wheels.

#### **PERFORMANCE**

After 8—that's right, 8!—total hours of wrist-breaking assembly (screwing in all those self-tapping screws takes some muscle), I charged up my battery pack and let it

(Continued on page 56)



Although it may look crowded inside, the TA02 design is well thought out and has proven to be a durable sedan platform.

### **Building and Setup Tips**

- Read the entire instruction manual before you open any of the parts bags.
- If you plan to use the 3-step mechanical speed control, the instructions are in the bag with it—not in the instruction manual. I discovered this after about half an hour of trying to figure out why step 25 of the instruction manual was telling me to mount only a steering servo. I may be a beginner, but I knew I needed two servos—one for steering and one for throttle. It was a bummer when I finally found the instructions and saw that they included alternate steps that started back at step 2 of the regular manual; I had to take apart the rear gearbox to add the mechanical speed-control mount.
- Be organized. I found that the muffin-tin method of organizing all the little pieces really works; otherwise, they get all over (especially if your cat's a thief!). The muffin tin keeps them all in one spot, and every compartment can be labeled.
- Buy Lexan scissors. Regular scissors, embroidery scissors, hobby knives and Swiss Army knives do not cut it—literally. I struggled for way too long trying to cut out the wheel wells.
- Work out for at least a month before attempting to thread all those very special self-tapping screws into the plastic. You are the "self" who will be doing all the tapping.
- Do not spray paint one spot for too long. Paint runs and makes not-soattractive streaks in your paint job—streaks that you can't easily hide with decals.
- Avoid driving the car into solid, cement objects and oncoming traffic. The results are not pretty.


#### SPECIFICATIONS

SPECIFICATIONS
SCALE
DIMENSIONS           Overall length         17.5 in           Wheelbase         10.88 in           Width (F)         8.65 in           Width (R)         9 in
WEIGHT (gross, RTR)3 lb., 5 oz
CHASSIS         TypeTul           MaterialPlastic         Plastic
DRIVE TRAIN TypeSealed dual-transmission with drive shaft PrimaryPinion/spu TransmissionDogbones/axle: Differential(s)Gear (F); ball (R Slipper clutchNone Bearings/bushingsBushings
SUSPENSION (F/R) TypeLower A-arm with fixed upper lini DampingPlastic oil-filled, coil-over
WHEELS (F/R) TypeMesh-type, plastic, one-pieco Dimensions (DxW)1.875x1 incl
TIRES (F/R)Slick semi-pneumation
ELECTRICS Motor540 stock

Battery .....Not included

Speed Control ......3-step mechanical

#### Kyosho Opel Calibra V6



From overhead, you can see that the new Kyosho TF-2 features a relatively straightforward, simple, belt-driven, 4WD design. There's plenty of room to mount almost any ESC and receiver.

#### SPECIFICATIONS

SCALE
DIMENSIONS
Length (overall)18.25 in.
Wheelbase10.28 in.
Width (F)7.81 in.
Width (R)7.75 in
WEIGHT (gross, RTR)3 lb., 7.5 oz.
CHASSIS
TypeFlat plate w/upper deck
MaterialAluminum alloy
DRIVE TRAIN
TypeTwo, toothed belts
PrimaryPinion/spur gear
TransmissionDogbones/axles
Differential(s)Bevel gear
Slipper clutchNone
Bearings/bushingsLubricant-impregnated
bronze
SUSPENSION (F/R)
TypeIndependent lower
control arm/upper link
DampingCoil spring
WHEELS (F/R)
TypeOne-piece molded mesh
Dimensions (DxW)1.9x1 in.
TIRES (F/R)Kyosho rubber racing slicks



(Continued from page 53)

performance until later in this article.

Because of space constraints, the speed control is mounted on a removable tray to allow access to the motor mounting screws. A set of high-quality bronze bushings round out the sport version. Ball bearings are the first upgrade that I'd make.

#### **TEST GEAR**

I wanted complete control of this sedan, so I started by installing my Airtronics\* Caliber 3P coupled with the speed of an Airtronics 94737 high-speed servo. I then opted for a Tekin\* 412-P electronic speed control and used a Trinity\* Speed Gems Ruby machine-wound, 16-turn triple motor to spin the wheels. Dynamite\* 1400 SCR sport packs provided the power.

#### **PERFORMANCE**

I took the Opel to a tennis court and put it to the test. The driveline is simple and efficient; the belt tensioner works great; and there was no hint of the belt slipping when I hit the throttle.

Unfortunately, the tires that accompany the kit didn't hook up well on the slick surface of the tennis court, but within a minute or two, I was accustomed to the wheelspin and was happily slapping the power down and drifting through the turns. If you've never owned a 4WD vehicle, you won't be able to appreciate this sensation; *I* did, through every corner!

This car's handling characteristics are as predictable as the sunrise. If you mash the throttle through a turn and keep the throttle pinned, the car pushes. If, in that same turn, you momentarily interrupt the throttle and get back onto it, the car kicks into the fantastic phenomenon of 4WD drift. After a few such corners, driving the TF-2 becomes an addiction. I found myself trying to get the car to go as sideways as possible before the laws of physics took over. If you start to lose control, the simple corrective action is to let go of the throttle and watch as the car is snapped back in line and awaits its next command.

Braking is mind-boggling; hit the brakes and the car looks as if it dropped anchor. Don't try to drive the TF-2 like a 2WD car and don't hit the brakes while cornering, or you'll find yourself peeling the stickers off the curb you just met.

After several packs, I was ripping through turns left and right (obviously!). The Airtronics 94737 servo responded flawlessly to every turn of the wheel. Acceleration was like lightning; would you (Continued on page 57)

### **Building and Setup Tips**

The Calibra comes packaged in an attractive, multicolored box, and all the parts are neatly bagged and labeled for easy identification. The instruction manual is typical Kyosho—very clear illustrations with easy-to-understand text. All the moldings are of good quality, and all the suspension components are molded out of nylon composites.

This is one of the easiest 4WD cars to assemble correctly. I just followed the instructions, which are excellent, and assembly took three hours from start to finish (minus the paint job). Absolutely no hand-fitting was required. I only had one problem during assembly: the instructions are vague as to where the bushings should stop on the main gear. The two-piece bushings fit tightly on the shaft, and I assumed they should go fully against the gear. You can probably guess that I was wrong. The bushings just go on to the point at which their outer edge is flush with the edge of the gear.

Other than this minuscule gripe, if you follow the directions, you shouldn't have any difficulties.

#### Tamiya Opel Calibra V6 DTM


(Continued from page 54)

rip. Well, not exactly rip. I figured I should start small (it was 1:30 in the morning, after all), so I ran it around my living room and kitchen—slowly, but with enough speed to drive my cat crazy.


The next day, I moved to a more appropriate setting—the driveway. I was amazed at how fast the car could move. And move it did—right into the street. Lucky for me, traffic was slow and I was faster. I was having trouble getting used to the throttle on my radio; it seemed to be backwards. When I pulled back on the throttle, the car went in

reverse. I found out that my radio has a throttle-reversing switch—a minor dilemma solved. After I had made a few minor adjustments, steering and cornering were excellent. Sliding around turns got to be fun. Look, ma, I'm drivin'!


I decided it was time to tackle a real parking lot, so I headed for the beach. The lot was sandy, so sliding through turns became more like spinning through them-360-degree spins, to be exact. I discovered countersteering and regained some control. Again, the Opel's steering was very responsive. There was a lot more space in the parking lot than in my driveway, so I ran at full throttle. The Opel accelerated quickly; I had it zoomin' around the lot in no time. Then, from out of nowhere, a curb jumped up-right in front of the car! (Has this ever happened to anyone else?) I thought it was all over. With my head hung low, I walked over to survey the damage. To my surprise,




- Superior detailing.
- Easy-to-follow instructions with full-size diagrams.
- · Great handling and suspension.
- Very durable.



- Instructions for the 3-step speed control are on a separate sheet.
- Lexan cover for the 3-step doesn't lie flat.



In back, oil-filled plastic shocks handle the damping chores. An access hatch allows you to get to the rear ball diff easily; remove four screws, and it pops right out.



Up front, you'll find oil-filled shocks, a gear diff and Pro-Line Sedan Hawgs.

#### THINGS YOU'LL NEED

- Battery pack.
- Battery charger.
- Radio gear with two servos (or one servo and an ESC).
- Paint for the body.
- Assorted screwdrivers.


#### **FACTORY OPTIONS**

- Ball bearings—part no. 53167.
- Graphite chassis plate—53166.
- Speed-tuned gear set—53127.
- Various tire and wheel sets.
- Optional 24- and 25-tooth pinion set—50477.
- Universal shaft set—53172.

except for a few munched decals and bumper scrapes, the car was fine. I don't recommend bashing into curbs, but it's good to know that the Opel is sturdy enough to withstand the rigors of inexperienced driving.

After I had gone through a few battery packs, I began to experience some glitching with the 3-step speed control. I kept getting stuck in reverse. Apparently, you need to clean the control's metal contacts from time to time because built-up dirt and crud can make the little wiper arm stick.

The kit's speed control works OK, but you should eventually upgrade it to an electronic speed control (ESC). ESCs provide much smoother throttle response, and lots of manufacturers offer low-end models at very modest prices. I think that you should also upgrade to a full set of ball bearings—



A stock 540 motor and a 3-step mechanical speed control are standard equipment on the Tamiya Opel. Those who want a little more pep will shelf these items in favor of an ESC and a hotter motor.

when your budget allows. The kit's plastic bushings work well when they're new, but they'll quickly wear and cause lots of slop in the transmission and axles.

#### **FINAL THOUGHTS**

The Opel Calibra V6 DTM is durable, easy-to-build, fast and fun to drive. Beginners will find its construction appropriately challenging. Experts can modify the TA02 chassis to their heart's content using Tamiya's extensive line of hop-ups. Looking back, I can honestly say that I enjoyed my first R/C adventure. If I could only prevent those curbs from jumping out into the middle of the road....


\*Addresses are listed alphabetically in the Index of Manufacturers on page 264.

#### Kyosho Opel Calibra V6


(Continued from page 55)

expect less from a 4WD?


I had a blast driving this car, but just days before the photo shoot, I was checking how the car reacted in high-speed sweepers when disaster struck. While making a long, hard left, I hit a crack in the pavement that sent the car into a slow-motion roll. I felt each and every hit the car took. Luckily, only two of the stickers were ruined, and the passenger mirror was twisted. I brushed off the dirt and fixed the mirrors to continue my attack on the parking lot



In back, slick tires get the power to the ground. The coil-spring shocks are not oil-filled, so you might want to upgrade them as your skills progress and your budget allows.



A massive bumper protects the front end from most "entry-level" impacts. Hey!...who doesn't crash at one time or another?



The TF-2 is equipped with smooth gear diffs both front and rear.

(although I did drive much less aggressively after the accident).

On smooth surfaces, the kit's coil-spring shocks worked well enough, but they came up short on bumpier pavement where the lack of damping caused the Opel to bounce excessively. After a full set of ball bearings, the next essential modification I recommend is a set of oil-filled shocks.



- · Excellent handling right out of the box.
- · Scale realism.
- Simple construction.
- User-friendly instructions.
- · Aluminum chassis.
- · Low price.

### Dislikes

- No oil-damped shocks.
- Too many screw heads protruding from the bottom of the chassis.


#### THINGS YOU'LL NEED

- 2-channel radio
- Servo
- ESC
- Batteries
- **■** Charger

#### **FACTORY OPTIONS**

- Adjustable rod set—part no. SPW-5
- Special roll bar—SPW-53
- Stabilizer set—SPW-56
- Ball bearings—3x6, 5x10 and 8x14mm—96473, 1901, 1911
- 5.8mm ball end—LA43
- Front one-way set—W5111
- Universal swingshaft (L)-W5066
- Ultimate shocks (S)—W5097
- On-road shock spring (S)-92491
- Slick tire (high-grip)—92442
- **■** Color wheel
  - Mesh/silver-924455S
  - Mesh/black-924455B
  - Mesh/gun metallic-924455G
- Wide, slick tire (high-grip)-92551
- Wide color wheel
  - Mesh/silver—92555S
  - Mesh/black-92555B
  - Mesh/gun metallic—92555G
- Urethane foam bumper—39401
- Lapboy set (BEC)—90326

The speed was good, although I may have over-geared the Ruby motor a tad because I used the stock pinion, which was intended for a stock motor. I would love to see this car with the optional 2-speed transmission. I can only imagine the speed!



I tested the TF-2 with a Tekin TSC 412-P Speed Star and a Trinity Ruby Speed Gems motor.

#### **FINAL THOUGHTS**

All cars are basically judged (regardless of price) on one thing—performance. If a car does not perform, it does not sell. Kyosho, I'm warning you to be prepared to sell a horde of these babies.

I've heard rumors that Kyosho cars are difficult to assemble and maintain, but I can't see the truth in that, because this is one of the simplest cars I have ever assembled. If you aren't the sport-minded type, a performance version is available and, if you already own the sport version, the list of options is long and diverse. This car's handling is excellent, and it's a blast to drive. I like the look of the aluminum chassis, but the number of button-head screws on the bottom is incredible. I would rather have seen countersunk holes, which would be less likely to drag on the ground.

Did I mention the car is a *blast* to drive? The touring car craze has begun. Maybe 4WD has a chance here in the U.S. after all!


\* Addresses are listed alphabetically in the Index of Manufacturers on page 264.




# Budget sport racer



# with a Legendary heritage





### Bolink

### Super-7

Y FIRST R/C CAR (some 15 years ago) was a 1/12-scale Bolink\* Lamborghini, so I was thrilled when I was asked to do the "Thrash Test" on Bolink's 1/10-scale Super-T truck. I drive a truck, so this suits me to a T (sorry, I had to say it!). The Super-T is an inexpensive, entry-level racer designed for backyard R/C enthusiasts who may already have an R/C car and want to dabble in the world of on-road racing.

#### KIT FEATURES

The kit is basically the same as those in the Bolink Legend series, except it has a truck body. The chassis components consist of computer-designed, 3/32-inch-thick fiberglass plates. The Super-T's chassis design is different from the typical on-road pan car. The main chassis is made of two vertical plates. The front suspension plate and the rear body mounts are located horizontally between these vertical plates, which are bolted together with nylon supports and socket-head cap screws. This design also provides strength in the event of a head-on collision (a benefit for beginners), but the stiff chassis is unforgiving going over bumps and small rocks.

The front suspension is a Bolink kingpin coil-spring setup, and suspension adjustment is limited to toe-in and toe-out.

There's no rear suspension, so the chassis absorbs a lot of "road shock." Unlike the Legend kits, the Super-T has black nylon wheels with low-profile tires; also, the battery pack is placed across the chassis so there's no need for a battery tray.




- · Low price.
- · Good instructions/easy to build.
- · Good-looking body.

- · Rear tires not very true.
- · Front tires wear out too quickly.
- Rear spoiler pictured isn't included with the kit.
- No differential lube.

The relatively non-adjustable front end is very simple; only toe-in, toeout and springs can be adjusted.

> I trimmed the servo ears so that I could put the servo horn in the center of the chassis.



### Building and Setup Tips

- The rear-axle bushings are difficult to insert into the chassis. You can carefully hammer them in. I pressed them in with a vice and had a socket on the other side for support.

  Whichever method you use, be sure to support the back of the fiberglass plate.
- When you attach the nylon supports, wrap them with a piece of bicycle inner tube and grip the tube with pliers; pliers tend to scratch them up.
- To create a better fit when the two vertical chassis plates are screwed together, before step 3 in the instructions, file the corners of the front axle plate and rear body mount where they rest against the chassis plates.
- In step 12, if you can't get the axle to spin freely, roll up some 600-grit sandpaper and pass it through the bushings. With the axle installed, add a few drops of oil, then work the axle back and forth while you spin it. Repeat the process until the axle spins freely.
- In step 13, after you've tightened the left wheel-hub setscrews, remove the hub and axle, and file a flat spot on the axle where the setscrews left a mark. During a race, if the hub becomes loose, the setscrews will keep the wheel rotating and help you make it to the finish line.
- To help you place the servo just right and put the steering links through the sides of the chassis, in step 19, before you lower the servo onto the front axle plate, remove one side of the kingpin brace and move it out of the way.
- Adjusting the ESC can be frustrating when it's mounted on the side of the chassis. The instructions suggest that you mount the ESC and receiver on top of the battery tray and place the battery pack under it. I also recommend this.
- If you mount the antenna where the instructions suggest, you'll need another hole in the hood—not on my truck! I moved the antenna to one of the slots on the edge of the battery tray and taped it to the chassis.
- The pictures on the box show a rear spoiler, but one is not included in the kit. When you trim the body, use the portion below the rear bumper to make a spoiler, and attach it with double-sided tape.


#### **TEST GEAR**

I used Trinity's\* Green Machine 2 stock motor to provide the horsepower, while Novak's\* T-4 ESC (it might be considered an antique by today's standards, but it works well) controls the horsepower. A Tekin\* receiver and my trusty Futaba\* Magnum Junior transmitter handle the radio signals. A reasonably priced Futaba S148 servo handles the steering.


#### **PERFORMANCE**

The first test site was a very dusty tennis court with six courts in a row. The truck spun out very easily, although straight-line speed was quite impressive. I went through three battery packs and then, with a very dirty truck, I headed home for some tinkering. I noticed the rear tires were not very true, so I trued them on my metal lathe. Most hobby shops will do it for you for a small fee.

The second test site was a parking lot. This time spinouts were reduced, and the Super-T seemed to run more smoothly overall. Halfway through the second run, a small pebble became lodged in the pinion gear and totally wasted the spur gear. The front tires were wasted as well—so, back home for more tinkering. I replaced the 81-tooth spur gear with a 78-tooth spur gear from Robinson Racing\*. I also replaced the front tires with DuraTrax\* green dots, medium-compound, BBS-style wheels, and I gave the steering a little less toe-in. I also moved the battery pack.




I mounted the battery under the chassis to give the truck an overall lower center of gravity. The battery can also be mounted in-line under the electronics.



The Super-T comes with kingpin/coilspring front suspension. There is no rear suspension, so this truck is best suited to smoother pavement and carpet driving.

The third test site was a much cleaner tennis court, which was a lot of fun! The Super-T handled much better than before



For smoother handling and better powerto-the-pavement distribution, a ball diff comes standard on the Super-T.

and was more predictable in the turns.

Run time with my old 1200 SRC batteries was just over 4 minutes; with a new 1500 sport pack plus, run time increased to 6.5 minutes. I ran both packs with the 78-tooth spur gear.

#### **FINAL THOUGHTS**


The Super-T does what it's designed to do: it gives beginners and backyard bashers a look at on-road racers. It's easy to build, and the investment is very low if you already have an R/C car.


The Super-T's stiff chassis and lack of rear suspension make it bounce so that it's difficult to control in parking lots that are not well-groomed, but on smooth surfaces, the truck is a lot of fun. The Super-T could compete in the Sport class that some tracks have for higher-level cars and trucks, but remember, it's an entry-level truck, and you race it to have fun!

\*Addresses are listed alphabetically in the Index of Manufacturers on page 264.

# Reader's Ride of the Year "Terminator







tle different? How bout a whole lot different? Randy Coolbaugh's "Terminator 3" R/C assault vehicle is perhaps the most formidable project yet to pass through the doors of the Car Action offices. Randy started his project in 1989, as a personal challenge." He wanted to build a fully functional, scale,

spy/assault vehicle that could be controlled without visual contact for distances of up to 2,000 feet. He also wanted to incorporate a working flamethrower, proximity and incline alarms, a "bionic ear" listening device and a working


missile turret.

After a month of sketching and planning, Randy finally came up with the T3's basic body design by combining features from a modern Hummer and a

German WW II half-track called a GREIF. Randy knew that, at

some point, he'd have to make the vehi-

cle operational, but first, he had to find a suitable chassis.



- rocket launcher
- infrared camera
- proximity alarm
- laser sight
- 4WD
- working plow





The creator of the T3, Randy Coolbaugh, with his other "ride"—a full-

#### **CRUISIN' FOR A BRUISER**

After careful consideration, Randy settled on the perfect chassis for the T3—a Tamiya\* Bruiser. Finding one in suitable condition, however, was difficult; at the time, Tamiya hadn't yet re-released the Bruiser as the Mountaineer. After a few months of asking around, Randy learned that his cousin in Long Island had one (for a price!). When he got the chassis, he was ready to start.

First, Randy modified the Bruiser chas-

sis to ensure that it would be able to cope with the extra weight of the vehicle. He added five additional leaves to the rear springs, then added sway bars, radius rods, panhard links and centi-lever coil-over shocks. For cool operation, he fitted the stock motor with a copper cooling coil and a belt-driven, twin-gear pump, and he made a hard-lined radiator with a thermostatically controlled fan.

He was then ready to draw blueprints and lay out all the inner workings, includ-


> ing the servos, electronics, plumbing and wire-harness roughing.

#### **INNER WORKINGS**

After Randy had made sketches of the body parts, he made schematic drawings of all the basic circuits that would bring the Hummer to life. Beginning with the receivers from two Futaba\* 4-channel radios, he assembled the circuit boards that would control the functions.

The truck body is divided into four compartments that are separated by ½-inchthick bulkheads. The compartments house an array of components:

• Compartment one is the "main control center" that houses the switch panel, LED



To handle the additional weight of the T3, the stock Bruiser motor was wrapped with a copper cooling coil that leads to the custom-made radiator.



This easily accessible control panel on the side of the truck contains all the variable resistors and the audio controls.



The video camera, light sensor, audio microphone and switch panel are mounted inside the first compartment, just behind the windshield. Toward the rear is the hard-lined radiator with its twin-gear-driven pump and thermostatically controlled fan.

The fuel tank and electric pump for the T3's flamethrower are mounted on the bulkhead in the truck's third compartment. This space also houses the servos that control the turret movement and switching and hydraulic functions.






For extra "holding power" when parked on inclines, the T3 has a custom, "emergency" disk-brake system mounted on the rear axle's drive shaft.

The stock Bruiser's suspension was extensively modified to handle the extra weight of the T3. Sway bars, radius rods, panhard rods and additional leaves for the springs were added. Note the custommade, centi-lever shock system.







indicators, video camera, light sensor and audio microphone. The video camera has a 76-degree field of view and, using infrared, can "see" up to 8 feet in total darkness.

- Compartment two contains all the circuitry, including the receivers, speed control, signal monitor, laser-drive circuit, temperature sensor, light sensor, warning circuitry and flasher circuit for the plow warning lights.
- Compartment three houses the mechanical components: the turret servos, switching servos, hydraulic servo, fuel tank, pump for the flamethrower and an accessible circuit control panel with all the variable resistors and audio controls.
- Compartment four holds the powersupply grid and inverters for 5 and 9 volts. The audio/video (A/V) transmitter is mounted on the bulkhead in this compartment.

The A/V transmitter links the control unit to the truck. A 2-channel amplifier in compartment four is connected to a roof jack for the turret-mounted "bionic ear" for pinpoint listening.

All the sensor circuits—tilt, battery level, proximity, etc.—are linked by fiberoptic lines to a buzzer that is sent via an audio signal back to the control unit. Sensors produce different buzzer sequences for identification. For example: the tilt and proximity sensors produce a steady tone, while the battery monitor and signal monitor produce a pulse tone. This helps the operator to identify a problem and react.

The rest of the body—the sides, fenders and roof—are made out of ½16-inch-thick aluminum, and brass detailing is used on the radiator grill and bumpers.

#### CONTROL

For control, Randy uses two 4-channel Futaba radios. One controls the driving functions—throttle, steering and transmission; and the fourth channel controls the master cylinder for the working plow.

The second radio controls the armament. Channels one and two raise and rotate the turret (it can be elevated 18 degrees and rotated 90 degrees). The turret can launch rockets of up to 1 inch in diameter and 4 inches long, or the MRLS (Multiple Rocket Launching System) can be attached for two rounds of three rockets each.

Channel three operates a six-position rotary switch that activates the laser sight for the turret, the emergency brake and rockets A, B and C (B and C are MRLS). Finally, channel four controls the flamethrower via a Ramtronics relay. Randy hasn't used the flamethrower yet for fear of sending his project up in flames, but he predicts that it will have a range of up to 5 feet, depending on the vehicle's pitch.

Randy is currently working to complete the control unit, which will consist of the two 4-channel transmitters and a black-and-white C.R.T. monitor with a 4-inch screen and an audio recording deck with a 7-band input equalizer to filter out unwanted noise for precise recordings. For now, Randy drives the T3 using the two transmitters, and he keeps it where he can see it.

#### A READER'S RIDE TO REMEMBER

Randy's project is one of the most spectacular examples of great design, ingenuity and imagination that we've ever seen, and we're sure that you'll agree. Congratulations, Randy; your check for \$500 is on its way, so please don't sick the T3 on us!

\* Addresses are listed alphabetically in the Index of Manufacturers on page 264.



Aero Tech A-Main Andy's Associated Astro Flight Autographics Barracuda RRR Bel-Ray Body Shop Bolink BRP CRC C&M/Cobra Cam Chicago mod Comp. Elect. Comp. Craft Cooper Crowe Dahm's Dan's RC Delta Dubro Dumor East Coast

Edge

ESP

ETA

Excel

Fast Lane

Elite Speed

Airtronics

Fine Design Gator Genesis Holeshot Hot Socks HPI Hyperdrive Irrgang Jammin Kimbrough Lightning Rod Lightspeed Litespeed Lunsford Matrix (Integy) Max Cell McAllister MIP NMB Novak Ofna Ozone Paragon Parma Pole Position Power Source Precision Mot. Pro Fit Pro Line Progressive Protoform Puretech Pyramid Quantum Race Prep

Racer Choice Racer's Edge Racetech Raceway mfg RCM RCPS Robinson Royal RPM Saiko Sassy Schumacher Southworth Speedworks Stage III TA Emerald TD Ent. Tamiya Team Losi Tecnacraft Teddy's Tekin Thorp Traxxas TRC Trinity TO Twinn-K Twister Upscale Vantage Victor W.S. Deans


# RC CAR SPECIALIST

**Call for Slot Linesheet!** 




CALL or FAX for Catalog and Newsletter Phone (914) 268 5090 Fax 268 0462





# New in the Pits




#### Thunder Tiger Horsepower

Bill Jeric brought along samples of Thunder Tiger USA's\* newest powerplant: the Tiger .12 BZ, which features ball

bearings, a chrome piston and sleeve for increased engine life, and a large, aluminum, heat-sink cylinder head. The .12 BZ engine is listed at only \$129.99 but is available at a "street price" of about \$78. Thunder Tiger also makes chrome piston-and-sleeve

kits that fit the O.S. CZ-R and CZ-Z .12 engines. There's also a version of the .12 BZ made specifically for the RC10GT. It's called the

BZ(A), and it's available with a precut crankshaft.



#### Start Me Up

Brian Turner of Grand Rapids, MI, is behind this neat project. Brian modified Kyosho's\* 1/10-

Tim Long . . . .

Name

Pat McCreery . . . . .


Dave lannone Jr. .

Kris Moore .... Matt Ledger . . . . .

Carl Giordano....

scale starter box to give it a dose of heavy horsepower. He bolted


in two electric motors (instead of one) and dumped the 6-cell pack that usually powers the box in favor of a 12V gel-cell. Brian claims that the box will have no trouble starting new, "tight" engines.





#### MP-5 Goodies


Kyosho unveiled some new hop-ups for the spankin' new Inferno MP-5. Among the mods are a new, thicker, duralumin chassis; ball-bearing-supported steering bellcranks; a steel, replacement spur gear; and a trick, multi-disk-brake conversion kit.



## **A-Main Racing RC10GT Chassis**

A-Main Racing's\* Rich Boomsma and Kunio Dudgeon are back with

a cool new chassis kit for the popular Associated RC10GT nitro truck. The kit features a hard-anodized, aluminum lower plate with a thick, fiberglass upper plate for strength. A neat, sliding enginemount system





and all the necessary hardware are also included.


A-Main also makes other accessories for the RC10GT, including high-performance clutch shoes and an adapter that lets you use a .21-size air filter with a smaller .12 carb throat.


#### On a Rampage

Mikio "Miki-san" Shimizu, section manager, Car Division 1 of Kyosho, Japan, came to Detroit with several handmade prototypes of a new Rampage Pro racing truck. The prototypes feature

a new, three-gear transmission with a bottom-mounted ball diff, new rear-arm mounts and a special, rear, shock-tower "shelf" on which the batteries are mounted.

There's no official word on the release date for the updated Rampage Pro, but you should keep your eyes peeled; Kris Moore's prototype turned the fastest laps during the A-Main!





Chassis	Engine	Fuel	Tires	Body	Sponsors
Kyosho	Rex Engines	O'Donnell	Kyosho	Kyosho	Kyosho, O'Donnell, Ultimate Hobbies, Fox Paint
Mugen		Mu-Juice	Mugen	Mugen	Mugen USA, Bruckner Hobbies
Mugen	Rex Engines	Mu-Juice	Mugen	Mugen	Mugen USA, Ultimate Hobbies, Rex Engines, Waldo Racing
Kyosho		O'Donnell	Kyosho	Kyosho	Kyosho, O.S. Engines, Team DuraTrax
Kyosho	Thunder Tiger Pro 21	O'Donnell	Kyosho	Parma	Thunder Tiger USA, Kyosho, O'Donnell, Novak
Kyosho	Picco	O'Donnell	Kyosho	Kyosho	Bruckner Hobbies, Kyosho, Hobbico
Mugen	Rex Engines	Mu-Juice	Mugen	N/A	Mugen, Oakley, Rex Engines, Racing Jack, Swollen
-					

Chassis	Engine	Fuel	Tires	Body	Sponsors
Associated	0.S./LTM CZ-Z	O'Donnell	Losi/Pro-Line	Assoc	Wimpy, Gonzo, LTM Racing, R/C World of Indiana
Traxxas	0.S. CZ-Z	O'Donnell	Pro-Line/Losi	Traxxas	None
Associated	O.S. CZ-R	Blue Thunder	Pro-Line	Assoc	Hebron Tool & Die, Hobbytown in McHenry IL
Associated		Blue Thunder	Losi	Assoc	Aero-Tec Racing, Grandview Hobbies
. Losi conversion	0.S. CZ-Z	Blue Thunder	Losi	Losi	Mitchell's Hobbies
Kyosho	0.S. CZ-R	O'Donnell	Losi	Kyosho	Kyosho, Paris Racing, KO-Propo, Moore's Welding, Fox Paint
Associated	0.S. CZ-Z	Blue Thunder	Pro-Line	Assoc	Associated/Reedy, Pro-Line, Lunsford, Kimbrough, Mugen, Seir Racing
A-Main/Losi	Thunder Tiger Pro 12	O'Donnell	Losi	N/A	CRC Racing, Mighty Motors, New Wave Batteries
Kyosho	0.S. CZ-Z	O'Donnell	Losi	Kyosho	Kyosho, Hobbico, DuraTrax, O.S. Engine, Pinnacle Hobbies
A-Main/Losi	Thunder Tiger Pro 12	O'Donnell	Losi	Losi	Hobbytown Inc., Thunder Tiger USA, A-Main Racing, R/C Graffics custom paint

Chassis	Engine	Fuel	Tires	Body	Sponsors
Kyosho MP-5	Paris Picco	O'Donnell	Kyosho	Kyosho	Kyosho, Paris Racing, KO-Propo, Moore's Welding, Fox Paint
Mugen	Rex Engines	Mu-Juice	Medial Pro	Mugen	Mugen USA, Rex Engines, Medial Pro, Pro-Line, RCPS, Lunsford, JR-Propo, MIP
Mugen	Rex Engines	Mu-Juice	Medial Pro	Mugen	Mugen USA, Rex Engines, Medial Pro, Lunsford, MIP, SoCal Raceway, Team Losi
Mugen	Rex Engines	Mu-Juice	Medial Pro	Mugen	Mugen USA, Rex Engines, Medial Pro
Kyosho MP-5	O.S. RZ-B	O'Donnell	Kyosho	Kyosho	Kyosho, O.S. Engine, DuraTrax, Hobbico, Pinnacle Hobbies
Mugen	Rex Engines	Mu-Juice	Medial Pro	Mugen	Mugen, MIP, Pro-Line, Team Associated
Mugen	Rex Engines	Mu-Juice	Medial Pro	Mugen	Mugen, Rex Engines, Tekin, Waldo Racing, Moore's Welding
Kyosho MP-5	O.S. RZ-B	O'Donnell	Kyosho	Kvosho	Hobbico, Ripmax, Three 5 Models (UK), Kyosho, O.S. Engine, Fibre Disc Brakes
Mugen	Rex Engines	Mu-Juice	Medial Pro	Mugen	Mugen USA, Rex Engines, Medial Pro, Airtronics, MIP
Kyosho		O'Donnell	Kyosho	Kyosho	Kyosho USA, Pinnacle Hobbies

#### GAS OFF-ROAD WORLD CHALLENGE

Kyoshos, sealed up the third spot in the A-Main by posting a time of 12 laps in 5:11.9.

#### MAIN EVENT SHOWTIME!

• 1/10-Scale Truck A-Main. At the start of the 15-minute A-Main, Kris Moore's Rampage Pro shot out to a major holeshot, and that left Darrin Leist, Pat McCreery



On the drivers' stand, Team Kyosho USA's Kris Moore (middle) concentrates "intently." Sometimes, it seems as though Kris is the only one who remembers that racing is fun!

and Brian Lavigne in an intense battle for the second spot. On the eighth lap, mechanical problems sidelined Leist, and on the ninth lap, Lavigne caught the plywood wall in front of the drivers' stand and sheared off his Rampage Pro's right front suspension. This attrition gave McCreery a clear shot at Moore, who had pulled into a comfortable lead.

During the first-and only mandatory-fuel stop, there was some excitement when McCreery temporarily gained the lead as Moore pulled into pit row. For McCreery though, the lead was shortlived, and he handed it back to Moore during his own fuel stop. Eleven minutes into the race, it looked as if Moore

would breeze to an easy victory, but alas, the R/C gremlins had their way, and his Rampage Pro was pulled off the track with a broken steering servo. At the horn,

McCreery's RC10GT crossed the line first with 35 laps in 15:08, followed by Tyrone Wright with 34 laps in 15.20.

 ½-Scale Truck A-Main. Tim Long holeshotted ahead of Bill Jeric and Carl Giordano, but then he put his Inferno ST



Craddock Mike came all the way from Britain to compete in the World Challenge. for him to adjust to American tracks because he usually ted him an A-Main finish in the Buggy division.

He savs it's hard races on grass. Despite this, his precise driving net-

Two of "da Bruckner boys" (Tom

Baffer Jr. and Carl Giordano) thrash

on a teammate's nitro truck.

Moore eventually found himself on Ledger's bumper and made a few attempts to pass, but he twice found himself on his

Meanwhile, Furutani



The M&W Hobbies trailer had everything you needed to keep your gas buggy or truck running. M&W Hobbies hosted this year's World Challenge.

Long eventually did get by Giordano, but he flamed-out at the 10-minute mark.

onto its lid in the infield. This left

Giordano with a clear view of the open

track, which he promptly used to extend a two-turn lead. Unfortunately,

Giordano and the crowd of spectators

who lined the track could only watch as Long, who had made short work of

Jeric, began to whittle away at

When his pit crew had got him back out on the track, he passed both Jeric and Giordano to regain the lead. It's safe to assume that Long was thankful for the 20minute Main!

Giordano and Jeric's battle for second actually carried them back up to Long, but with less than 4 minutes to go, Jeric flamed-out. Long scooted in for the win with 46 laps in 20:21; Giordano-the only other driver who completed 46 laps-was right on his tail with 20:24.

• 1/8-Scale Buggy A-Main. At the start of the 30-minute Main. top qualifier Kris Moore and fellow Kyosho driver Mike Craddock somehow placed their MP-5s over the pit wall! Derek Furutani shot out to an awesomeholeshot with Doug Von Mosch and Matt Ledger in tow. For the first 10 minutes of the race, the three Mugens freight-trained to pull ahead of the pack, but Moore was fighting back from the rear, turning laps nearly 1 second faster than any other car on the

track. Moore wanted this one!

lid. But his third attempt was successful, and he began to set his sights on the leaders.

and Von Mosch were running close and smooth, but Moore was on a mission. Through excellent pit stops and consistent 22- and 23-second laps, Moore put his MP-5 into the lead for the first time in the race. Once out in front, Moore didn't save his car; instead, he seemed to push it ever closer to its limits. By the 13-minute mark, he had about half a track on Furutani's second-place buggy.

On the last two laps, Furutani, Ledger and Von Mosch tangled and then made a mad dash for the finish line, with Ledger edging out his Mugen teammates for second. Furutani finished in third, and Von Mosch crossed the line in fourth place. Moore held on and crossed first for a welldeserved win.



Mikio Shimizu (left) works for Kyosho in Japan, and he made the long flight to see how his prototype Rampage Pro trucks would fare on the tough Freedom Hill track.


#### SEE YOU AT NUMBER SIX

Intermediate to expert hobbyists should give nitro off-road racing a serious look. Everyone at the World Challenge seemed to have a good time, and very few racers had mechanical difficulties. Overall, the fifth annual World Challenge was a complete success, with much of the credit going to the Top of the Hill R/C Club, which did an excellent job of running the event.

Thanks go to race director Bill Drew, scorekeeper Todd Drew and to announcer Mike "Kahuna" Navaira. Wilson Tang of M&W Hobbies, which hosted the World Challenge, also deserves a round of applause. Last, but certainly not least, thanks to Mugen and Bruckner Hobbies for their co-sponsorship, without which the World Challenge would have been less spectacular.

\*Addresses are listed alphabetically in the Index of Manufacturers on page 264.









IN THIS ISSUE!	(100
ARMATURES	10 7
Epoxy Balanced Armatures	. 90
Epoxy Balanced Armatures For Rare Earth/Cobalt Motors	.90
Custom Wound Armatures	
Dyno Arms	. 90
BATTERIES	255
Ex-Tech Matched	
Sport Packs	.94
Receiver Packs	. 94
Land, Sea and Air Power Packs	. 94
Battery Test Numbers Conversion Chart	.95
Battery Pack Building Accessories  Plugs and Connectors	
Shrink Wrap	
Hook Up Wire	
CAR ACCESSORIES	
Antennas	
Ball Bearing Sets	
Body Accessories, Clips, Wing Mounts, Body Mounts	.96
Bumpers	. 96
Differential Parts	. 96
CAR KITS	UT.
Evolution Kits	102
Revolver Kits	102
Drag Works Kits	
Street Spec Kits	103
CAR KIT PARTS	
Evolution 10 & 10ss Common Parts	
Evolution 10 Parts  Evolution 10 On-Road Deluxe Parts	104
Evolution 10 On-Road Deluxe Parts	104
Evolution 10 & 10ss Hop Up Parts	104
Evolution 10 LSD Parts	105
Revolver 22j & Magic Carpet Ride Common Parts	105
Revolver 22j Parts	106
Magic Carpet Ride Parts	
Revolver 22j Hop Up Parts	
Dragworks Car Parts	
Street Spec Car Parts	107
GEARS	196
Zero Gravity Pinions	
Kinwald Hard Ones Pinions	
Stealth Spur Gears	
HAULER BAGS	. 70
	101
Trinity Logo Hauler Bag Trinity Logo Transmitter bag	
Trinity Logo Monster Car-go Bag	101
LUBRICANTS	
Team Kinwald Formula 96 Power Drops	98
The Solution Motor Cleaning Spray	
Revtech Drops	
MOTORS	
ROAR Legal Stock Motors	. 86
Outlaw Stock Motors	
Machine Wound Modifieds, Speed Gems	
Outlaw Oval Replacement Motors	. 87
Epoxy Balanced Dirtinator Hand Wound Modified Motors	
Fnoxy Balanced Team Edition '96 Hand Wound Modifieds	88

Rare Earth Epoxy balanced Modified Motors	
Team Kinwald Modified Motors	
Samarium Cobalt Racing Motors	85
MOTOR REPLACEMENT PARTS	STEELS .
Team Kinwald Replacement Motor Parts	. 91
Ex-Tech-Speed Gems Replacement Motor Parts	
Trinity Replacement Motor Parts	91
Rare Earth/Cobalt Motor Replacement Parts	
MOTOR ACCESSORIES Brush Springs	728
Brush Springs	91
Motor Heatsinks	
Capacitors	
MOTOR BRUSHES  Motor Brush Chart	
Motor Brush Chart	. 92
SCREWS Purple Aluminum Screw Kits	
Purple Aluminum Screw Kits	. 99
Purple Screws And Nuts	. 99
Pinion Set Screws	. 99
SERVO MOUNTS	
Purple Aluminum Adjustable Mounts	99
The state of the s	
SERVO TAPE Super Sticky Servo Tape	00
SHIRTS	. 23
Trinity Team Shirt	
Trinity/Losi Off Road Team Shirt	
SILICONE LUBES Silicone Damper Fluids	
Silicone Damper Fluids	98
SILICONE SHOCK OIL  10 to 100 Weight Shock Oil	
10 to 100 Weight Shock Oil	. 98
SLOTWORKS SLOTCARS	
16-D Replacement Motors	108
Ready To Run Cars	108
Starter Kits	
Controllers	
Clear Bodies	109
Painted Bodies	110
Chassis & Chassis Parts	110
Pinions & Spur Gears	110
Oils & Liquids	
Rear Tires	111
Shirts & Stickers	111
TIRES	
2.2" Off Road Tires	
Truck On-Road Foam Tires	100
TIRE TRACTION	
TIRE TRACTION  Buggy Grip	. 99
Zip Grip	. 99
TOOLS	
Quad Wrench	100
Pro Drill Blank Wrenches	101
Replacement Wrench Tips	

If an item in this guide is preceded by a "•"

it is a new item to this issue.

If the price is preceded by a "+" or"-" it has new pricing that has either gone up or down according to the symbol used.





# ROAR LEGAL STOCK MOTORS

All ROAR legal stock motors are built to a set of technical specifications established by ROAR. To be legal to race at ROAR sanctioned events, a manufacturer's stock motor must meet all of ROAR's specifications. These rules were drawn up to make stock class racing as fair and even as possible. If you are attending a ROAR rules stock class race, these are the motors you will need to run. 27 Turns, 24 Degree Maximum Timing, 22 Awg Wire, 64" Minimum of Wire.







Free RPM	Special	Spring	s Brush	Thickness	Holes	Magnets	Brush	Timino	Can	Turns	Price	Name	Part #
At 6 Volts	Features	Part #		Of Can		Туре		Degree		1.411.13	1110		, une
												Υ	TRINIT
k 24,300	Short Stack	4387	4080	1.3	2 Hole	5.2	Laydown	24	Blk	27	•\$39.99	Midnight	RC2095
k 24,300	Short Stack	4387	4080	1.3	2 Hole	5.2	Laydown	24	Blk	27	•\$39.99	Midnight Reverse	RC2096
17,650	Low Cost	4532	4495	1.2	Solid	4.9	Standard	24	Sil	27	\$27.95	Legends	RC2028
												WORKS	SPEED
23,800	Tri-Rotor	4387	4080	1.2	3 Hole	5.1	Laydown	24	Grn	27	-\$32.00	Green Machine 2	9424
23,800	Reverse	4531	4080	1.2	3 Hole	5.1	Laydown	24	Grn	27	-\$32.00	Green Machine 2 Rev.	9425
6	Reverse	4531	4080	1.2	3 Hole	5.1	Laydown	24	Grn	27	-\$32.00	Green Machine 2 Rev.	9425

#### **OUTLAW STOCK MOTORS**

Many areas of the country do not follow ROAR rules for their stock class motors. These tracks use "list price and bushings" to determine whether a motor is legal for stock racing or not. If this is how you race, or if you simply wish to have a stock motor that is faster than the ROAR legal types for street racing, look at the models below. If you race in the NORRCA Expert Stock Class or by "Street Spec" rules or just need more horsepower for your Tamiya car you need to try the models below.

# MIDNIGHT STOCK FEATURES NEW TECHNOLOGY

Right...Midnight is the first Trinity stock motor to feature a short slotted armature and still maintain ROAR legality. This is possible due to the use of aluminum heatsinks on the top and bottom of the armature blank. Winding 27 turns of wire over the heatsinks, makes the wire's length meet the ROAR rules. The heatsinks conduct heat away from the armatures core and out into the cooler air circulation through the motor can.

The center slot in the armature stack allows for better cooling of the wire, and redistributes the magnetic field pattern of the armature blank.

Midnight's short armature has less metal and is therefore lighter than other stock armatures. This makes it accelerate quicker to a higher rpm than can be accomplished with any other stock armature presently made today. This is stock motor technology taken to the limits of the ROAR rules.





Left...A special new reduced surface area bushing cuts shaft to bushing contact area by 25%. This results in less drag and more rpm's. Bushing design also lets the bushing break in quicker for a faster motor right out of the box.

Right...The Midnight's 1.3mm thick motor can features the same super strong 5.2 wet magnets as used in the Team Kinwald modified motor line. The use of a short armature stack requires a strong magnetic field to work properly. The thick motor can and Internal Magnetic Flux Collector™ all work in unison to balance the magnetic field by reducing flux loss on the open endbell side of the can. Cooling tunnels let air enter from the sides even when the motor is mounted in a car!











# SPEED GEMS '96 MODIFIED MOTORS

Machine wound modified motors are a great alternative if you are a racer on a budget. If you are looking for a taste of modified racing, or just want the fastest meanest machine on the block, look no further. We have all the horsepower you could possibly want at the best price. What you need is a Speedworks Speed Gem modified motor, or if you just run off-road the Team Kinwald Buggywald modified motor.

The machine wound modified motors use all the best components like the more expensive modifieds, but they have machine wound armatures. What you do get for your money is a very fast motor at just about 1/2 the cost. Many racers we know who use the more expensive hand wound motors will use one of our

Speed Gems to practice with, tune their car, and as a back-up in case they have problems with their primary motor. They say the performance is so close to that of their race motors that they are able to save their more expensive motors just for serious racing. Then of course there are those which just use the machine wound motors with great success in all forms of racing.

New this year in the Speed Gems line are 2 new modifieds; the Quartz and the Jade. The Quartz is a 19 turn which was designed especially for Touring cars and for longer run times. The Quartz is excellent for slippery buggy tracks where hooking up a car is a problem. The smooth power curve of the Quartz will allow you to put all of its horsepower to the ground.

The Jade is a 15 turn motor which falls right in the center of the Speed Gems motor line. This is one of the most popular winds due to its excellent speed and run time with 1700 SCRC cells. The Jade is your best buy if you can only afford one modified motor as it will run well in most types of racing.

Part #	Name	Price	Turns Wind T	Timing	Brush	Magnets	Holes	Thickness	Brush	Spring	Suggested	Free RPM
			D	Degree	Type	Туре	In Can	Of Can	Part #	Part #	Usage	At 6 Volts

#### KINWALD MACHINE WOUND MODIFIED MOTOR WITH BALL BEARINGS

TK2018 BuggyWald \$49.99 13 2 Adj Standard 5.1 Solid 1.2 4495 4531 2wd Off-Road Buggy 31,300

#### SPEEDWORKS SPEED GEMS MACHINE WOUND MODIFIED MOTORS WITH BALL BEARINGS

9200	Topaz	\$49.99	11	3	Adj	Standard	5.1	Solid	1.2	4495	4531	4wd Buggy/1/10 Oval	36,750
9201	Ruby	\$49.99	16	3	Adj	Standard	5.1	Solid	1.2	4495	4531	2wd Trucks/Buggys	25,600
9202	Sapphire	\$49.99	17	1	Adj	Standard	5.1	Solid	1.2	4495	4531	Monster Truck/Planes Boats	24,150
9203	Diamond	\$49.99	12	2	Adj	Standard	5.1	Solid	1.2	4495	4531	1/10th On-Road/Oval	33,750
9204	Onyx	\$49.99	14	2	Adj	Standard	5.1	Solid	1.2	4495	4531	2wd Trucks/Buggys	29,100
9206	Jade	•\$49.99	15	4	Adj	Standard	5.1	Solid	1.2	4495	4531	2wd Trucks	27,060
9207	Quartz	•\$49.99	19	2	Adj	Standard	5.1	Solid	1.2	4495	4531	Touring/F1, Planes, Boats	21,540

#### **OUTLAW OVAL HIGH PERFORMANCE MOTOR**

Replacement motor for the BRP Outlaw Oval Cars. Higher Performance, more speed, rebuildable.

RC2029 Outlaw Oval \$12.25 70 1 Fixed 16-D 16-D1 Hole BRP Outlaw Oval Cars

RC2031 Replacement Brushes and Springs for Outlaw Oval Motors •\$2.69

PICK THE RIGHT MOTOR BRUSHES FOR YOUR TYPE OF MOTOR & RACING, SEE PAGE 10




12,500



# TRINITY EPOXY BALANCED HAND WOUND MODIFIED MOTORS

Epoxy balancing is the latest technology pioneered by Trinity for high performance electric R/C motors. Instead of drilling holes in the heavy portion of the armature, epoxy weighted material is applied at the light portion of the armature to counterbalance the heavy side. The result? Perfectly balanced, but no holes.

This technique eliminates damage to the armature pole pieces that drilling may cause and helps preserve the saturation balance of the armatures segments. Maintaining the armature magnetic mass balance can be a real performance advantage. In addition Eddy Current and Hysteresis losses and corresponding heating will be reduced because the armatures laminations are no longer drilled.



Part #	Name	Price	Turns	Wind	Timing Degree		Magnets Type		Thickness Of Can	Brush Part #	Spring Part #	Suggested Usage	Free RPM At 6 Volts
TEAM	KINWALD	DIRTIN	IAT	OR	EPC	XY BAL	ANC	D M	ODIF	IEDS,	DEVE	LOPED FOR OFF-ROA	D USE
KD0509	Dirtinator 9	•\$95.00	9	5	Adj	Standard	5.2	Solid	1.3	4380	4033	4wd, High Traction Tracks	47,750
KD0410	Dirtinator 10	\$95.00	10	4	Adj	Standard	5.2	Solid	1.3	4380	4033	2wd, High Traction Tracks	43,691
KD0411	Dirtinator 11	•\$95.00	11	4	Adj	Standard	5.2	Solid	1.3	4380	4033	4wd Most Tracks	40,025
KD0312	2 Dirtinator 12	2 • \$95.00	12	3	Adj	Standard	5.2	Solid	1.3	4380	4033	2wd Most Tracks	35,717
KD0313	B Dirtinator 13	\$ \$95.00	13	3	Adj	Standard	5.2	Solid	1.3	4380	4033	4wd Big or Slippery Tracks	32,750
KD0214	Dirtinator 14	4 • \$95.00	14	2	Adj	Standard	5.2	Solid	1.3	4380	4033	2wd Big or Slippery Tracks	29,652
KD0215	5 Dirtinator 15	\$ • \$95.00	15	2	Adj	Standard	5.2	Solid	1.3	4380	4033	2wd Very low Traction Tracks	28,334

#### TRINITY TEAM EDITION '96 EPOXY BALANCED MODIFIEDS DEVELOPED FOR ON-ROAD USE

TE0107 Team 7T	•\$95.00 7	7 1	Adj	Standard	5.2	Solid	1.3	4380	4492	Drags/Speed Runs/Pulling	56,972
TE0108 Team 8T	•\$95.00 8	3 1	Adj	Standard	5.2	Solid	1.3	4380	4492	Drags/Speed Runs/Pulling	51,275
TE0311 Team 11T	•\$95.00 1	1 3	Adj	Standard	5.2	Solid	1.3	4380	4033	1/10th On-Road	38,554
TE0512 Team 12T	•\$95.00 1.	2 5	Adj	Standard	5.2	Solid	1.3	4383	4032	Paved Ovals-Small Tracks	37,391
TE0413 Team 13T	•\$95.00 1	3 4	Adj	Standard	5.2	Solid	1.3	4383	4032	Big Ovals/Velodromes	32,747
TE0314 Team 14T	•\$95.00 1	4 3	Adj	Standard	5.2	Solid	1.3	4525	4534	1/12th On-Road 4 Cell	30,685
TE0216 Team 16T	•\$95.00 1	6 2	Adj	Standard	5.2	Solid	1.3	4380	4028	1/12th On-Road Asphalt	26,537
TE3317 Team 17T	•\$95.00 1	7 3	Adj	Standard	5.2	Solid	1.3	4383	4032	1/12th On-Road Asphalt	24,990
TE3318 Team 18T	•\$95.00 13	8 3	Adj	Standard	5.2	Solid	1.3	4383	4032	1/12th On-Road Asphalt	23,574

#### TRINITY TEAM EDITION '96 \*RARE EARTH EPOXY BALANCED MOTORS

RE0108	Rare Earth 8	•\$229.00	8 1	Adj	Standard	RE*	Solid	1.2	4383	4492	Drag Racing 6 Cell	58,100
RE0109	Rare Earth 9	•\$229.00	9 1	Adj	Standard	RE*	Solid	1.2	4383	4492	Drag Racing 6-8 Cell	52,500
RE0110	Rare Earth 10	•\$229.00	10 1	Adj	Standard	RE*	Solid	1.2	4383	4492	Oval Racing	46,300
RE0211	Rare Earth 11	•\$229.00	11 2	Adj	Standard	RE*	Solid	1.2	4383	4492	Oval Racing 6-12 Cells	42,000
RE0212	Rare Earth 12	•\$229.00	12 2	Adj	Standard	RE*	Solid	1.2	4383	4492	1/10th On-Road	36,500

The Rare Earth Motors use a special extra strong Rare Earth magnet. This allows these motors to produce more power than a motor with standard 5.0 or 5.2 wet magnets. The Rare Earth magnets allow these motors to run with battery packs bigger then 7 cells. These Rare Earth motors are not ROAR or NORRCA legal, but they are for legal certain classes of Drag Racing, Pulling, Speedruns, Airplanes and Boats.







#### **TEAM KINWALD OFF-ROAD MODIFIED MOTORS**

We still offer our most popular Team Kinwald Modified motors. These feature the gray Kinwald motor set-up and standard balanced armatures.

TK1011 Kinwald 11	-\$85.00	11	3	Adj	Standard	5.2	Solid	1.3	4380	4033	2wd High Bite Tracks	38,300
TK1012 Kinwald 12	-\$85.00	12	2	Adj	Standard	5.2	Solid	1.3	4380	4033	2wd-4wd Buggys	35,250
TK1013 Kinwald 13	-\$85.00	13	1	Adj	Standard	5.2	Solid	1.3	4380	4033	Racing Trucks	32,500
TK1014 Kinwald 14	-\$85.00	14	2	Adj	Standard	5.2	Solid	1.3	4380	4033	Racing Trucks	30,150
TK1015 Kinwald 15	-\$85.00	15	3	Adj	Standard	5.2	Solid	1.3	4380	4033	2wd-Slippery Track	28,100



# SAMARIUM COBALT HIGH PERFORMANCE RACING MOTORS

When it comes to producing unlimited racing motors, no one does it better than Trinity. These new motors were designed around real Samarium Cobalt magnets. Samarium Cobalt is one of the strongest magnet materials available. This magnet material allowed us to manufacture the magnets much thinner, without sacrificing the integrity of the magnetic field. The can was then machined, not stamped, to fit the magnets perfectly. The wall thickness of the can is thicker in the areas of magnetic flow for a stronger field and less flux loss. These motors are smaller and lighter in weight than a standard .05 motor. The armature features a tied commutator, and high temperature high strength epoxy to hold the wires in place. The best part yet is it uses the Trinity armatures you already have in your box. The 12 and 13 turn motors work very well in airplanes and boats.

Part # Name	Price	Turns	Wind	Timing Degree	Brush Type	Magnets Type	Holes In Can	Thickness Of Can	Brush Part #	Spring Part #	Features	Free RPM At 6 Volts
TRINITY												
RC1005 Dragworks Motor	\$275.00	8	1	Adj	Standard	2.3	Billet	1.6	4383	4492	Machined Can	59,550
RC1006 Dragworks Motor	\$275.00	9	1	Adj	Standard	2.3	Billet	1.6	4383	4492	MachinedCan	53,050
RC1008 Dragworks Motor	\$275.00	10	1	Adj	Standard	2.3	Billet	1.6	4383	4492	MachinedCan	47,350
RC1009 Dragworks Motor	\$275.00	11	1	Adj	Standard	2.3	Billet	1.6	4383	4492	Machined Can	42,250
RC1010 Dragworks Motor	\$275.00	12	2	Adj	Standard	2.3	Billet	1.6	4383	4492	MachinedCan	37,650
RC1011 Dragworks Motor	\$275.00	13	2	Adj	Standard	2.3	Billet	1.6	4383	4492	MachinedCan	33,700

# EPOXY BALANCED ARMATURES

All Trinity armatures are hand wound using the highest grade 100% pure copper wire for the least possible internal resistance. The armature wires are then epoxied with a high temperature high tensile strength aerospace adhesive to make sure they stay in place even at the highest RPM. After the epoxing process, the commutator is diamond trued to .0001 and the armature is epoxy balanced to eliminate any vibration. By epoxy balancing we eliminate the drilling of any holes into the armature. This



keeps the magnetic field of all the poles in balance as there

are no "Dead Spots" where the laminations are shorted together at the drill holes. We then package the armature in a plastic tube to keep the commutator safe from any damage until you can put it into one of your motor set-ups. Remember all armatures can be used in any standard RC motor sold by Trinity, Speedworks, Pointblank, Maxtec, Extreme, Peak Performance, Fantom, Cam, Reedy, etc..

Remember when picking out an armature:

- 1. The lower the turns the higher the RPM 's but shorter the battery life.
- 2. The higher tum motors have the longest battery life, and the smoothest response.
- 3. Gear low tum motors with small pinions to get low end torque and run time.
- 4. Gear high turn motors with big pinions to get top end speed, as battery life is usually not a problem.
- 5. The better your battery pack the lower number of turns you can use.

Turn page for a complete listing of replacement armatures....





#### **EPOXY BALANCED ARMATURES**

These arms are all wound with the highest "Circular Mills" possible and are recommended for serious racers only. They will fit all EX-Tech, Team Kinwald, Trinity, Rare Earth, Speedworks, and modified motors by all the major motor builders like Cam, Reedy, Peak Performance, Extreme, etc.. These armatures can be used for any type racing depending on the track, your battery pack and driving style. We have listed the motors that these winds come standard in where applicable.

The wind is determined by counting the strands of wire used. A 24,24,24,24,1 is 5 strands of 24 Awg wire, therfore it is a quint wind. 18,18.5 would be a double wind one strand of 18 and one strand of 18.5 Awg wire..

Part#	Turns	Wind & Wire Gauge	Motor Used In	
DA0209	09	18,18.5		•\$49.99
DA0509	09	24,24,24,24,24	KD0509	•\$49.99
DA0310	10	20,20,21		•\$49.99
DA0410	10	21,22,22,22	KD0410	•\$49.99
DA0211	11	18.5,19		•\$49.99
DA0411	11	21,22,22,23	KD0411	•\$49.99
DA0511	11	22,22,23,23,23.5		•\$49.99
DA0212	12	19,19.5		•\$49.99
DA0312	12	20.5,21,22	KD0312	•\$49.99
DA0412	12	22,22,22,22		•\$49.99
DA0612	12	23.5,23.5,24,24,24,2	4	•\$49.99
DA0113	13	16.5		•\$49.99
DA0213	13	19,19.5		•\$49.99
DA0313	13	21,21.5,22	KD0313	•\$49.99
DA0513	13	23,23,23,24,24		•\$49.99
DA0114	14	17		•\$49.99
DA0214	14	20,20	KD0214	•\$49.99
DA0314	14	21,22,22.5		•\$49.99
DA0514	14	23.5, 23.5, 23.5, 24,	24	•\$49.99
DA0215	15	20,20.5	KD0215	•\$49.99
DA0315	15	22,22,22		•\$49.99
DA0415	15	23,23,23.5,24		•\$49.99
DA0316	16	21.5,22.5,23		•\$49.99
DA0417	17	23,23.5,24,25		•\$49.99
DA0219	19	21,21.5		•\$49.99
DA0221	21	21.5,22		•\$49.99
DA0223	23	23,23		•\$49.99
TA0107	7	15	TE0107	•\$49.99
TA0108	8	15	TE0108	•\$49.99
TA0311	11	20,21,21.5	TE0311	•\$49.99
TA0512	12	23,23,23,23,23	TE0512	•\$49.99
TA0413	13	21.5,22,23,23.5	TE0413	•\$49.99
TA0314	14	21,22,22.5	TE0314	•\$49.99
TA0216	16	20,21	TA0216	•\$49.99
TA0317	17	22.5,22.5,23	TA0317	•\$49.99
TA0318	18	22,23,23.5	TA0318	•\$49.99
		driffe		

# EPOXY BALANCED ARMATURES FOR RARE EARTH/COLBALT MOTORS

These high performance armatures come with tied commutators and a double coating of epoxy to keep the wires and commutator intact when running more then 7 cells. These armatures fit all Team Kinwald, Ex-Tech, Cobalt and Rare Earth modified motors.

Part# T	urns	Wind & Wire Gau	ge Motor Used In	
DA108	8	15	RE0108, RC1005	•\$59.00
DA109	9	15.5	RE0109, RC1006	
DA110	10	15.5	RE0110, RC1008	•\$55.00
DA111	11	16	RE0211, RC1009	•\$55.00
DA112	12	19,19.5	RE0212, RC1010	•\$55.00
DA113	13	16.5	RC1011	•\$55.00

#### **CUSTOM WOUND ARMATURES**

We will process your own personal "secret" race wind. All custom wound armatures require a 21 day turn around time. All orders must be prepaid when placing the order. When ordering be sure to specify wire gauge and number of turns. All armatures will be wound on EX-Tech armature blanks.

RC3991	Custom Armature, epoxy balance	ed +\$55.00
RC3992	Custom Armature, epoxy balancedw/tie	d comm +\$60.00

#### WIND YOUR OWN ARMATURES


Blank armatures so that you can wind them yourself.
RC4101 EX-Tech Armature Blank, without wire \$16.95
RC4454 Tri-Rotor Armature Blank without wire \$15.95

#### ARMATURES FOR SPECIALITY APPLICATIONS

A125BC	25 Single Turbo Dyno Slave Motor Arm	\$40.00
A190	12 Volt Comm Lathe Motor Arm	\$40.00











# REPLACEMENT MOTOR **PARTS**

#### **TEAM KINWALD**

TK1016	Team Kinwald Motor Setup, gray	+\$55.00
TK1001	Team Kinwald Endbell, gray style	-\$25.99
TK1002	Team Kinwald Motor Can, gray style	+\$34.99
TK1003	Team Kinwald Timing Ring w/ screws fit	s all +\$2.49
TK2010	Dirtinator Motor Setup, black	•\$55.00
TK2011	Dirtinator Endbell, standard brushes	•\$25.99
TK2012	Dirtinator Motor Can, black style	•\$34.99

#### **EX-TECH. SPEED GEMS**

RC4472	Complete EX-Tech Motor Setup, gray	+\$48.99
RC4473	EX-Tech Motor Can, gray no holes	+\$27.00
RC4474	EX-Tech Motor Can, gray with 3 holes	+\$29.00
RC4506	EX-Tech Endbell, standard brushes	+\$24.50
RC4507	EX-Tech Endbell, laydown brushes	\$25.00

#### TRINITY

Fits All EX	-Tech, Dirtinator and Team Kinwald	
RC4027	Brass Motor Shims, 10 pieces	\$2.25
RC4027B	Brass Motor Shims, 100 pieces	\$9.99
RC4029	Phenolic Motor Shims, 12 pieces	\$1.99
RC4029B	Phenolic Motor Shims, 100 pieces	\$14.99
RC4031	Modified Motor Ball Bearing, can/endbell	+\$8.25
RC4095	Midnight Recessed Bushing, all stock motors 2 p	c•\$1.59
RC4470	Laydown Brush Hoods, w/screws & posts	\$6.99
RC4530	Silver Threaded Spring Posts 1 pair	\$2.49
RC4533	Motor Rebuild Kit, screws	\$2.49
Comes wi	th a steel timing ring, 2 timing ring screws	, 2
	ews and 2 oversized screws for stripped out	

#### **DRAGWORKS**

screw holes.

RC1007	Cobalt Motor Set-up, mini can fits std. arm \$225.00
RC1012	Rare Earth Drag Motor Setup, .05 sized •\$159.00
PC1013	Pare Earth Magnets fits 05 motor can . \$00.00

#### **MOTOR ACCESSORIES**

RC4485	Laydown Stock Tuning Kit, 2 pr Brush 3 pr Spring	\$11.99
RC4102	Motor Sleeve, slips over can more torque	\$4.99
RC4012	Short Motor Mounting Screws	\$1.00
RC4013	Long Motor Mounting Screws	\$1.00
RC4043	Motor Spacer Heatsink, fits between can and mount	\$7.99
RC4050	Commutator Cleaning Sticks, 2 compound	s \$9.99
RC4060	Commutator Cleaning Stick, std/laydown brush	\$5.29
RC4061	Commutator Polishing Stick, std/laydown brush	\$5.29
RC4451	Small Motor Can Heatsink, on-road cars	\$21.99
RC4452	Large Motor Can Heatsink, off-road cars	\$23.99
RC4528	Spring Post Wrench, unscrews spring posts	•\$9.99
RC7913	Brush Hood Alianment Tool	\$10.99



#### MOTOR CAPACITORS

RC4009	Disc Capacitors, 6 pieces	-\$1.00
RC4450	High Frequency Capacitors	-\$1.49
1.10.000.000	49	

## MOTOP SPPI

11101	OK SPKINGS	
RC4032S	Light Tension, chrome (1 pr.)	\$2.39
RC4032	Same As Above, But 6 Pair	\$12.00
RC4028S	Medium Tension, gold (1 pr.)	\$2.39
RC4028	Same As Above, But 6 Pair	\$12.00
RC4033S	Heavy Tension, silver (1 pr.)	\$2.39
RC4033	Same As Above, But 6 Pair	\$12.00
RC4492	Extra Heavy, black (1 pr.)	\$2.39
RC4493	Same As Above, But 6 Pair	\$12.00
RC4445	Spring Tuning Kit, light, med & heavy	\$6.50
RC4387	Black-Tech Spring For Laydown Brushes	+\$2.50
RC4388	Same As Above But 6 pair	\$12.79
RC4531	Stock Motor Springs, .05 x 150°, 6 pr.	\$12.00
RC4532	Same As Above, but single pair	\$2.39
RC4534	Stock Teardown Spring, gold (1 pr)	•\$2.39
RC4535	Same As Above, But 6 Pair	•\$12.00

# THE GOLD DUST TWINS! **HODAPP-KINWALD**





Greg Hodapp joins IFMAR Off-Road World Champion Brian Kinwald as a member of the Trinity off-road racing team. Greg is one of the best off-road racers around and he is the current NORRCA National Champion! This now gives Trinity a deadly powerful one, two punch at all

off-road races.

# JACK ATTACK!

Also racing again for Team Trinity is Jack "The Jack Hammer" Johnson. Jack has not been running much in the past year or so but his magnificent performance at the IFMAR Off-Road World Championships in Japan showed he is definately back in form.







#### **BRUSH COMPOUND**

#### SPECIAL FEATURES

Part #	Product Name	Price	Alloy	Grade	Density	Type	Face	Cut	Shunt Type	Common Use
RC4065	Sportsman Hard	1.50	Copper	CU-8	Hard	Standard	Standard	None	Single	B,R,A
•RC4070	Serrated Laydown Silver	3.50	Silver	AG-9	Hard	Laydown	Serrated	"L" Slot	Single w/Terminal	S,O,D,B,W
RC4075	Timed Silver Serrated	5.00	Silver	AG-9	Hard	Laydown	Serrated	Timed	Single/Terminal	S
•RC4080	Serrated Laydown Hard	3.50	Copper	CU-8	Hard	Laydown	Serrated	"L" Slot	Single w/Terminal	B,R,S,W
RC4085	Timed Hard Serrated	5.00	Copper	CU-8	Hard	Laydown	Serrated	Timed	Single w/Terminal	S
RC4380	Serrated Hard	3.50	Copper	CU-8	Hard	Standard	Serrated	None	Single w/Terminal	S,R,B,T
RC4383	Serrated Silver	3.50	Silver	AG-9	Hard	Standard	Serrated	None	Single w/Terminal	O,S,R,B,T
RC4385	"L" Slot Sport Silver	3.75	Silver	AG-9	Hard	Standard	Standard	"L" Slot	Single	O,S,T,R
RC4460	AG-9 Sportsman Silver	1.50	Silver	AG-9	Hard	Standard	Standard	None	Single	O,R,B,T
RC4476	Timed Soft	4.00	Copper	CU-1	Soft	Standard	Standard	Timed	Double w/Terminal	L,A,S
RC4475	Stock Japan Laydown	1.00	Copper	CU-2	Med Soft	Laydown	Standard	None	Single w/Terminal	S,B,A
•RC4495	Stock Japan Full Brush	1.00	Copper	CU-2	Med Soft	Standard	Standard	None	Single w/Terminal	S,B,A
RC4525	1/2 Cut Sport Silver	3.75	Silver	AG-9	Hard	Standard	Standard	1/2 Cut	Si ngle	O,T,S
•SS2229	Street Spec	2.99	Copper	CU-4	Medium	Dual	Standard	None	S-Single w/Terminal	SS,H,L,S,A,T







Standard

Face













#### COMPOUND

Alloy: Silver = Highest Performance, Requires more maintenance, Copper = Excellent Performance, Less routine maintenance.

Grade: AG-9, Silver compound, makes the most power. Excellent for most racing applications, Not for play! Serious Racing only!

CU-8, Hard Copper compound with excellent life and power. Good for serious racing and practice.

CU-4, Street Spec compound. Equalizes stock motor performance. Special shunt and molded "S" makes tech easy!

CU-2, All purpose compound that comes stock wiith some motors. Easy on commutator. Good power!

CU-1, Soft compound that requires little maintence to commutator. Easy on comms, good on high voltage as in planes!

Density: Indicates the relative hardness of the brush compounds and their effect on the commutator.

Hard = Higher performance, but more wear, Soft = Slightly less performance, but less commutator wear.

#### TYPE

Standard: Regular stand-up brush. Radius molded along the longest length of the face.

Laydown: Brush is rotated 90 degrees from standard. Radius molded along shortest length of the face. Needs laydown brush hoods.

Dual: Featured on the Street Spec brush, this face was designed to work in either a standard or laydown brush motor.

#### FACE

Serrated: Small grooves in the face of the brush lets it break in instantly. Makes outstanding power. Excellent for stock and modified motors.

Standard: Smooth full face. Normal radius.

#### CUT

Timed: For stock motors only. Increases the effective timing by offsetting the brush surface where it contacts the commutator.

1/2 Cut: 1/2 the brush face is cut away so that the brush is only 1/2 the height on the commutator. Less drag. Great for oval.

"L" Slot: A thin slot is cut down the center of the brush face. Improves brush alignment, speeds break in and cleans brush track.

#### SHUNT

Single: One molded in shunt of Silver plated Copper with or without terminal for screwdriver assembly.

S-Single Street Spec 4 x 4 shunt. Copper and silver colored to make identification easy. Comes only with terminal.

Double 2 molded in shunts of Silver plated Copper. Less resistance. Comes with terminal.

#### USES

"O" = Oval Racing, "S" = Stock Motors, "D" = Drag Racing, "W" = Boats, "A" = Airplanes, "SS" = Street Spec, "L" = Legends "B" = Buggy/Truck, "R" = On-Road racing 1/10th 4/5 min, "T" = On-Road 1/12th 8 min, "H" = Handout Brush/Motor Events





# BATTERIES. MATCHED TRINITY EX-TECH

Trinity has incorporated a new "pre-staging" application for all of our matched cells. This allows us to recognize the "good cells" at each level. The levels we have chosen reflect the needs and usage the batteries will receive. We use amp loads which

closely mimic the end users requirements. For instance most Sport-Tech battery users will be running stock motors and racing in the entry level classes. We would never need cells that perform best at a 27 amp load. Just like the weekly modified racer would have little use for a Sport-Tech pack when 27 amp World-Tech cells are available.

Trinity now tests at 3 different levels (Tier system). All cells are initially tested at the Sport Level, then move to the Race level and then on to the World level. This allows us more chances to "screen" for bad or weakening cells.

Sanyo Sport-Tech Cells are discharged at 20 amps, charged at 6 amps and use a voltage cut-off of .90. Race-Tech Cells are discharged at 25 amps, charged at 5 amps and use a voltage cut-off of .90. World-Tech 30 Cells are discharged at 30 amps, charged at 4 amps and use a voltage cut-off of .85. At 30 amps discharging to .85 volts instead of .90 volts gives a more accurate indication of when the battery dumps and gives the battery pack a better match for 4-minute racing. Discharging at a lower rate in the early stages of cell testing (Sport-Tech) should enhance the overall life of the cells, unlike the current process adapted by everyone to "hit" the cells hard (27 to 30 amps) to identify the "killer cells".

Although Trinity uses its own "proprietary" pre-staging and cycling equipment that allows us to cycle many more cells than our competitors thus enhancing your chances of receiving good cells; we use the race-proven "Competition Electronics Turbomatchers" in our final test stages.

According to Competition Electronics, Trinity is the "ONLY" company which rotates their matchers for recalibration on an ongoing basis. This should be most important to you "our customer" so you have the confidence the data being reported on your battery labels is completely ACCURATE. WORLD-TECH NOW DISCHARGED AT

30 AMPS!

#### **SANYO 1400 CELLS**

Charge Ra	ate: 6.0A	Voltage Cutoff: .90\	/
EXS144	20 Amp	Sport-Tech 4 Cell 1400 SCR	+\$30.99
EXS146	20 Amp	Sport-Tech 6 Cell 1400 SCR	+\$45.25
EXS147	20 Amp	Sport-Tech 7 Cell 1400 SCR	+\$53.25
Charge Ra	ate: 5.0A	Voltage Cutoff: .90\	1
EXR144	25 Amp	Race-Tech 4 Cell 1400 SCR	+\$40.75
		Race-Tech 6 Cell 1400 SCR	+\$60.75
EXR147	25 Amp	Race-Tech 7 Cell 1400 SCR	+\$71.25
Charge Ra	ate: 4.0A	Voltage Cutoff: .85\	/
EXW344	30 Amp	World-Tech30 4 Cell 1400 SCR	•\$53.75
EXW346	30 Amp	World-Tech30 6 Cell 1400 SCR	•\$80.75
EXW347	30 Amp	World-Tech30 7 Cell 1400 SCR	•\$95.50

SANYO 1	1700 SCRC CELLS	
Charge R	ate: 6.0A Voltage Cutoff	: .90V
EXS174	20 Amp Sport-Tech 4 Cell 1700 SCF	RC +\$44.85
EXS178	20 Amp Sport-Tech 6 Cell 1700 SCF	RC +\$65.99
EXS179	20 Amp Sport-Tech 7 Cell 1700 SCF	RC +\$78.50
Charge R	ate: 5.0A Voltage Cutoff	: .90V
EXR174	25 Amp Race-Tech 4 Cell 1700 SCR	C +\$55.00
EXR178	25 Amp Race-Tech 6 Cell 1700 SCR	C +\$81.99
EXR179	25 Amp Race-Tech 7 Cell 1700 SCR	C +\$95.99
Charge R	ate: 4.0A Voltage Cutoff	: .85V
EXW374	30 Amp World 30 4 Cell 1700 SCRC	•\$67.99
EXW378	30 Amp World 30 6 Cell 1700 SCRC	•\$102.75
EXW379	30 Amp World 30 7 Cell 1700 SCRC	•\$119.50

#### PANASONIC 1800SCR-Z SERIES CELLS

Charge R	ate: 5.0A	Voltage Cutoff: .	
EXSZ74	20 Amp Sport	-Tech 4 Cell 1800 Z	+\$50.99
EXSZ76	20 Amp Sport-	-Tech 6 Cell 1800 Z	+\$72.49
EXSZ77	20 Amp Sport	-Tech 7 Cell 1800 Z	+\$84.99

World Champions

5.0 25

Charge R	ate: 4.0A	Voltage Cutoff:	.85V
EXRZ74	25 Amp Race-Tec	h 4 Cell 1800 Z	+\$60.99
EXRZ76	25 Amp Race-Tec	h 6 Cell 1800 Z	+\$88.49
EXRZ77	25 Amp Race-Tec	h 7 Cell 1800 Z	+\$102.99

Charge Ra	ate: 3.0A	Voltage Cutoff: .80V			
EXWZ34	30 Amp World-Tech 3	0 4 Cell 1800 Z	•\$73.99		
EXWZ36	30 Amp World-Tech 3	0 6 Cell 1800 Z	•\$121.99		
EXWZ37	30 Amp World-Tech 3	0 7 Cell 1800 Z	•\$142.99		

#### ASSEMBLED MATCHED STICKS


#### TRINITY

EXS146A	Sport-Tech 6 Cell 1400 SCR	+\$55.25
	Sport-Tech 6 Cell 1700 SCRC	+\$76.75
	Sport-Tech 6 Cell 1800 Panasonic Z	+\$82.99

Please Turn to Page 13 for the Conversion Chart To Compare EX-Tech Battery Pack Numbers







# WORLDS MOST POPULAR RACER BATTERY PACK

The Trinity ZIP PAK has again proven itself to be the most popu-

lar battery pack for the R/C Racer. This is due to the high performance and quality it shares with all the other Trinity/Epic assembled battery packs



listed on this page. Only the latest freshest **Sanyo** cells are used. Dual welded tabs of 100% pure nickel and heavy gauge silicone leads provide you with the lowest possible resistance. To make sure your pack stays together we have encased the cells in our battery tubes to protect them from crash damage.



Always look for the Trinity/Sanyo name when it comes to batteries. That way you can be sure that you are getting quality cells, not seconds, rejects or cells made by unknown foreign battery manufactures that fail after a couple of charges. Beware of anyone offering a better, cheaper battery pack than a Trinity/Sanyo pack as no such thing exists.

# 6 CELL SPORT PACKS TRINITY



RC5889	Zip Pak™ Sanyo	-\$22.99
RC5054	EX-Tech Sanyo 1400 SCR	\$48.25
RC5608	EX-Tech Sanyo 1700 SCRC	\$66.50
RC5776Z	EX-Tech Panasonic 1800Z	\$69.99

#### STREET SPEC

SS2224	Street Spec 6 Cell EX-Spec Pack	•\$23.99
SS2227	Street Spec 4 Cell EX-Spec Pack	•\$17.99

#### **SPEEDWORKS**

0010	1500 mAh Sport Pack, Sanyo cells	\$31.00

7 CELL	FLAT PACKS	
RC5894	Zip Pak™ Sanyo	\$29.45
RC5754	EX-Tech Sanyo 1400 SCR	\$57.99
RC5610	EX-Tech Sanyo 1700 SCRC	\$79.50
RC57777	EX-Tech Panasonic 1800Z	\$82.99

#### 7 CELL HUMP PACKS

Zip Pak™ Sanyo	عالم	\$29.45
EX-Tech Sanyo 1400	SCR	\$57.99
EX-Tech Sanyo 1700	SCRC	\$79.50
EX-Tech Panasonic 18	800Z	\$82.99
	EX-Tech Sanyo 1400 EX-Tech Sanyo 1700	

6 CELL LTO PACKS	
RC58890 Zip Pak™ Sanyo	-\$22.99
RC50540 EX-Tech Sanyo 1400 SCR	\$48.25
RC56080 EX-Tech Sanyo 1700 SCRC	\$66.50
RC57760Z EX-Tech Panasonic 1800Z	\$69.99
7 CELL LTO PACKS	
RC58950 Zip Pak™	\$29.45
RC57540 EX-Tech Sanyo 1400 SCR	\$57.99
RC56100 EX-Tech Sanyo 1700 SCRC	\$79.50
RC5770Z EX-Tech Panasonic 1800Z	\$82.99
6 CELL SADDLE PACKS	
RC5558 EX-Tech Sanyo 1400 SCR ••• •••	\$48.25
RC5609 EX-Tech Sanyo 1700 SCRC	\$66.50
RC5779Z EX-Tech Panasonic1800Z	\$69.99

#### RECEIVER PACKS FOR 1/10-1/12SCALE

RC5093 5 Cell Novak Plug (50 AA) +\$35.00

## LAND, SEA, & AIR PACKS

High quality transmitter and receiver battery packs for all your R/C needs. Whether you race gas cars or fly 1/4 scale airplanes we have a battery pack for your needs.

# of cells Cell Type Voltage mAh

AP001	4 Cell	600AA	4.8V	600mAh	Flat •\$17.99
AP002	4 Cell	270AA	4.8V	270mAh	Flat •\$22.49
AP003	4 Cell	1000AE	4.8V	1000mAh	Flat •\$27.99
AP004	4 Cell	<b>700AAE</b>	4.8V	700mAh	Flat •\$24.99
AP005	4 Cell	800AR	4.8V	800mAh	Flat •\$23.99
AP007	4 Cell	270AA	4.8V	270mAh	Sq •\$22.49
AP010	4 Cell	1200KR	4.8V	1200mAh	Flat •\$29.99
AP111	4 Cell	225AE	4.8V	225mAh	Flat •\$29.99
AP112	5 Cell	600AE	6V	600mAh	Sq •\$22.99
AP113	5 Cell	1000SCR	6V	1000mAh	Flat •\$33.25

#### RECEIVER PACKS WITH FUTABA J PLUGS

AP114	5 Cell	600AE	6V	600mAh	Hmp•\$28.49
AP115	5 Cell	600AE	6V	600mAh	Flat •\$28.49
AP116	5 Cell	1000AE	6V	1000mAh	Flat •\$40.99
AP117	5 Cell	1000AE	6V	1000mAh	Hmp•\$40.99

#### TRANSMITTER PACKS WITH LEADS

AP006	8 Cell	<b>750AAE</b>	9.6V	750mAh	Flat •\$41.99
AP008	8 Cell	600AA	9.6V	600mAh	Flat •\$31.99
AP009	8 Cell	600AA	9.6V	600mAh	Sq •\$31.99
NEW!!					
RC5559	Airtroni	cs 9 Cell T	X Pack	w/plug, 10	0.8 v •\$55.99





Shape List







# ASSORTED BATTERY PACKS

RC5500	4 Cell Battery Pack for BRP Outlaw Oval	+\$16.99
RC5501	Hi-performance 5 Cell Outlaw Oval	+\$18.49
replacem	RP (formally Buds Racing Products) "Outla ent battery packs for improved performan	ce and
longer ru	n times. The 5 cell pack gives higher speed	ds.
DC 5760	9 Call Turbo Pack Tyco care	1 \$20 00

longer ru	n times. The 3 cell pack gives higher spe	eeas.
RC5760	8 Cell Turbo Pack, Tyco cars	+\$39.99
RC5901	4 Cell Legend Battery Pack	\$19.99
RC5902	6 Cell Legend BatteryPack	\$29.99
RC5619	Clod Buster Battery, 6 cell 4400 mAh	+\$115.00

## **BATTERY ACCESSORIES**

#### TRINITY

RC5003	Battery Shunts, pure copper & silver plated	\$2.25
RC5004	Rosin Soldering Flux	\$4.99
RC5012	30 Ohm Discharge Resistors	\$2.99
RC5018	Solder, This is the best solder for packs	\$1.99
RC5101	Battery Washers, go over the ends of cells	\$2.00
RC5102	Stick Pack Building Kit, tube, endcaps, shrink	\$4.99
RC5104	Saddle Pack Building Kit, Lennon Lugs, shrink	\$6.99
RC5565	Battery Pack End Caps, 5 pr	\$3.99
RC5900	Battery Equalizer & Discharger Board,	\$32.50
RC5097	Lennon Lugs, Copper Battery Bars	\$4.99
RC5098	Same as above but 25 pieces	\$11.50
RC5887	Receiver Pack Accessory Kit, conditions pack	\$4.69

#### **SPEEDWORKS**

0014 Dropping Resistors W/Clips, 2, 30 Ohm \$5.99

#### **PLUGS & CONNECTORS**

RC6020	Tamiya Connector W/Wires	\$3.99
RC7011	Tamiya Plugs W/out Wire	\$2.69
RC5074	No Solder Leads W/Connectors, for motors	\$3.99
RC5080	No Solder Leads W/Bare End, no connectors	\$3.99
RC5041	Futaba J Plug W/Wire	\$5.99
RC5060	KO Plug W/Wire	\$5.25

RC5041	Futaba J Plug W/Wire	\$5.99
RC5060	KO Plug W/Wire	\$5.25
SHR	INK WRAP	
FOR SING	GLE CELLS	
RC5075	Clear Precut 1.5" (20 pcs)	\$1.99
	Clear Precut 1.5" (100 pcs)	\$5.99
FOR 6 CE	ELL STICK PACKS	
RC5167	Clear Precut 2.5" (6 pcs)	\$2.25
	Clear Precut 2.5" (25 pcs)	\$5.99
FOR SAD	DLE OR 7 CELL FLAT PACKS	
RC5173	Clear Precut 3" (6 pcs)	\$2.35
	Clear Precut 3"(25 pcs)	\$6.50
FOR 7 CE	ELL HUMP PACKS	
RC5169	Clear Precut 3.5" (6 pcs)	\$2.45
	Clear Precut 3.5" (25 pcs)	\$6.75

#### HOOK UP WIRE

RC5000	Pro Cable, Pink and Green (13awg, 2')	\$4.99
RC5001	Pro Cable, Pink and Green (13awg,10')	\$18.99
RC5140	Pro Cable, Red and Black (14awg, 2')	\$3.99
RC5141	Pro Cable, Red and Black (14awg, 10')	\$15.16
RC5160	Pro Cable, Red and Black (16awg, 2')	\$1.99
RC5161	Pro Cable, Red and Black (16awg, 10')	\$7.59

#### THE POWER BEHIND STREET SPEC!

Only one battery pack in the world was designed by Sanyo and Trinity especially for Street Spec racing. The "Ex-Spec" cell produces



a voltage output tailored for stock class motors. The cells internals have been beefed up so the cells are super consistent from cell to cell, charge after charge.

Ex-Tech cells are covered in their own distinctive shrink wrap so that they are easy to identify for tech inspectors.

Ex-Tech cells are assembled into 4 and 6 cell packs by Epic Energy Labs using the latest computerized welding technology. Each pack is finished off with clear shrink and its own non-removable sticker to make sure the pack is as tamper proof as possible. EX-Tech cells are not available unassembled, so no one will be able to buy a case of cells and match them!

If you race Street Spec cars or just fool around with your buggy in the street, Trinity EX-Spec battery packs are your only choice!

# EX-TECH DISCHARGE CONVERSION CHART

SPORT 20A	RACE 25A	WORLD 27A	WORLD 30 A	
410	323	300	272	Here is a chart show-
402	318	295	267	ing the run time com-
395	313	290	263	parison of our 20 amp
389	307	285	258	Sport-Tech, 25 amp
382	302	280	254	Race-Tech and 27 amp
375	296	275	249	World-Tech cells to the
368	291	270	245	new World-Tech 30
362	286	265	241	cells. For example a
355	280	260	236	355 Sport-Tech cell is
348	275	255	231	equal to a 280 Race-
341	269	250	227	Tech, or 236 World-
334	264	245	222	Tech 30 Cell.
327	259	240	218	
321	253	235	213	All Our EX-Tech cells
314	248	230	209	are matched at 3 dif-
307	242	225	204	ferent levels to provide
300	237	220	200	you with cell mapping
293	232	215	195	at different rates to
286	226	210	191	better suit your par-
280	221	205	186	ticular application.





#### **ANTENNAS**

RC6010	Fiberglass Roll Over Antenna, 1/12th scale	\$6.99
RC6030	Fluorescent Antenna Tubes, 4 pieces	•\$1.99


# BALL BEARING SETS BUGGYS

BUUUIS	•	
RC7860	Assoc. Team Car Bearing Set	\$86.99
RC7861	RC10T Truck Bearing Set	\$81.99
RC7862	Stealth Trans Bearing Set	\$49.95
RC7875	Losi XX Buggy Wheel & Hub BB Set	•\$57.99
RC7877	Losi XX Transmission Ball Bearing Set	•\$42.99
TRUCKS		
RC7084	Clod Buster Bearing Set	\$82.99
RC7899	Losi Jr-2/Jr-T Bearing Set	\$39.99
RC7876	Losi XX Truck Wheel & Hub BB Set	•\$42.99
RC7877	Losi XX Transmission Ball Bearing Set	•\$42.99
RC7870	RC10 T2 Ball Bearing Set	•\$73.99
ON-ROA	D CARS	
EV0140	EV10 On-Road Ball Bearing Set	•\$58.99
EV4023	EV10 Super Speedway Bearing Set	•\$58.99
RC7098	Assoc. 12 L 1/12th On-Road Bearing Set	\$51.99
RC7889	Bolink LTO, Ball Bearing Set	\$52.99
RC7898	Assoc. 10L 1/10th On-Road Bearing Set	\$52.99
RE1070	Revolver22J or Magic Carpet Ride BB Set	•\$58.99
SS2021	Street Spec Bearing Set	\$45.99

#### **BODY ACCESSORIES**

RC6002	Bent Up Body Clips, ends bent 5	\$1.99
RC6002B		+\$7.50
RC6003	Nylon Body Hole Washers	\$1.25
RC6008	Purple Aluminum Wing Buttons	\$3.50
RC7079	Shock Tower Wing Mounts, EV10, RC10	\$5.50
RC6011	New Pro Buttons, for straight wire mount	\$3.99
RC6012	Pro Buttons W/Bent Wire for chassis moun	t \$4.99
RC6013	Pro Buttons W/Bent Wire for body mount	\$4.99

These wing buttons are a really trick design. Until now most people hated making a wing because it was a pain to bend the big piece of .078 wire into a "U" shape. With our new wing buttons this is no longer necessary. The unique but simple de-




sign uses straight pieces of piano wire for the mounts and these are held in place with set screws from the top of the wing buttons. A second set of holes are in the wing buttons 90 degrees to the wing wire holes. Just slip a straight piece of .078 wire through these, and secure with 2 set screws from the bottom and you have a quick easy to make super strong wing setup. The wing is still fully adjustable from the top. We offer this 3 ways; buttons alone, with wire for chassis mounted wing, and with wire for body mounted wing (stocker body).

NEW!

RC6040 Body Cushions, 6 pieces •\$1.59 Self adhesive foam body washers stick to the inside of the body for a better fit over body posts. Cushions body, stops vibration, keeps body from moving around on the body mounting posts.

NEW!		
RC6041	Speedway Adjustable Body Mounts	+\$12.75
	2-2" and 2-3" threaded posts	
RC6042	Replacement 2" Threaded Posts, 4 pcs	+\$3.99
RC6043	Replacement 3" Threaded Posts, 4 pcs	+\$4.19
RC6044	Replacement 4" Threaded Posts, 4 pcs	+\$3.99
RC6046	GTP Body Mounts, 4-1.5" threaded posts	+\$12.99
RC6047	Touring Car Body Mounts, 2-3", 2-4"	+\$12.99
RC6048	Replacement 1.5" Threaded Plastic Posts	+\$3.99
	4 pieces	

These new body posts are fully adjustable and allow mounting the body with screws. This is the way all the factory drivers mount their bodies. Using screws gives less drag than body clips, and insures that you will never have a body come loose. Also works great for all on-road and drag racing cars. Black posts with purple anodized aluminum adjusters.





NEW!

RC6051 EX-Pen, 2 sided detailing pen for bodies 
6 pieces per package

RC6060 EX-Pen, 1 per package 
\$2.50

#### **BUMPERS**

RC7026	Black Kydex Bumper Blank, 3 1/2 x 11"	\$7.99
RC7028	Wide RC10 Front Bumper -	\$8.99

# DIFF/REAR AXLE PARTS TRINITY

RC0110	Super Differential Balls, Grade 10, 16 pcs	\$2.29
RC0110B	Super Differential Balls Bulk, 100 pcs	\$12.50
RC0114	Differential Rings,6pcs	\$3.50
RC0118	Diff Pinning Kit, drill bit, post etc,	\$5.99

#### **MAGIC MOTORSPORTS**

MM600	Notched Differential Rings, 1 pr	\$3.99
MM2000	1/4" Axle Shims, on-road rear axles 10 pc	\$1.99
MM2001	1/8" Axle Shims, 1/12th front axles 10 pc	\$1.99



#### **GEARS, PINIONS**

#### MAGIC MOTORSPORTS, ZERO GRAVITY™

The latest in power producing pinion gears, these pinions are top hobbed from 6061 T6 aircraft aluminum and meet A.G.M.A. 48 standards. We use a proprietary aerospace coating which is extremely wear resistant, and it contains teflon for a very low coefficient of friction. All pinions will have the tooth size on the side of the shaft.

	:	
M4812	12 Tooth Pinion Gear	\$5.99
M4813	13 Tooth Pinion Gear	\$5.99
M4814	14 Tooth Pinion Gear	\$5.99
M4815	15 Tooth Pinion Gear	\$5.99
M4816	16 Tooth Pinion Gear	\$5.99
M4817	17 Tooth Pinion Gear	\$5.99
M4818	18 Tooth Pinion Gear	\$5.99
M4819	19 Tooth Pinion Gear	\$5.99
M4820	20 Tooth Pinion Gear	\$5.99
M4821	21 Tooth Pinion Gear	\$5.99
M4822	22 Tooth Pinion Gear	\$5.99
M4823	23 Tooth Pinion Gear	\$5.99
M4824	24 Tooth Pinion Gear	\$5.99
M4825	25 Tooth Pinion Gear	\$5.99
M4826	26 Tooth Pinion Gear	\$5.99
M4827	27 Tooth Pinion Gear	\$5.99
M4828	28 Tooth Pinion Gear	\$5.99
M4829	29 Tooth Pinion Gear	\$5.99
M4830	30 Tooth Pinion Gear	\$5.99

64 PITCH	I ZERO GRAVITY PINIONS	
M6415	15 Tooth Pinion Gear	\$5.99
M6416	16 Tooth Pinion Gear	\$5.99
M6417	17 Tooth Pinion Gear	\$5.99
M6418	18 Tooth Pinion Gear	\$5.99
M6419	19 Tooth Pinion Gear	\$5.99
M6420	20 Tooth Pinion Gear	\$5.99
M6421	21 Tooth Pinion Gear	\$5.99
M6422	22 Tooth Pinion Gear	\$5.99
M6423	23 Tooth Pinion Gear	\$5.99
M6424	24 Tooth Pinion Gear	\$5.99
M6425	25 Tooth Pinion Gear	\$5.99
M6426	26 Tooth Pinion Gear	\$5.99
M6427	27 Tooth Pinion Gear	\$5.99
M6428	28 Tooth Pinion Gear	\$5.99
M6429	29 Tooth Pinion Gear	\$5.99
M6430	30 Tooth Pinion Gear	\$5.99
M6431	31 Tooth PinionGear	\$5.99
M6432	32 Tooth Pinion Gear	\$5.99
M6433	33 Tooth Pinion Gear	\$5.99
M6434	34 Tooth Pinion Gear	\$5.99
M6435	35 Tooth Pinion Gear	\$5.99
M6436	36 Tooth Pinion Gear	\$5.99
M6437	37 Tooth Pinion Gear	\$5.99
M6438	38 Tooth Pinion Gear	\$5.99
M6439	39 Tooth Pinion Gear	\$5.99
M6440	40 Tooth Pinion Gear	\$5.99
M6444	44 Tooth Pinion Gear	\$5.99
M6448	48 Tooth Pinion Gear	\$5.99
M6450	50 Tooth Pinion Gear	\$5.99

#### KINWALD "HARD ONES" 48 PITCH PINIONS

New from Brian Kinwalds Team Kinwald is the new "Hard Ones" steel off-road pinions. Made to the Zero Gravity design, each pinion is case hardened to a guaranteed 58-62 Rockwell C hardness. The hardening process of the material is consistent up to .0010 into the depth of the gear surface. This means the gear would



have to be completely destroyed before it would loose its tooth form. We do not believe any other gear manufacturer could make this claim, therefore making these pinions the absolute strongest in the industry. The final step is a black oxide coating which is applied to prevent rusting prior to gear use.

1		
TK4812	12 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4813	13 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4814	14 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4815	15 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4816	16 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4817	17 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4818	18 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4819	19 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4820	20 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4821	21 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4822	22 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4823	23 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4824	24 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4825	25 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4826	26 Tooth Hard One 48 Pitch Pinion	\$4.99
TK4827	27 Tooth Hard One 48 Pitch Pinion	\$4.99

#### GEARS, SPUR MAGIC

The Magic spurs are designed to allow you to build your gears at home not at the track. Any standard diff ring snaps into place so you can put all the balls and lubricant in your diff, snap the other ring into place and put the gear in your box. No more lost balls. The design also shields the diff balls so less dirt gets into your differential. Fits all popular cars, that use standard diff rings (i.e. Evolution 10, Revolver 12, Associated 10L,12L, etc).

Magic 64 Pitch Spur Gears

MM195	95 Tooth Spur Gear	\$3.99
MM100	100 Tooth Spur Gear	\$3.99
MM105	105 Tooth Spur Gear	\$3.99
MM110	110 Tooth Spur Gear	\$3.99
MM115	115 Tooth Spur Gear	\$3.99
MM120	120 Tooth Spur Gear	\$3.99
MM125	125 Tooth Spur Gear	\$3.99

More gears on the next page....





#### MAGIC MOTORSPORTS STEALTH SPURS

These flat sided "Stealth" spur gears are designed to fit most cars and especially the "Associated Stealth" transmission. The tooth pattern has been designed for the best mesh and lowest possible drag. Our molding techniques assure



that every gear is perfectly true and round and the composite material we use makes the teeth super strong. Fits all RC10 and 10L-12L, Evolution 10, Revolver 12, Bolink, Hyperdrive.

STEALTH	48 PITCH SPUR GEARS	
MM778	78 Tooth Spur Gear	\$3.99
MM783	83 Tooth Spur Gear	\$3.99
MM786	86 Tooth Spur Gear	\$3.99
MM789	89 Tooth Spur Gear	\$3.99
MM792	92 Tooth Spur Gear	\$3.99
MM795	95 Tooth Spur Gear	\$3.99
STEALTH	64 PITCH SPUR GEARS	
MM790	95 Tooth Spur Gear	\$3.99
MM700	100 Tooth Spur Gear	\$3.99
MM705	105 Tooth Spur Gear	\$3.99
MM710	110 Tooth Spur Gear	\$3.99
MM715	115 Tooth Spur Gear	\$3.99
MM720	120 Tooth Spur Gear	\$3.99
MM725	125 Tooth Spur Gear	\$3.99

# LUBRICANTS, OILS & MOTOR SPRAY

#### **TEAM KINWALD**

1K2001	Formula '96	•\$5.99
Specially	formulated power drops for off-road :	stock and modi-
fied moto	ors. Increases horsepower, while cont	aining an agent
that repe	els dirt from the commutator. Keep	os commutator
cleaner ru	inning, keeps the motor faster longe	r. Also excellent
as a lubri	cant while breaking in brushes.	
TK2002	Formula '96 refill, 2 ounces	•\$6.99

#### TRINITY

RC4441	The Solution™ Cleaning Spray	•\$5.49
This is th	e best motor spray on the market and	the only one
we recon	nmend for cleaning Trinity motors. Do	es not harm
the moto sively!	r brushes. Used by Team Trinity & Tea	m Losi exclu-
RC4024	Turbo Drops™, increases rpms	\$4.99

RC4024	Turbo Drops™, increases rpms	\$4.99
RC4025	Modified Motor Micro Oiler, for bearings	\$4.49
RC4026	Stock Motor Micro Oiler, for bushings	\$4.49
RC4040	Revtech Drops, increases motor rpms	\$4.25
RC4047	Revtech Drop Refill, 2 oz	\$5.50
RC4469	Motor Break In Drops	\$3.99

These break in drops were specially formulated to quickly break in the motor brushes while cooling the commutator surface.

Just a few drops breaks in brushes perfectly in a few minutes, instead of an hour.

## SILICONE SHOCK OIL

100% pure silicone shock oil will not change weight regardless of conditions you have to race under. Special formula is resistant to temperature change and will not break down under use. No longer will you have to change your shock oil when the temperature drops right before the main. Used by legendary off-road stars Brian Kinwald and Greg Hodapp in their Team Losi cars, along with Joel Magic Johnson in his Revolver 22j and EV10.



RC7610	10 Weight Silicone Shock Oil	\$3.50
RC7615	15 Weight Silicone Shock Oil	\$3.50
RC7620	20 Weight Silicone Shock Oil	\$3.50
RC7625	25 Weight Silicone Shock Oil	\$3.50
RC7630	30 Weight Silicone Shock Oil	\$3.50
RC7635	35 Weight Silicone Shock Oil	\$3.50
RC7640	40 Weight Silicone Shock Oil	\$3.50
RC7645	45 Weight Silicone Shock Oil	\$3.50
RC7650	50 Weight Silicone Shock Oil	\$3.50
RC7655	55 Weight Silicone Shock Oil	\$3.50
RC7660	60 Weight Silicone Shock Oil	\$3.50
RC7670	70 Weight Silicone Shock Oil	\$3.50
RC7680	80 Weight Silicone Shock Oil	\$3.50
RC7690	90 Weight Silicone Shock Oil	\$3.50
RC7100	100 Weight Silicone Shock Oil	\$3.50

# SILICONE LUBES

RC6009	Silicone In Squeeze Bottle, medium	\$4.99
RC0292	Silicone Differential Lube, light	\$5.99
RC4442	Pure Silicone Diff Lube, heavy	\$2.50

#### NEW!

RC6050 Purple Stuff Damper Lube •\$1.99 Extra-extra heavy damper lube for front kingpins of on-road cars like the Associated RC10L-12L, Revolver 22j and the Evolution 10. Used by all the factory team racers. Works especially well on super speedway tracks. Lasts longer, provides more dampening.







#### TIRE TRACTION

NEW!

#### **TEAM KINWALD**

TK2000 Buggy Grip, traction compound The off-road Team Racers hot secret. Use this on your buggy and truck tires to soften the rubber and give more grip. Softens the natural rubber tires made by Pro-Line and Team Losi so they produce more traction. Restores the rubbers natural grip. Apply to tires several times the day before racing to condition and soften rubber. Apply to tires before each run. Allow to air dry before putting car on track. The first and best Traction Formula for spiked tires on dirt! Easy to use container with sprayer allows for full coverage of tire and spikes.



•\$7.99

TK2005 Replacement Spray Top for Buggy Grip

•\$1.59

#### TRINITY

RC6680 Zip Grip™, universal traction \$6.99 Zip Grip is our standard all around foam tire traction compound blended especially with the new "Natural" rubber compounds like pink, white, gold etc. Zip Grip provides traction and also conditions the rubber so its natural stickiness is enhanced. Easily lasts 8 minutes.

RC6682 Whip Grip™, new cap tire traction \$6.99 Whip Grip was developed for capped tires on concrete tracks. Makes coming off the line a snap, no more spin outs. Conditions and softens tires so they heat up faster naturally. No sticky goo to pick up all the dirt on the track.

RC6683 Zip Grip Free™, no wintergreen odor \$6.99 Zip Grip Free is a traction we developed that works as well as Zip Grip, but does not contain any wintergreen. This is legal for races where odorless traction is required, especially in Europe.

RC6677 ProStik™, carpet tire traction \$6.99 Excellent indoor tire traction. Works best with standard foam compounds like green, blue, orange, yellow.

RC6016 Magic Bite Red Dot<sup>TM</sup> outdoor traction +\$6.99 Super sticky compound for outdoor racing with all types of foam tires. A must for slippery track conditions.

# MINN/IN/IN/IN

#### **SCREWS**

#### PURPLE ALUMINUM SCREW KITS

. OKI E	ALOMINOM SCREW KITS	
TRINITY		
EV0142	Evolution 10, On-road	\$19.99
EV0157	Evolution 10, SS or LSD	•\$19.99
RE1027	Revolver 12, On-road or SS	\$13.50
RE1060	Revolver 22j, On-road	•\$13.50

ASSOCIA	TED	
EV0146	10L, On-road, 12LW or LSD	\$11.99
EV0156	12L, On-road	•\$11.99
EV0147	RC10 Buggies, All Styles	\$14.99
EV0148	RC10T Trucks, All Styles	\$18.99
EV0159	RC10T2 Truck	•\$18.99
EV0160	RC10B2 Buggy	•\$18.99
BOLINK		
EV0158	Bolink, On-road or SS	•\$12.99
TEAM LO	SI	
EV0149	Losi XX Buggy	\$12.99
EV0155	Losi XX Truck	•\$12.99
NEW!		
RC6045	Transmitter Screw Kit	•\$7.99
	Fits Futaba/KO/JR/Air	

#### **PURPLE SCREWS AND NUTS**

D1052	4-40x3/8 Cap Head Screws	12 pc	\$4.99
D1053	4-40x3/8 Flat Head Screws	12 pc	\$4.99
D1054	8-32x7/8 Flat Head Screws	6 pc	\$2.99
D1055	4-40x1/4 Cap Head Screws	12 pc	\$4.99
EV0150	2-56x1/4 Button Head Screws	12 pc	\$5.99
EV0151	8-32x5/8 Flat Head Screws	12 pc	\$4.99
EV0152	4-40x1/2 Socket Head Screws	12 pc	\$5.99
EV0153	4-40x1/2 Flat Head Screws	12 pc	\$4.99
EV0154	4-40x3/4 Socket Head Screws	12 pc	\$4.99
EV0143	4-40 Mini Lock Nuts	8 pc	\$3.50
EV0143-2	25 4-40 Mini Lock Nuts	25 pc	\$8.99
EV4054	8-32 Nuts	8 pc	\$3.99

#### SET SCREWS

RC0111 Pinion 4-40 Set Screws 10 pc \$2.25

#### SERVO MOUNTS

RC6053 Adjustable Purple Aluminum Mounts •\$10.99 These purple aluminum adjustable servo mounts fit all 1/12th and 1/10th scale on-road cars. They are designed to allow the correct servo mounting height to eliminated bump steer. Easily adjustable, comes with all hardware.



#### SERVO TAPE

RC6000	Narrow Servo Tape, 3/4"	\$3.29
RC6001	Wide Servo Tape, 1 1/2"	\$3.79
RC6007	Wing and Spoiler Tape, super thin	\$2.99





#### TIE WRAPS

#### **SPEEDWORKS**

0672	Fluorescent Tie Wraps, 8" 16 pcs	\$2.49
0677	Mini Fluorescent Tie Wraps, 4" 25 pcs	\$2.59

#### TIRES

#### TRINITY 2.2" OFF-ROAD

The 2.2's have several advantages over a standard wheel and tire set-up. The obvious difference is the overall diameter of the tire. The bigger the diameter, the more spikes per inch are in contact with the track surface as the tire rotates. Also a larger tire tends to change direction slower, so once your car is going straight it tends to want to run nice and straight. This is really important on a bumpy track.

Trinity	22'5	fit all	2 2"	wheels.
11111111	4.4 3	m an	4.4	WILLEGIS.

Rear	Tires

RC7421	Standard Spike (soft)	\$5.99
RC7422	Standard Spike (hard)	\$5.99
RC7412	Mini Spike (hard)	\$5.99
RC7436	Triad (hard)	\$5.99
RC7911	Dash Pattern (P rubber)	\$5.99
KC/911	Dash Pattern (P rubber)	\$5.9

#### Front Tires

RC7424	Cut Spike (Hard)	\$5.99
RC7425	Mini Spikes (soft)	\$5.99
RC7426	Mini Spikes (hard)	\$5.99
RC7450	Mini Spike Front (med)	\$5.99

#### 2.2" Front Rims

RC/482	Yokomo 4wd Front Rims, white	\$1.99
RC7428	Kyosho 4wd Front Rim	\$1.99

#### 2.2" Rear Rims

RC7442	Yokomo Rear Rims, white	\$1.99
RC7416	Kyosho Rear Rims	\$1.99

#### **TRINITY 2.1" FRONT TIRES**

RC7907	2.1" Triad Pattern Front Tire	\$3.99
RC7908	2.1" Dash Pattern Front Tire	\$3.99
RC7909	2.1" Mini Dash Pattern Front Tire	\$3.99

#### TRINITY MONSTER TRUCK OFF-ROAD TIRES

Trinity Ba	ja™ tires fit all racing truck rims.	
RC7912	Dash Pattern Truck Tire, front or rear	\$9.99

#### TRINITY TRUCK ON-ROAD FOAM TIRES

IKINIIY	TRUCK ON-ROAD FOAM TIRES	
RC7980	Blackfoot Front Tires	\$15.99
RC7981	Blackfoot Rear Tires	\$15.99
RC7982	RC10 Rear Tires	\$15.99
RC7983	JRX-Pro-T Rear Tires	\$15.99
RC7984	RC10,JRX Front Tires	\$15.99
RC7986	RC10T Rear Tires	\$15.99
RC7988	RC1OT Front Tires	\$15.99
RC7999	Replacement Foam Donuts	\$9.99

#### **PURPLE CHROME TRUCK WHEELS**


RC7700	Blackfoot Front Rims	\$5.99
RC7702	Blackfoot Rear Rims	\$5.99
RC7704	King Cab/Kyosho Rear Rims	\$5.99
RC7705	Jrx-Pro Rear Rims	\$5.99
RC7706	RC10 Rear Rims	\$5.99
RC7707	Jrx-Pro, RC10, Front Rims	\$5.99
RC7709	King Cab Front Rims	\$5.99
RC7987	RC10T Rear Rims	\$5.99
RC7989	RC10T Front Rims	\$5.99

#### 2" OFF-ROAD BUGGY WHEELS

3 PIECE N	MODULAR PURPLE CHROME	
RC7900	2" RC10 Rear Wheel	\$2.99
RC7901	2" JRX-Pro Rear Wheel	\$2.99
RC7902	2" Ultima Rear Wheel	\$2.99
RC7903	2.1" RC10, IRX-Pro, Kyo, Front	\$2.99

#### TOOLS

RC6018	Wire Cleaning Brush	\$4.75
NEW!		



RC7020 Quad Wrench, 4 way nut driver •\$4.99 The Quad Wrench has all the popular nut drivers built into one tool. 3/16, 1/4, 11/32 and 3/8". Fits all the nuts on your Team Losi or Associated buggy or truck! Never pick up the wrong tool again!

RC7913 Brush Hood Alignment Tool \$10.99



# TRINITY PRO WRENCHES

All new designed Pro-Wrenches for the serious R/C racer. This purple anodized aluminum wrenches have a bigger easier to use handle and feature a full length drill blank tip.



RC7362	035 "Assoc." Trans Wrench, idlers RC10	•\$12.50
RC7363	.050 Pinion Set Screw Wrench	•\$12.50
RC7364	.063 Wrench	•\$12.50
RC7365	.093 Wrench, fits 4/40 screws	•\$12.50
RC7366	Metric Pinion Wrench Tamiya, Kyo	•\$12.50
RC7367	2.5 mm Motor Wrench, fits motor screw	s•\$12.50

# DUAL SIDED PRO WRENCHES


RC7800	The Tool, 2 sided, .050 and 2.5mm tips	\$19.99
RC7801	The Tool Too, .050 and .093 screw tips	\$19.99

# REPLACEMENT DRILL BLANK TIPS

#### Fits all drill blank wrenches

RC7059	.035 Tip	\$6.99
RC6055	.050 Wrench Tips (1 pc.)	\$6.99
RC6005	.050 Wrench Tips (6 pc.)	\$34.99
RC7060	.063 Wrench Tip	\$6.99
RC7061	.093 Wrench Tip	\$6.99
RC7063	Metric Pinion Tip	\$6.99
RC7062	2.5mm Wrench Tip	\$6.99

# OFFICIAL TEAM SHIRTS TRINITY FACTORY TEAM SHIRTS





RC9101	Trinity Team T Shirt, large	+\$19.99
RC9102	Trinity Team T Shirt, x large	+\$19.99
RC9103	Trinity Team T Shirt, xx large	+\$21.99
RC9104	Trinity Team T Shirt, xxx large	+\$23.99








RC9031, The Pouch CD Bag

#### TRINITY/LOSI MONSTERS OF DIRT SHIRT





RC9120	Trinity Losi Team Dirt Shirt, Large	•\$19.99
RC9121	Trinity Losi Team Dirt Shirt, X Large	•\$19.99
RC9122	Trinity Losi Team Dirt Shirt, XX Large	•\$21.99
RC9123	Trinity Losi Team Shirt, XXX Large	•\$23.99
RC9124	Trinity Losi Team Shirt, XXXX Large	•\$23.99

## TRINITY OFFICIAL TEAM HAT

RC9110	Team Hat	\$25.00
KCALIO	leam nat	\$23.00

#### BANNERS

RC9005	Team Trinity Banner	\$15.00
MC 3003	lealli Illilly Balliel	313.0

#### STICKERS

New!		
RC9014	Trinity Logo Sticker Sheet	•\$5.99
RC9015	Stock Car Sticker Sheet, w/fender cluster	•\$5.99
RC9016	Touring Car Sticker Sheet, w/ numbers	•\$5.99
RC9012	Off-Road Truck/Buggy Sticker Sheet	•\$5.99
S2239	Street Spec Sticker Sheet	•\$3.99

#### **HAULER AND TRANS BAGS**

0.00027	Toom Trinity Hayley Day, Black	\$39.99
RC9037	Team Trinity Hauler Bag, Black	
RC9038	Team Trinity Hauler Bag, Purple	\$39.99
RC9031	The Pouch, CD carrying case, purple	\$15.99
RC9032	Trinity Logo Transmitter Bag, purple	\$19.99
RC9075	Monster Car-go Bag, Black	•\$49.99

Right... Monster Car-go Bag RC9075

Below... Team Hauler Bag RC9037











# EVOLUTION



IFMAR WORLD, ROAR NATIONAL CHAMPION

# **EVOLUTION 1055**



PROCAR WORLD, ROAR NATIONAL CHAMPION

#### EVOLUTION 10 CAR KITS

The Evolution 10 has proven itself in both road course and super speedway racing, by winning both the IFMAR on-road and PROCAR Speedway World Championships plus too many ROAR titles to list. The Evolution 10 was awarded the "RC Car Action" 1/10th car of the year! The Evolution cars all feature the famous Reactive Caster™ front suspension which allows for easy adjustment of caster, camber, ride height, roll rate and toe-in. The rear pod is suspended on a mono-ball rear pivot with trailing links. Batteries are mounted down the middle to make cornering quicker and more precise. The EV10 is the best handling 1/10th scale car you will ever have an opportunity to drive and is now available in 2 versions. The Deluxe World and National championship version for the serious racer and a new fiberglass version for the entry level racer.

#### **ON-ROAD MODELS**

EV0018 Evolution10F World Champion •\$199.99 Fiberglass chassis, steel screws rear axle ball bearings. Fiberglass version of Joels World Championship winning car.

EV0007 Evolution 10 Deluxe On-road Kit \$399.99 1994 ROAR Modified National Champion. Features all the hopup parts including the light weight graphite chassis plates. All purple aluminum hardware, light weight hubs etc. Definitely the "state of the art" road racing vehicle.

#### SUPER SPEEDWAY MODELS

EV0009 Evolution 10ss Super Speedway Car Kit \$369.99 Super Speedway version of the EV10.

EV0014 LSD Conversion Kit, EV10ss to LSD \$89.95 Convert the Evolution 10ss kit you already have to an EV10 LSD. Left Side Drive is an advantage on high banked tracks, (Daytona style) where you are always turning. More left side weight bias.

#### REVOLVER CAR KITS

RE0012 Revolver 22j On-road Kit This is the car used by Joel Johnson and Jim Deiter to sweep the the '95 ROAR On-Road & Oval National Championships. The Revolver 22j features a Reactive Caster™ front suspension to make this the quickest cornering 1/12th scale car ever. Also included in the kit are all light weight purple anodized aluminum hardware, hubs and special lightweight graphite chassis plates.




Joel won his 22nd ROAR National Championships with the Revolver 22J

\$299.99 RE0008 Revolver 12M6 Magic Carpet Ride Super lite and designed with the revolutionary Mono Shock independent front suspension. This is the same technology as used on full scale Jordan and Tyrrell Formula 1 cars. Comes with all light weight graphite and aluminum parts. Works killer on high speed outdoor asphalt tracks and not perfectly smooth carpet tracks.


Mono Shock Front Suspension RE0009 \$39.99 Same as Magic Carpet Ride, Bolts right on 22j. For Bumpy Tracks. RE1020 Revolver Speedway Chassis for both above \$55.50 Revolver 4 Cell Chassis for both above RE1040 \$49.99

The LSD Conversion kit will allow you to convert your EV10 Super Speedway to Left Side Drive. The new Midnight Reverse is an excellent stock motor for this car! Kit includes upper and lower pod plates, LSD motor mount. Chassis not included.





# REVOLVER 22j



1995 ROAR 6 CELL NATIONAL CHAMPION ON-ROAD & SUPER SPEEDWAY



MONO SHOCK FRONT SUSPENSION SYSTEM

#### DRAGWORKS CAR KITS

The fastest and lightest drag race cars are now available from Trinity under the Dragworks name. These new designs from Jim Dieter who penned the World Championship winning Evolution and Revolver series of cars, brings high technology to drag racing. These are not the pod bolted to a chassis plate designs you are accustomed to, but real tunable race cars.

The Dragworks cars feature: Graphite chassis and pod plates Lightweight machined aluminum motor mounts Lightweight clamp on wheel hubs, to keep axles from splitting. Aluminum screws for less weight. "T" bar construction, for more traction, easily adjustable tweak. Aluminum beam front axle with adjustable caster. Breakaway front body mounts, saves chassis plates during crashes. Pull Bar setup to adjust traction by controlling motor torque transfer. All Aluminum parts, pod plates,

screws, etc. are anodized purple. Lightweight CKW tires come with kit. Detailed instructions with tuning tips Can be made rear engined with after market conversion plate.

DW0001 Pro Stock Car Kit (up to 14 cells)
DW0002 Funny Car Kit (up to 16 cells)

\$249.00 \$279.00

## STREET SPEC CAR KITS

Street Spec is the fastest growing class of racing in the world. All aspecs of Street Spec racing are controlled so that it is truly the only class of R/C racing where a driver's skill is more important than how



much money he spends. No hop up parts are allowed and everyone has to run the same tires, motor, body, chassis, battery and gear ratio etc. Don't miss out on the best racing in the world. Trinity Street Spec cars come both with motor and battery or without. They also come in Stock Car, Touring Car and Speedway Truck body styles.


SS2222	Spec 10 W/Motor/Stocker Body/Battery	•\$199.99
SS2223	Spec 10 No Motor/Battery	•\$165.00
SS2230	Spec 10T W/Motor/Touring Body/Battery	•\$199.99
SS2231	Spec 10T No Motor/Battery	•\$165.00
SS2240	Spec 10N W/Motor/TruckBody/Battery	•\$199.99
SS2241	Spec 10N No Motor/Battery	•\$165.00

Full scale NASTRUCK Racing is becoming very popular and its also becoming the biggest class for Street Spec!









# EV10 EV10F & EV10ss Common Parts

Part#	Item	Qty	Price
EV0023	Front kingpins	2	\$2.99
EV0024	Nylon upper ball supports	2	\$4.50
EV0025	.022" front suspension spring	2	\$2.00
EV0026P	Purple aluminum clevis	2	\$10.99
EV0027	1.125" X 4-40 turnbuckle	4	\$10.99
EV0029	4-40 locknuts	4	\$0.99
EV0030	Nylon ball cups	4	\$2.99
EV0031	Delrin balls	2	\$1.99
EV0032	Complete micro shock	1	\$17.99
EV0033	Aluminum micro shock body	1	\$9.99
EV0034	Nylon micro shock cylinder nut	2	\$2.50
EV0035	Silicone o-ring, micro shock	4	\$0.99
EV0036N	Nylon adjuster nut, micro shock	2	\$2.89
EV0037	Pressurization spring, micro shock	4	\$2.99
EV0038	Aluminum shock shaft cap	2	\$8.99
EV0039	Micro shock shaft	2	\$9.99
EV0040	Brass micro shock shaft washer	4	\$0.99
EV0041	Suspension spring 5 lb.	2	\$2.00
EV0042	Suspension spring 11 lb.	2 2 2	\$2.00
EV0043	Suspension spring 15 lb.	2	\$2.00
EV0044	Suspension spring 23 lb.		\$2.00
EV0047	Aluminum ball studs	4	\$3.99
EV0048	4-40 aluminum locknuts	8	\$2.99
EV0049	8-32 X 7/8 alum flatheads	4	\$1.49
EV0050	8-32 nylon nuts	4	\$0.99
EV0051	Front nylon kingpin bushings	2	\$1.59
EV0052	Nylon clevis	2	\$1.99
EV0053	Front axle spacer set	1	\$3.59
EV0054	1/8" silicone o-ring	4	\$0.99
EV0056	1/4" X 3/8" unflanged bearing	1	\$7.50
EV0057	1/4" X 3/8" flanged bearing	2	\$14.00
EV0058	1/8" X 1/4" steel washers	4	\$0.99
EV0059	1/8" e-clips	12	\$1.29
EV0062	Nylon left bulkhead	1	\$1.99
V0063	Aluminum right bulkhead	1	\$14.99
V0064	4-40 X 3/8" flathead screws	8	\$0.99
V0065	4-40 X 3/8" cap screws	8	\$0.99
V0066	Graphite ball plate		\$3.99
V0068	1/4" aluminum pivot ball	2	\$3.99
V0069	3/16" aluminum standoff Nylon rear battery cup	1	\$3.99 \$2.99
V0070	2-56 steel buttonhead screws	8	\$1.99
V0071		1	\$1.99
V0072	Nylon pivot ball socket set 1/8" thick aluminum spacer	2	\$0.99
V0073 V0074		8	\$0.99
	4-40 X 1/2" steel screws Nylon ball link socket	4	\$1.99
V0075 V0076	) [1] [2] [4] [4] [4] [4] [4] [4] [4] [4] [4] [4	4	\$6.99
	Aluminum control link balls Thrust cone	1	\$1.99
EV0080	Belleville washers	4	\$1.99
V0081	Nylon axle shim set	1	\$1.99
EV0082 EV0083	Nylon front battery cup	i	\$1.99
EV0083	Nylon front battery cup lid	1	\$1.99
LV0004	Nylon body post collars	1	\$2.99

EV0087	4-40 X 1/8" set screws	8	\$1.29
EV0089	4-40 X 1/2" cap screws	5	\$2.99
EV0090	Body clips	6	\$2.99
EV0091	Ride height adjuster set	1	\$2.69
EV0092	1/8" diff balls	12	\$2.99
EV0093	Diff rings	2	\$2.99
EV0110	Silicone diff lube	1	\$2.50
EV5001	EV10 Video	1	\$19.99

#### **EVOLUTION 10 PARTS**

EVU	LUIIUN IU PAK	. 3	
EV0022	Front on-center steering blocks	2	\$7.99
EV0046	Graphite front axle plate	1	\$17.99
EV0060	Graphite top plate	1	\$14.99
EV0061	Graphite bottom plate	1	\$19.99
EV0067	Graphite top chassis plate	1	\$24.99
EV0077	Hollow graphite rear axle	1	\$29.99
EV0078	Aluminum diff side hub	1	\$14.99
EV0079	Aluminum left hub	1	\$14.99
EV0085	2" nylon body posts	4	\$3.99
EV0088	Aluminum steering turnbuckles	2	\$5.99

## **EVOLUTION 10F PARTS**

EV0200	Fiberglass On-road chassis	1	+\$29.99
EV0201	Fiberglass Front Axle Plate	1	+\$9.99
EV0202	Fiberglass Front Pivot Plate	1	+\$3.99
EV0203	Fiberglass Top Pod plate	1	+\$8.99
EV0204	Fiberglass Bottom Pod Plate	1	+\$8.99
EV0205	Fiberglass Top Chassis Plate	1	+\$11.99
EV0206	Dampner Tube	1	+\$10.99

# EV10 ON-ROAD DELUXE (EV0007) PARTS

ı		OU// FARIS			
l	EV0022	Front steering blocks		2	\$7.99
l	EV0028P	4-40 purple ball studs long		4	\$5.99
l	EV0033P	Purple aluminum shock body		1	\$10.99
l	EV0038P	Purple Shock Shaft cap		2	\$9.99
l	EV0046	Graphite front axle plate		1	\$17.99
l	EV0047P	Purple aluminum ball studs		4	\$4.99
l	EV0047P2	5 Purple ball stud bulk		25	\$24.99
l	EV0060	Graphite top plate		1	\$14.99
l	EV0061	Graphite bottom plate		1	\$19.99
l	EV0067	Graphite top chassis plate		1	\$24.99
l	EV0068P	1/4" purple aluminum pivot ball		2	\$4.99
l	EV0069P	3/16" purple aluminum standoff		2	\$4.99
l	EV0073P	1/8" purple aluminum thick washe	r	2	\$1.59
l	EV0076P	.250 purple alum control link ball		4	\$7.50
l	EV0080P	Purple thrust cone		1	\$1.59
l	EV0088P	Purple steering turnbuckles		2	\$6.99
l	EV0120	Lite purple clamping left hub		1	\$25.99
l	EV0122	Lite purple diff side hub		1	\$25.99
l	EV0134	On-road graphite short track chass	S	1	\$79.99
l	EV0145	Complete micro shock purple		1	\$19.99
l	EV4054	8-32 purple nuts		8	\$3.99
l	EV0055	3/16" X 5/16"F Bearing		2	\$12.00
I	D1052	4-40x3/8 Cap Head Screws	2	рс	\$4.99
l	D1053	4-40x3/8 Flat Head Screws	2	рс	\$4.99
۱					



D1054	8-32x7/8 Flat Head Screws	6 pc	\$2.99	EV0137P	Extension ball studs long
D1055	4-40x1/4 Cap Head Screws	12 pc	\$4.99	EV0138	Diff pinning kit
EV0150	2-56x1/4 Button Head Screws	12 pc	\$5.99	EV0139	Micro shock rebuild kit
EV0151	8-32x5/8 Flat Head Screws	12 pc	\$4.99	EV0140	EV10 on-road bearing set
EV0152	4-40x1/2 Socket Head Screws	12 pc	\$5.99	EV0141	Diff rebuild kit
EV0153	4-40x1/2 Flat Head Screws	12 pc	\$4.99	EV0142	EV10, EV10SS Purple alum s
EV0154	4-40x3/4 Socket Head Screws	12 pc	\$4.99	EV0143	Purple aluminum mini lockr
EV0143	4-40 Mini Lock Nuts	8 pc	\$3.50	EV0144	EV10, EV10SS front o-ring of
EV0143-2	5 4-40 Mini Lock Nuts	25 pc	\$8.99	EV0145	Complete micro shock, puri
EV4054	8-32 Nuts	8 pc	\$3.99	EV0150P	1.1" purple standoff for cen
				EV0150	2-56x1/4 Button Head Screv
				E1 10 4 E 4	0.00 5/0.51

#### **EVOLUTION 1055 PARTS**

			170000000000000000000000000000000000000
EV4000	Super speedway graphite chassis	1	\$80.00
EV4002	SS graphite bottom plate	1	\$25.00
EV4003	SS graphite front axle plate	1	\$19.99
EV4004	SS graphite top chassis plate	1	\$22.99
EV4005	SS graphite top plate	1	\$14.99
EV4007	SS graphite nerf wing	1	\$5.99
EV4008	SS aluminum diff hub	1	\$14.99
EV4009	SS aluminum left hub	1	\$14.99
EV4010	SS trailing steering blocks	2	\$7.50
EV4011	1/8" X 5/16" flanged wheel bearings	2	\$14.00
EV4012	SS hollow graphite rear axle	1	\$29.99
EV4013	SS fiberglass rear axle	1	\$19.99
EV4014	.90" X 4-40 steel turnbuckle	2	\$5.50
EV4015	1.2" X 4-40 steel turnbuckle	2	\$5.99
EV4016	3" nylon body posts	4	\$3.99
EV4017	SS aluminum steering turnbuckle	2	\$6.99
EV4018	8-32 aluminum nuts	4	\$0.99

# EV10, EV10F & EV10ss **HOP-UP PARTS**

	OF FARIS		
EV0028P	4-40 purple ball studs long	4	\$5.99
EV0047P	Purple aluminum ball studs	4	\$4.99
EV0094	Graphite Chassis	1	\$59.99
EV0099	Progressive ft spring orange, 4-6 lb	2	\$2.00
EV0100	Progressive ft spring blue, 6-8 lb	2	\$2.00
EV0101	Progressive ft spring white, 8-10 lb	2	\$2.00
EV0102	Progressive ft spring red, 10-12 lb	2	\$2.00
EV0103	Progressive ft spring green 12-14 lb	2	\$2.00
EV0104	Progressive front spring set 2 ea size	1	\$8.00
EV0108	More Clearance Pod Plates	1	\$39.99
EV0120	Left lite purple clamping hub	1	\$25.99
EV0121	EV10SS purple aluminum diff hub	1	\$23.99
EV0122	EV10 On-road purple alum diff hub	1	\$25.99
EV0123	Micro shock spring set 3ea.	1	\$7.99
EV0125	Constant rate ft spring purple, 14 lb	2	\$2.00
EV0126	Constant rate ft spring black, 16 lb	2	\$2.00
EV0127	Constant rate ft spring green, 12 lb	2	\$2.00
EV0128	Constant rate ft spring red, 10 lb	2	\$2.00
EV0129	Constant rate ft spring white, 8 lb	2	\$2.00
EV0130	Constant rate ft spring blue, 6 lb	2	\$2.00
EV0131	Constant rate ft spring orange, 4 lb	2	\$2.00
EV0132	Constant rate ft spring set, 2 ea.	1	\$11.25
EV0133	EV10 On-road solid graphite axle	1	\$22.00
EV0135	EV10 On-road wider front axle plate	1	\$20.00
EV0136P	Extension ball studs short	4	\$6.99

_,,,,,	Et le dil loud bealing see			400.77
EV0141	Diff rebuild kit		1	\$7.99
EV0142	EV10, EV10SS Purple alum screw	set	1	\$19.99
EV0143	Purple aluminum mini locknuts		8	\$3.50
EV0144	EV10, EV10SS front o-ring cup		2	\$1.99
EV0145	Complete micro shock, purple		1	\$19.99
EV0150P	1.1" purple standoff for center sh			\$1.99
EV0150	2-56x1/4 Button Head Screws	12	pc	\$5.99
EV0151	8-32x5/8 Flat Head Screws		рс	
EV0152	4-40x1/2 Socket Head Screws		pc	
EV0153	4-40x1/2 Flat Head Screws		pc	
EV0154	4-40x3/4 Socket Head Screws	12	рс	\$4.99
EV1001	Antenna mount		1	\$1.29
EV4017P	Steering Turn Buckle Purple		2	\$7.99
EV4019	EV10SS sway bar kit		1	\$29.99
EV4020	EV10SS sway bar top plate		1	\$14.25
EV4021	EV10SS solid graphite axle		1	\$22.00
EV4022	Large volume shock rebuild kit		1	\$3.59
EV4023	EV10SS bearing set		1	\$58.99
EV4024	EV10SS sway bar tuning kit		1	\$14.99
EV4025	EV10SS prebent sway bar wire set	t	1	\$4.99
EV4030-1	Large volume shock shaft		1	\$7.99
EV4030-3F	Large volume purple shock body		1	\$9.99
EV4030-5	Large volume shock adjuster nut		2	\$2.99
EV4030-8F	Large vol shock shaft purple end	cap	1	\$5.99
EV4031	Large volume shock spring .029		2	\$1.99
EV4032	Large volume shock spring .035		2	\$1.99
EV4033	Large volume shock spring .050		2	\$1.99
EV4034	Large volume shock spring .055		2	\$1.99
EV4035	Large volume shock spring .060		2	\$1.99
EV4036	Large volume shock spring set		1	\$6.25
EV4045	EV10SS lite graphite chassis		1	\$82.00
EV4046	EV10SS lite graphite bottom plate	9	1	\$23.99
EV4047	EV10SS lite graphite nerf wing		1	\$6.99
EV4048	EV10SS lite graphite top chassis p	late	1	\$26.00
EV4049	EV10SS lite graphite chassis upgra	ade	1	\$137.00
EV4050	EV10SS lite left clamping hub		1	\$29.99
EV4051	EV10SS lite hub set		1	\$49.99
EV4052	EV10SS front end rebuild kit		1	\$19.99
EV4053	EV10 on-road front end rebuild ki	t	1	\$19.99
EV4058	Complete large volume shock pur	rple	1	\$27.99
EV6000	Wide oval & LSD graphite chassis		te1	\$80.00
D1052	4-40x3/8 Cap Head Screws		рс	\$4.99
D1053	4-40x3/8 Flat Head Screws		рс	\$4.99
D1054	8-32x7/8 Flat Head Screws		рс	\$2.99
D1055	4-40x1/4 Cap Head Screws	12	рс	\$4,99
			40	

# **EV10 LEFT SIDE DRIVE CONVERSION PARTS**

EV6004	EV10 LSD conversion top plate	1	\$16.59
EV6005	EV10 LSD conversion bottom plate	1	\$24.99
EV6010	EV10 LSD solid graphite rear axle	1	\$23.99
EV6011	EV10 LSD aluminum diff side hub	1	\$13.99
EV6012	6-32 nylon locknut	4	\$0.99
EV6013	EV10 LSD sway bar kit	1	\$14.99
EV6014	EV10 LSD prebent sway bar wires	1	\$3.49



\$5.99

\$6.99

1 \$58.99





# REVOLVER 22j & MAGIC CARPET RIDE COMMON PARTS

D1050	2-56 Ball cups	4	\$3.39
D1052	Purple alum 4-40 X 3/8" cap screw	12	\$4.99
D1053	Puprple alum 4-40 X 3/8 flathead	12	\$4.99
D1055	Purple alum 4-40 X 1/4" cap screw	12	\$4.99
EV0024	Front upper mounts	2	\$4.50
EV0029	4-40 steel locknuts	4	\$0.99
EV0030	Nylon ball cups	4	\$2.99
EV0031	Delrin balls	2	\$1.99
EV0033P	Purple micro shock body	1	\$10.99
EV0034	Micro shock cylinder nut	2	\$2.50
EV0035	Micro shock 1/16" silicone o-ring	4	\$0.99
EV0036N	Micro shock nylon adjuster nut	2	\$2.89
EV0037	Micro shock pressurization spring	4	\$2.99
EV0038P	Purple alum shock shaft end cap	1	\$9.99
EV0039	Micro shock shaft	2	\$9.99
EV0040	Micro shock shaft brass washer	4	\$0.99
EV0041	Shock spring 5 lb	2	\$2.00
EV0042	Shock spring 11 lb	2	\$2.00
EV0043	shock spring 15 lb	2 2 2	\$2.00
EV0044	Shock spring 23 lb	2	\$2.00
EV0047P	Purple aluminum ball studs	4	\$4.99
EV0050	8-32 nylon nut	4	\$0.99
EV0052	Nylon clevis	2	\$1.99
EV0056	1/4 X 3/8" unflanged bearing	1	\$7.50
EV0057	1/4 X 3/8" flanged bearing	2	\$14.00
EV0058	1/4" X 1/8" steel washer	4	\$0.99
EV0059	1/8" E-clips	12	\$1.29
EV0065	4-40 X 3/8" cap screws	8	\$1.29
EV0072	Nylon pivot ball socket set	2	\$1.99
EV0080P	Purple thrust cone	1	\$1.59
EV0081	Belleville washers	4	\$1.99
EV0082	Rear axle shim set	1	\$1.99
EV0085	2" body posts	4	\$2.99
EV0086	Body post collars	4	\$3.99
EV0087	4-40 X 1/8" set screws	8	\$1.29
EV0090	Bent up body clips	6	\$2.99
EV0091	Rear ride height adjuster set	1	\$2.69
EV0092	1/8" Differential balls	12	\$2.99
EV0093	Diff rings	2	\$2.99
EV0143	Purple alum mini locknuts	8	\$3.50
EV0151	Purple 8-32 X 5/8" flat heads	12	\$4.99
EV0153	Purple 4-40 X 1/2" flat heads	12	\$4.99
EV0154	Purple 4-40 X 3/4" cap screw	12	\$4.99
EV4011	1/8" X 5/16" Flanged bearing	2	\$14.00
EV4012	Hollow graphite axle	1	\$29.99
EV4016	3" nylon body posts	4	\$3.99
MM2000	1/4" ID thin axle shims	10	\$1.99
RE1001	Front kingpins	2	\$1.99
RE1002	Steering blocks	2	\$6.99
RE1003	1.6" turnbuckles	2	\$6.99
RE1009	"T' bar spacer	1	\$2.99
RE1014P	Purple pivot ball	2	\$4.99
RE1016P	1.390" Purple standoff	1	\$2.99
HANNEY SAME VALUE	ALICENSE WILLESSONSSINGS CO.	155	

- BEETE BEETE - BEETE - BEETE - BEETE BEETE BEETE - BE	
RE1028-1 2-56 x 1/4" Flat Head screws 10	\$1.99
RE1032 Purple left side bulkhead 1	\$13.50
RE1033 Purple right side bulkhead 1	\$19.99
RE1034 Clamping left purple aluminum hub 1	\$17.99
RE1035 Purple alum diff side hub 1	\$15.99
RE1037 Lite graphite bottom plate 1	\$11.99
RE1038 Graphite upper plate 1	\$10.99
RE1039 Dampener Tube 1	\$10.99
RE1041 Female dampener tube pivot ball 1	\$3.99
RE1042 4-40 X 1/2" set screw 1	\$0.99
RE1043 6 Cell graphite chassis plate 1	\$50.99
RE1044 Purple 4-40 X 1/4" flat head 12	\$5.99
RE7742 4-40 x 3/4 screws 4	\$1.99
RE7750P .750" purple alum standoff 1	\$2.99

# REVOLVER 22j PARTS

EV4014	4-40 X .9" steel turnbuckles	2	•\$5.50
EV0053	Nylon front axle spacer set	1	•\$3.59
EV4054	Purple 8-32 aluminum nuts	8	•\$3.99
RE1004	Front Springs	2	•\$1.99
RE1031	Front kingpin bushings	2	•\$1.99
RE1036	Lite graphite front axle plate	1	•\$10.99

# MAGIC CARPET RIDE PARTS

RE1045	Front shock pins	2	\$1.99
RE1046	.650" steel turnbuckles	4	\$4.99
RE1047	.093 front sway bar wire	1	\$1.99
RE1048	Front sway bar mounts	2	\$1.49
RE1050	Nylon left & right a-arms	1	\$4.99
RE1051	.093" pivot pins	2	\$1.39
RE1052	Nylon front bulkheads	2	\$2.49
RE1053	.078" front sway bar wire	1	\$1.99
RE1054	4-40 X 1" flat head	4	\$2.99

# REVOLVER 22j HOP UP PARTS

RE1008	"T" bar	1	\$5.99
RE1015P	.850" purple alum standoff	2	\$2.99
RE1017	Graphite rear chassis brace 12SS	1	\$9.50
RE1018	Dampener tube	1	\$10.99
RE1020	Graphite super speedway chassis	1	\$55.50
RE1021	Graphite SS nerf wing	1	\$3.99
RE1026	"Orlando" "T" bar	1	\$6.99
RE1029	"T" bar tuning kit	1	\$17.97
RE1030	King pin bushing with drill	1	\$1.99
RE1040	Magic 4-cell graphite chassis	1	\$49.99
RE1055	Front spring .018 black	2	\$1.99
RE1056	Front spring .022 nickel	2	\$1.99
RE1057	Front spring .024 gold	2	\$1.99
RE1058	Front spring set, 2 ea size	1	\$4.99
RE1070	Ball Bearing Set	1	\$58.99









DRA	GWORKS CAR I	PAR	? <i>TS</i>	STR	EET SPEC PARTS	5	
D1001	Funny car chassis 14" wb	1	\$94.99	SS2000	S Spec Blue Front Tires, pair, as in kit	1	\$10.99
D1002	Pro stock chassis 11" wb	1	\$79.99	SS2001	S Spec Green Rear Tires, pair, as in k	it 1	\$11.49
D1004	Lower pod plate	1	\$12.99	SS2002	"T" bar/bottom pod plate	1	+\$8.99
D1005	Upper pod plate	1	\$6.99	SS2003	Upper chassis battery plate	1	+\$8.99
D1006	Purple alum left bulkhead	1	\$13.50	SS2004	Front axle plate	1	+\$7.99
D1007	Purple alum right bulkhead	1	\$19.99	SS2005	Chassis plate	1	+\$21.99
D1013	4.5" front axle beam	1	\$8.99	SS2006	Pivot plates	2	+\$5.99
D1014	Front kinpins	2	\$4.99	SS2007	Top plate	1	+\$6.99
D1017	Clamping front block	1	\$5.99	SS2008	1/8" X 5/16" flanged bushing	4	\$1.99
D1018	Floating front block	1	\$5.99	SS2009	5-40 flat nuts	2	\$0.99
D1019	Front axle beam	1	\$7.99	SS2010	Front kingpins	2	\$2.99
D1020	Graphite rear axle	1	\$7.99	SS2011	Dampener washers	2	\$0.99
D1021	Right rear gear hub	1	\$29.99	SS2012	Silicone Tubing	1	\$1.69
D1025	2" front wheel w/"O" rings	2	\$6.99	SS2013	Nylon left hub	1	\$4.29
D1026	Front wheel "O" rings	2	\$1.99	SS2014	Thrust bearing set	1	\$2.59
D1027 D1030	4-40 pull rod 12"	1	\$1.99	SS2015	1/4" X 3/8" bushing	2	\$1.49
D1030	1.250" X .250" alum standoff 2-56 turnbuckles	1	\$1.99	SS2016	Steel rear axle	2	\$9.99
D1031	6" silicone tubing	2 1	\$4.59 \$1.69	SS2017 SS2018	4-40 threaded rod 1994 short track T-bird body	1	\$1.99 \$15.99
D1033	Rear engine conversion plate	1	\$1.09	SS2018	Touring car chassis	1	\$19.99
D1034	1" P/S Front body mount plate	1	\$6.29	SS2019	5-40 x 3/8" cap screw	4	\$0.99
D1040	1.75" F/C body mount plate	1	\$7.39	SS2020	Complete Ball Bearing Set	1	\$45.99
D1047	3/32" set screw collars	1	\$1.29	SS2021	Battery "O" rings	2	\$1.29
D1048	2-56 ball studs steel	4	\$2.99	SS2100	S Spec Green Front Tires, pair	1	\$10.99
D1049	2-56 mini locknuts	8	\$3.39	SS2100	S Spec Orange Front Tires, pair	1	\$10.99
D1050	2-56 ball cups	8	\$3.79	SS2101	S Spec Blue Rear Tires, pair	1	\$11.49
D1051	5-40 lock nuts	8	\$0.99	SS2232	BMW Touring body	1	\$15.99
D1052	4-40 X 3/8" cap screw	12	\$4.99	SS2233	Touring Green Rear Tires, pair	1	\$11.49
D1053	4-40 X 3/8 flat heads	12	\$4.99	SS2234	Touring Blue Rear Tires, pair	1	\$11.49
D1054	8-32 X 7/8" flat heads	6	\$2.99	SS2235	Touring Green Front Tires, pair	1	\$10.99
D1055	4-40 X 1/4" cap screw	12	\$4.99	SS2236	Touring Blue Front Tires, pair	1	\$10.99
EV0030	Nylon ball cups	4	\$2.99	SS2237	·Touring Orange Front Tires, pair	1	\$10.99
EV0047P	4-40 purple alum ball stud	4	\$4.99	SS2238	Opel Calibra body	1	\$15.99
EV0050	8-32 nylon locknut	4	\$0.99	SS2239	Street Spec sticker sheet	1	\$3.99
EV0057	1/4" X 3/8" flanged bearing	2	\$14.00	SS2242	C type speedway truck body	1	\$15.99
EV0064	4-40 X 3/8" flat heads	8	\$0.99	D1027	4-40 dampener rod	1	\$1.29
EV0065	4-40 X 3/8" cap screw	8	\$0.99	D1030	1.25" standoff w/hole	1	\$1.99
EV0071	2-56 X 1/4" buttonheads	8	\$1.99	D1033	Silicone tubing	1	\$1.69
EV0072	Nylon pivot ball socket set	1	\$1.99	D1047	3/32" set collars	2	\$1.29
EV0082	Axle shim set	1	\$1.99	D1051	5-40 steel locknuts	8	\$0.99
EV0085	2" nylon body posts	4	\$3.99	EV0025	Front springs	2	\$2.00
EV0086	Body post collars	4	\$3.99	EV0029	4-40 locknuts	4	\$0.99
EV0087	4-40 X 1/8" set screws	8	\$1.29	EV0030	Nylon ball cups	4	\$2.99
EV0090	Bent up body clips	6	\$2.99	EV0047	Aluminum ball studs	4	\$3.99
EV0091	Ride height adjusters	1	\$2.69	EV0048	Aluminum mini locknuts	8	\$2.99
EV0143	4-40 purple mini locknuts	8	\$3.50	EV0049	8-32 X 7/8" flat heads	4	\$1.49
EV4011	1/8" X 5/16" flanged bearings	2	\$14.00	EV0050	8-32 nylon locknuts	4	\$0.99
EV4050	Clamping left purple alum hub	1	\$29.99	EV0053	Nylon front axle spacer set	1	\$3.59
R7714	4" nylon body posts	2	\$4.00	EV0054	1/8" silicone o ring	4	\$0.99
RE1002	Front steering blocks	2	\$6.99	EV0057	1/4" x 3/8" flanged bearing	2	\$14.00
RE1004 RE1008	Front springs .020 "T" bar	2 1	\$1.99 \$5.99	EV0058 EV0059	1/8" x 1/4" steel washers 1/8" e-clips	4	\$0.99 \$1.29
RE1008	"T" bar spacer	1	\$3.99	EV0039 EV0062	Nylon left bulkhead	1	\$1.29
RE1009	Purple alum pivot balls	2	\$4.99	EV0062 EV0063	Aluminum right bulkhead	1	\$1.99
KL1014P	ruipie aium pivot balls	2	J4.77	EV0063 EV0064	4-40 X 3/8" flatheads	8	\$0.99
				EV0064	4-40 X 3/8" cap screws	8	\$0.99
	301			EV0003	1/8" aluminum spacer	2	\$0.99
				1 2.0075	., c alaminati spacet	_	40.77





EV0074	4-40 X 1/2" flatheads	8	\$0.99
EV0081	Belleville washers	4	\$1.99
EV0082	Nylon axle shim set	1	\$1.99
EV0086	Nylon body post collars	4	\$2.99
EV0087	4-40 X 1/8" set screws	8	\$1.29
EV0090	Bent up body clips	6	\$2.99
EV0091	Ride height adjuster set	1	\$2.69
EV0092	Differential balls	12	\$2.99
EV0093	Diff rings	2	\$2.99
EV0110	Silicone diff lube	1	\$2.50
EV1001	Antenna mount	1	\$1.29
EV1002	10-32 set screws	2	\$0.99
EV4008	Aluminum diff hub	1	\$14.99
EV4010	Trailing steering arms	2	\$7.50
EV4016	3" nylon body posts	4	\$3.99
RE1004	Front springs	2	\$1.99
RE1015	.850" standoff	2	\$1.99
RE1054	4-40 X 1" flatheads	2	\$2.99
R7714	4" nylon body posts	2	\$4.00
RE7750	.750" standoff	2	\$2.99

#### For The Latest Street Spec Rule Book Send \$3.00 To:





Trinity Products Inc. is not responsible for any typographic errors that may appear.

Trinity Products Inc. assumes no liabality for the use or misuse of any of the products available through this racers guide.

The following are trademarks of Trinity Products Inc.
Trinity, Magic Motor Sports, Speedworks, Monster, Monster Horsepower, Monster Stock, Midnight, Speed Gems, Ex-Tech, Joel Magic Johnson, Slotworks, Pointblank, Reactive Caster, Evolution, Revolver, Magic Carpet Ride, Dragworks, Dirtinator, Epoxy Balanced, Topaz, Ruby, Sapphire, Onyx, Quartz, Diamond, Jade, Sport-Tech, Race-Tech, World-Tech, World-Tech 30, Magic, Zip Pack, Zero Gravity, Street Spec, Ex-Spec, S-Spec, Kinwald, Buggywald, Green Machine, Brian Kinwald, Greg Hodapp

> Trinity Products Inc. 1901 E. Linden Ave #8 Linden, N.J. 07036 Ph: 908-862-1705 Fx: 908-862-6875

Tech Line: 908-862-4879 Technical questions will be answered only between the following hours; 8:00 to 10:00 am and 4:30 to 6:00 EST.

© 1995, TRINITY PRODUCTS INC.

## SLOT CAR RACING

#### **MOTORS**

#### 1995-96 VERSION **16-D MOTORS**

All Trinity Slotworks motors are designed with the latest technology for Group 10 class racing. Only the highest quality components are used to



insure you the best performance and reliability. All Trinity Slotworks motors are built to meet Parma Challange Cup Rules. These motors fit all Group 10 (flexi type) cars made by Trinity, Parma, JK, Champion etc..

\$9500	"Green Machine 24" Un-balanced, green end bell	1ea	\$11.50
\$9501	"James Brown" Balanced, brown endbell	1ea	\$12.50
\$9502	2% Team Stock, hand picked, unbalanced	1ea	\$15.50
\$9503	2% Team Outlaw Stock, hand picked, balanced	11ea	\$17.50

\$1002 Home-Set, 16-D motor, for home sets/rentals 1ea \$9.00

#### **16-D ARMATURES**

\$9504	Un-balanced 16-d armature	1ea	\$5.50
\$9505	Balanced 16-d armature	1ea	+\$7.25
\$9506	Un-balanced armature with cut comm	1ea	-\$7.75
\$9507	Balanced Armature with cut comm	1ea	+\$9.75

#### MOTOR BRUSHES AND SPRINGS

S1020 16-D Motor Springs	6pr \$2.70
S1018 16-D Motor Brushes, improved compound,	6pr \$6.00
S1018B 16-D Motor Brushes,	50pr \$45.00
S9700 16-D Brushes and Springs	6pr •\$9.00
S9701 16-D Brushes and Springs	50pr•\$65.00
S2000 E Brush 36-D Brush 15, 27 and 7 racing	6pr \$9.54
S2001 E Brush Bulk	100pr\$129.00
S2009 Bigger Coil 16-D springs, fit S2008 posts	6pr \$3.30
S2009B Bigger Coil springs bulk, fit S2008 posts	50pr \$25.00
S2010 Spring Post Conversion kit 1 pr 2008, 2009	1ea \$0.99

#### **16-D MOTOR PARTS**

\$9508	Complete Un-balanced Setup, green endbell	1ea	\$7.75
\$9509	Complete Balanced Setup, brown endbell	1ea	\$8.75
\$9510	Replacement Un-Balanced 16-D Endbell, green	1ea	\$3.00
\$9511	Replacement Balanced 16-d Endbell, brown	1ea	\$3.00
S9512	Motor and Can Bushings,	6pr	\$5.00
\$1006	16-D Motor Can	1ea	+\$3.00
S1011	Outlaw Magnets W/Clips	1pr	\$3.75
\$1012	Spyder Magnets W/Clips	1pr	\$2.75
S1024	Outlaw Flat Magnet Clips	брг	\$3.00
S1025	Spyder Wire Magnet Clips	6pr	\$3.00
S1021	Motor Brush Hoods	6pr	\$2.70
S1022	Motor Brush Back Plates	6pr	\$2.70
S1014	Armature Spacers,	6pcs	\$0.75
S1014B	Armature Spacers 10	0pcs	\$9.00
S1026		4pcs	
S2008	Spring Posts, use S2009 springs	6pr	\$3.54





## READY TO RUN CARS

#### 4" UNBALANCED MOTORS

S1200A Spyder RTR flexi type, L-Type stocker body	Tea	+\$33.99
S1200B Spyder RTR flexi type, T-Type stocker body	1ea	+\$33.99
S1200C Spyder RTR flexi type, Pontiac stocker body	1ea	+\$33.99
S1200HSpyder RTR Flexi type, OutLaw Kremer body	1ea	+\$33.99

#### 4" BALANCED MOTORS

S1201A Pro Outlaw RTR flexi type, L-Type stocker	1ea	+\$35.99
S1201B Pro Outlaw RTR flexi type, T-Type stocker	1ea	+\$35.99
S1201CPro Outlaw RTR flexi type, Pontiac stocker	1ea	+\$35.99
S1201HPro Outlaw RTR flexi type, Kremer body	1ea	+\$35.99

#### 4.5" STOCK CARS/TRUCKS-UNBALANCED

S1202B 4.5" T-Type Stock Car RTR	1ea	+\$42.99
S1202C4.5" Pontiac Stock Car RTR	1ea	+\$42.99
\$1202D4.5" 1995 M-C Stock Car RTR	1ea	+\$42.99
S1202E 4.5" 1995 C-Type Speedway Truck	1ea	+\$42.99
S1202F 4.5" 1995 F-Type Speedway Truck	1ea	+\$42.99

#### 4.5" STOCK CARS/TRUCKS-BALANCED

S1203B 4.5" T-Type Stock Car RTR	1ea	+\$46.99
S1203C4.5" Pontiac Stock Car RTR	1ea	+\$46.99
\$1203D4.5" 1995 M-C Stock Car RTR	1ea	+\$46.99
S1203E 4.5" 1995 C-Type Speedway Truck	1ea	+\$46.99
S1203F 4.5" 1995 F-Type Speedway Truck	1ea	+\$46.99

# SPEEDWAY SERIES READY TO RUNS

These RTR's feature the all new Spyder 2000 pro designed chassis for superior handling. The bodies come painted in NASCAR type color schemes and come with vinyl numbers installed.

#### 4" UNBALANCED MOTORS

S9670 L-Type Speedway RTR

3,0,0	L Type specurray min	1 60	4-2
S9671	T-Type Speedway RTR	1ea	•\$39.99
\$9672	Pontiac Speedway RTR	1ea	•\$39.99
4" B/	ALANCED MOTORS		
S9673	L-Type Speedway RTR	1ea	•\$41.99
S9674	T-Type Speedway RTR	1ea	•\$41.99
\$9675	Pontiac Speedway RTR	1ea	•\$41.99

#### 4.5" STOCK CARS/TRUCKS-UNBALANCED

S9676	4.5" T-Type Speedway RTR	1ea	•\$49.99	
S9677	4.5" Pontiac Speedway RTR	1ea	•\$49.99	
\$9678	4.5" 1995 M-C Speedway RTR	1ea	•\$49.99	
\$9679	4.5" 1995 C-Type Speedway Truck RTR	1ea	•\$49.99	
\$9680	4.5" 1995 F-Type Speedway Truck RTR	1ea	•\$49.99	

#### 4.5" STOCK CARS/TRUCKS-BALANCED

\$9681	4.5" T-Type Speedway RTR	1ea	•\$52.99
\$9682	4.5" Pontiac Speedway RTR	1ea	•\$52.99
\$9683	4.5" 1995 M-C Speedway RTR	1ea	•\$52.99
\$9684	4.5" 1995 C-Type Speedway Truck RTR	1ea	•\$52.99
\$9685	4.5" 1995 F-Type Speedway Truck RTR	1ea	•\$52.99

#### GTP READY TO RUNS

3/32 axles and tires, Spyder 2000 4" chassis, silicone lead wire w/clips

S9640 GTP Style RTR, balanced motor 1ea •\$51.99

#### **GROUP 12 RTR'S**

S9641 Spyder 2000 4" chassis, Mura motor/air dams1ea •\$57.00

#### READY TO ROLLS

RTR'S V	VITH OUT BODIES		
59620	Spyder 2000 4" chassis, unbalanced motor	1ea	•\$35.99
\$9621	Spyder 2000 4" chassis, balanced motor	1ea	•\$38.99
59622	Spyder 2000 4" chassis, Mura Gp 12 motor	1ea	•\$52.00
S9623	GTP Style, Spyder 2000 4" chassis, balanced motor	1ea	•\$46.99
59624	Stocker 2000 4.5" chassis, unbalanced motor	1ea	•\$44.99
\$9625	Stocker 2000 4.5" chassis, balanced motor	1ea	•\$48.99

#### CAR KITS

S9627	Spyder 2000 4", unbalanced motor, no body	1ea	•\$32.00
59628	Spyder 2000 4", balanced Motor, no body	1ea	•\$35.00
S9629	GTP, Spyder 2000 chassis, balanced motor, no body	1ea	•\$48.00
\$9630	Stocker 2000 4.5", unbalanced motor, no body	1ea	•\$41.00
\$9631	Stocker 2000 4.5", balanced motor, no body	1ea	•\$45.00

#### STARTER KITS

CAR, CONTROLLER, PITBOX, ALLEN WRENCH, OILER, STICKERS

#### **UNBALANCED MOTORS**

S5000 L-Type Group 10 unbalanced starter set	1ea	+\$80.99
S5001 Pontiac Group 10 unbalanced starter set	1ea	+\$80.99
S5002 T-Type Group 10 unbalanced starter set	1ea	+\$80.99
S1205A 4.5" L-Type Stock Car unbalanced starter set	1ea	+\$95.99
S1205B 4.5" T-Type Stock Car unbalanced starter set	1ea	+\$95.99
S1205C 4.5" Pontiac Stock Car unbalanced starter set	1ea	+\$95.99
S1205D 4.5" Speedway Truck started kit	1ea	+\$95.99

#### **BALANCED MOTORS**

1ea •\$39.99

1ea	+\$84.99	
1ea	+\$84.99	
1ea	+\$84.99	
1ea	+\$98.99	
1ea	+\$98.99	
1ea	+\$98.99	
1ea	+\$98.00	
	1ea 1ea 1ea 1ea 1ea	lea +\$84.99 lea +\$84.99 lea +\$84.99 lea +\$98.99 lea +\$98.99 lea +\$98.90 lea +\$98.00

#### **GROUP 12 MOTORS**

\$1950 Group 12 starter set 
All starter sets are available with Negative Gate SpeedGun controls, just add an "N" after the part number and \$5.00 to the list price.

#### CONTROLLERS

All Trinity Slotworks controllers are an electronic diode design that was engineered especially for group 10 and 12 class racing. Controller power slope is easy to modify for different track and driving conditions.

\$1300 SpeedGun Controller, group 10/12 positive wired	1ea	+\$47.00
\$1301 SpeedGun Controller group 10/12 negative wired	1ea	+\$52.99
S1306 SpeedGun Group 10 Pro, positive wired	1ea	+\$68.00
The Pro model has super flexible 12 awg leads, floating anodized purple aluminum finned heatsink etc.	ng wip	er button,
\$1307 SpeedGun Group 10 Pro, negative wired	1ea	+\$71.00







## CONTROLLER PARTS

\$3000	Clear SpeedGun Lexan Handle	1ea	\$8.00
\$1305	Painted Lexan SpeedGun Handle	1ea	+\$13.99
53001	Assembled Circuit Board	1ea	\$16.00
\$3013	Negative Gate Assembled Circuit Board	1ea	\$18.50
\$3010	Replacement Semiconductor	1ea	\$0.99
53011	Heatsink For Semiconductors	1ea	\$4.99
\$1304	Purple Anodized Finned Heatsink	1ea	\$8.99
53002	Wiper arm	1ea	\$2.99
\$3003	Wiper Button	6рс	\$5.94
\$3012	Bi Metalic Floating Wiper Button, soft face	6рс	\$5.94
\$3004	Screw Set	1 ea	\$2.99
53005	Springs	6 pcs	\$3.60
\$3007	Trigger	1 ea	\$2.99
\$3008	Bushing & Washer,	6 set	\$3.00
\$3014	Gold power and brake posts with nuts	1 pr	\$1.99

#### **CONTROLLER WIRE**

\$3009	16 AWG Wire, 3' each color, red, black, white1set	\$4.99
	Controller Wire 12 Awg, flourescent pink 15 1ea	\$9.99
\$1303	Controller Wire 12 Awg, flourescent green 151ea	\$9.99
53006	Clips W/Boots, heavy duty copper, R,B,W 1set	\$6.99

#### **CLEAR BODIES**

#### 4" CLEAR BODIES

S1428	94 T-Type Body	1ea	\$3.99
\$1430	94 L-Type Body	1ea	\$3.99
\$1432	94 Pontiac Body	1ea	\$3.99
S1434	Outlaw Kremer Body w/molded in wings	1ea	\$3.99
\$1442	Outlaw Kremer without wings	1ea	\$3.99
\$1900	Sthemo GTP Body, "Scale"	1ea	\$3.99
\$1901	Lotec GTP Body, "Scale"	1ea	\$3.99
51902	Kremer GTP Body, "Scale"	1ea	\$3.99
	r bodies are available in trimmed versions. Ju	ust add a	"T"

#### 4.5" CLEAR CAR/TRUCK BODIES

100000000000000000000000000000000000000			
\$1436	4.5" 1994 L-Type	1ea	\$3.99
\$1438	4.5" 1994 T-Type	1ea	\$3.99
\$1440	4.5" 1994 Pontiac	1ea	\$3.99
\$1943	4.5" 1995 M-C	1ea	\$3.99
\$1450	4.5" 1995 Clear Chevy Truck	1ea	\$3.99
\$1452	4.5" 1995 Clear Ford Truck	1ea	\$3.99

#### PAINTED BODIES

#### **4" PAINTED BODIES**

S1429	94 T-Type Body	1ea	\$6.99
	94 L-Type Body	1ea	\$6.99
\$1433	94 Pontiac Body	1ea	\$6.99
\$1435	Outlaw Kremer Body	1ea	\$6.99
\$1443	Outlaw Kremer without wings	1ea	\$6.99
\$1903	Sthemo GTP Body	1ea	\$6.99
\$1904	Lotec GTP Body	1ea	\$6.99
\$1905	Kremer GTP Body	1ea	\$6.99

#### 4 5" PAINTED CAR/TRUCK BODIES

	THE PERSON PROPERTY		
\$1437	4.5" 1994 Painted L-Type	1ea	\$6.99
51439	4.5" 1994 Painted T-Type	1ea	\$6.99
\$1441	4.5" 1994 Painted Pontiac	1ea	\$6.99
51945	4.5" 1995 Painted M-C Type	1ea	\$6.99
\$1451	4.5" 1995 C-Type Truck	1ea	\$6.99
\$1453	4.5" 1995 F-Type Truck	1ea	\$6.99

All Painted bodies are available in trimmed versions. Just add a "T" after the part number. \$7.99 each.

#### BRAID

S1536	Standard Racing Braid	100pr	\$32.00
S1527	Pro Competition 432 Braid	100pr	\$36.00

# CHASSIS & CHASSIS PARTS

#### SPYDER CHASSIS

\$1501	4" Spyder Chassis	1ea	\$10.99
S2200	GTP Short Pan Spyder Chassis	1ea	\$12.99

#### NEW!!

#### SPYDER 2000 CHASSIS

S9604	Spyder 2000, 4" Group 10 chassis	1ea	•\$14.99
\$9605	Stocker 2000, 4.5" stock car chassis	1ea	•\$16.99

#### CHASSIS CENTERS AND PANS SPYDER CHASSIS

S1734	Spyder chassis replacement center section	1ea	\$5.99
S1735	Spyder chassis pan section, with loop	1ea	\$5.99
S1735A	Spyder chassis pan section, no loop	1ea	\$5.99
S2201	GTP Short Pans	1ea	\$6.99
S1543	4.5" Stock Car Extender, for Spyder Chassis	1set	\$3.99
\$1546	Long Stock Car Pans	1set	\$6.99
S1547	Short Stock Car pans	1set	\$6.99

#### NEW!!

#### CHASSIS CENTERS AND PANS SPYDER 2000 CHASSIS

\$9606	Spyder 2000 4" replacement center section	1ea	•\$7.99
\$9607	Spyder 2000 4" replacement pans	1ea	•\$7.50
\$9608	Stocker 2000 4.5" replacement center section	n1ea	•\$8.99
\$9609	Stocker 2000 4.5" replacement pans	1ea	•\$8.50

#### **CHASSIS HARDWARE**

S1538 Front Chassis Hinge Wire	6pcs	\$3.00
S1524 Wheel Spring Retainers	10pr	\$3.00
S1524B Wheel Spring Retainers, bulk 100 pr in tu	be100pc	\$27.00
S1530 Spyder Front Axle	6pcs	\$3.00
S1529 Front Axle Spacers, 1/16" ID	10pcs	\$0.99
S1529B Front Axle Spacers	100pcs	\$8.99
S1732 1/8 Axle Shims, precision thin axle shims	20pcs	\$3.50
S1732B 1/8 Axle Shims	100pc	\$14.99
S1559 Body Clips	6pr	\$1.99
S1559B Body Clips	100pr	\$27.50
S9610 Front Chassis Hinge Wire Spyder 2000	6 pcs	\$3.00
\$9611 Front Chassis Hinge Wire Stocker 2000	6 pcs	\$3.00

# **BUSHINGS & BEARINGS**

\$1558	1/8 Oilites	6pr	\$4.20
S1558B	3 1/8 Oilites	50pr	\$30.00
S2208	1/4 x 3/32 Rear Axle Oilites	6pr	\$7.50
S2208B	3 1/4 x 3/32 Rear Axle Oilites	25pr	\$27.50
\$2202	1/4 X 1/8" Ball Bearings, fits rear of Group	101pr	\$13.99
\$9600	Square Bushings for 1/8" Axle, Trinity/Parm	a 1pr	•\$1.00
\$9601	Square Bushing for 1/8" Axle, bulk	50pr	•\$40.00









AXLES		
S1504 Drill Blank 1/8 Axle	1ea	\$1.99
S2207 3/32 Drill Blank Axle	6pcs	\$10.80
S9602 1/8" Independent Ft Axle for 4.5" NASCAR	l 1ea	•\$1.75
FRONT WHEELS/TIR	?ES	
S1539 1/2" Front Wheels & Tires	1pr	\$2.99
S2212 5/8" Aluminum GTP Front Wheel, 1 pr with 0	-	\$2.99
S2213 Replacement Front O rings For 5/8 Front S9603 Front NASCAR Front Wheel/Tire, black foar	6pr	\$2.99 \$4.50
59603 Front NASCAR Front Wheel/ Tire, black load	n i pr	\$4.30
PRESS ON PINIONS	5	
S1570 8 Tooth 48 Pitch Press On Brass Pinion	6pcs	\$3.30
S1570B 8 Tooth Pinion Bulk	50pcs	\$22.00
S1571 9 Tooth 48 Pitch Press On Brass Pinion S1571B 9 Tooth Pinion Bulk	6pcs 50pcs	\$3.30 \$22.00
S1572 10 Tooth 48 Pitch Press On Brass Pinion	6pcs	\$3.30
S1572B 10 Tooth Pinion Bulk	50pcs	\$22.00
S1573 11 Tooth 48 Pitch Press On Brass Pinion	6pcs	\$3.30
S1573B 11 Tooth Pinion Bulk	50pcs	\$22.00
S1574 12 Tooth 48 Pitch Press On Brass Pinion	6pcs	\$3.30
S1574B 12 Tooth Pinion Bulk	50pcs	\$22.00
SPUR GEARS		
S1519B 28 Tooth Gears	25pcs	\$37.10
S1520B 29 Tooth Gears	25pcs	\$37.10
S1521B 30 Tooth Gears	25pcs	\$37.10
S1522B 31 Tooth Gears	25pcs	\$37.10
S1523B 32 Tooth Gears	25pcs	\$37.10
S1542B 33 Tooth Gears	25pcs	\$37.10
S1537B 34 Tooth Gears	25pcs	\$37.10
GUIDES		
S1505 Guide Flag Threaded With Nut	1ea	\$0.80
GUIDE SPACERS		
S1733 Guide Flag Spacers, thin precision steel	10pcs	\$3.00
S1733B Guide Flag Spacers	100pc	\$28.00
S2209 .005 Teflon Guide Washers	10pcs	\$0.89
S2209B .005 Teflon Guide Washers	100pc	\$7.99
S2210 .015 Teflon Guide Washers	10pcs	\$0.89
S2210B .015 Teflon Guide Washers	100pc	\$7.99
S2211 .020 Steel Guide Washers S2211B .020 Steel Guide Washers	10pcs	\$0.89
52211B.020 Steel Guide Washers	100рс	\$7.99
LEAD WIRE		
S1509 18 Awg Wire On Clips	1pr	\$1.50
S1510 18 Awg Wire 10 Foot	1ea	\$5.50
S1511 14 Awg Wire 10 Foot, 5 foot each black/re	d 1set	\$7.50
OIL AND LIQUIDS		
TK2000 Formula '96 Motor Drops	1 ea	•\$4.99
S1513 Speed Drops, commutator drops	1ea	\$3.99
S1550 Group 10/15 Bushing Oil	1ea	\$3.49
S1551 Group 7/27 Ball Bearing Oil S2203 Braid Slick, 2 ounces increases braid contact	lea t lea	\$3.49
S2203B Braid Slick Bulk	6pcs	\$1.29 \$6.60

# **SCREWS**

S1525 Motor Mounting Screws	6pr	\$3.00
S1525B Motor Mounting Screws	100pr	\$45.00
S1540 4/40 Set Screws	10pcs	\$1.00
S1540B 4/40 Set Screws	100pcs	\$9.00

# SHIRTS/STICKERS/BAGS

\$1531	4 Color Slot Works Sticker Sheet	1ea	\$3.99
S1532	Slot Works Shirt small	1ea	+\$20.00
S1533	Slot Works Shirt, medium	1ea	+\$20.00
\$1534	Slot Works Shirt. large	1ea	+\$20.00
\$1535	Slot Works Shirt, x-large	1ea	+\$21.00
\$1556	Slot Works Shirt, xx-large	1ea	+\$22.00
\$1555	Slotworks Logo Hauler Bag, purple	1ea	+\$24.99

# TIRES

.790 x 1/8		
S1600 P7 Mini Roller .790 x 1/8 Black Rubber	1ea	\$4.50
S1603 P7 Mini Roller .790 x 1/8 Orange Rubber	1ea	\$4.50
S1607 P7 Mini Roller .790 x 1/8 Red Rubber	1ea	\$4.50
S1610 P7 Mini Roller .790 x 1/8 Dark Blue Rubber	1ea	\$4.50
S1611 P7 Mini Roller .790 x 1/8 Light Blue Rubber	1ea	\$4.50
S1612 P7 Mini Roller .790 x 1/8 Tan Rubber	1ea	\$4.50
13/16 x 1/8		
S1620 P7 Mini Roller 13/16 x 1/8 Yellow Rubber	1ea	\$4.50
3/32 Axle Rear Tires		
S1641 13/16 x 3/32 MiniRoller Black Rear Tires	1ea	\$4.50
S1642 .790x 3/32 MiniRoller Black Rear Tires	1ea	\$4.50

# **TOOLS**

\$6.60

\$3.89

6pcs

1ea


S1514	Comm Cleaner commutator cleaning tool	1ea	\$4.99
\$1557	Braid/Chassis Cleaning Wire Brush	1ea	\$4.99
\$1561	.050 Pro Wrench W/Drill Blank Tip	1ea	\$8.50
\$1562	Replacement .050 Tip	1ea	\$4.50
S1563	Replacement .050 Tips, 6 pieces	6pcs	\$25.50
\$1564	Pit Box With Handle, assorted colors	1ea	\$7.99
\$1590	4/40 (.050) Allen Wrenches	6pcs	\$1.80
S1590B	4/40 (.050) Allen Wrenches	100pc	\$20.00
\$1591	Group 10 Armature Tubes	10pcs	\$2.99
S1592	Motor Boxes W/Foam	4 pcs	\$2.99
\$1593	Pit Packs, includes guide, braid, clips, allen wrench	1ea	\$5.99

Trinity/Slotworks cars, controllers and parts are only available through your local Slot Car Raceway. Support your local Raceway!



S2203B Braid Slick Bulk

S2204 Braid Slick 8 ounce refill



by Rick Schwartz

# QUALIFYING

Adequate practice time and four Qualifiers had been scheduled, but the rain caused everything to be reshuffled. On Friday, prerace practice and the Qualifiers had to be canceled because of the rain; three Qualifiers were run on Saturday, with the hope of running the fourth on Sunday. It wasn't to be, though. With the threat of rain on Sunday morning, the race director decided to cancel the fourth heat to ensure that the Mains would all be completed. You had your chance to make the A-Main three times on Saturday, and racers and pit crews scrambled to make the most of it.

• ½12-scale. Stock was first. Three proved to be the lucky number; almost all the drivers turned in their best times in the third and final round. TQ Brian Berry, who didn't make the second-round heat, ran for 33 laps in 8:11.85; second spot went to Steve LaFara with 33 laps in 8:15.16; and third went to Jacob Pritchard with 32 laps in 8:02.28.

The Mod class was topped by Tony Neisinger with 37 laps in 8:12.73; Mike Lufaso went 36 laps in 8:05.54 to grab the second spot on the starting grid; and perennial champion Joel Johnson ran 36 laps in 8:07.17.



The Southwest Florida R/C Raceway provided a challenging track layout, an awesome drivers' stand and a covered pit area.

•¹/10-scale. In the Stock class. Jacob Pritchard—already in the 1/12 Stock A-Main—showed his stuff by topping the field with 16 laps in 4:07.43. Really, really close behind—just 19 seconds off the TQ pace—was Randy Rock; Pete Maiolo was third with 16 laps in 4:09.77.

The Mod class belonged to Tony Neisinger, who again turned the fastest Qualifier to take a double TQ with 19 laps in 4:10.72. Hot on his tail was Joel Johnson, just ½ second behind; Mike Lufaso finished third.

• "Provisional" F1/Indy heats. Not content to leave a national race without a TQ,


Joel Johnson blew away the competition, turning 21 laps in 5:09.40. He was the only qualifier who turned more than 19 laps, and he did it three times, with 21 laps in each heat. Second spot went to Josh Cyrul with 19 laps in 5:02.7 and third to Novak's Tyree Phillips.

# **MAINS AND CONCOURS**

Although Sunday dawned dark and ominous, the expected rain never materialized, and it turned out to be a beautiful day. The track was open for about two hours of controlled practice before the Mains.

(Continued on page 118)

NEW NITRO STCAM 21-XS TRUCK



The Nitro Storm 21- XS comes complete with a 21 P/S engine, ABC piston/liner, ball bearing crankshaft, slide carb. New strong steel chassis, full ball bearing set and fully ballraced transmission and clear molded body.

U400

NITRO 10 "STORM 21-XS" TRUCK

**SALE PRICE \$265.50** 





CAT 2000 E.C.S "SPORT" 4WD COMPETITION ELECTRIC

The CAT E.C.S. is an economical sport version of the CAT E.C. with the same laydown suspension and shorter parallel pin wishbones. Option parts enable you to fully upgrade to the Euro Championship edition.

U401

NEW CAT 2000 E.C.S. "SPORT" 4WD

SALE PRICE \$221.70

NEW



All new gear transmission and heavy duty diff. The new transmission is easy to assemble and has no adjustments to worry about while the differential uses the same components as the Nitro 10 range for greatly

improved reliability. New moulded black vari-shocks with dampening snap on suspension and steering links which require no adjustments

CLUB 10-2 - ON ROAD TOURING 2WD

SALE PRICE \$107.70

Choice of 5 body styles: Alfa, Opel Calibra, Escort Cosworth, Mercedes & Mondeo.





TOURING CAR 4WD ELECTRIC

1/10th Scale 4WD includes motor and mechanical speed controller independant wishbone suspension, black WFE chassis, coil springs over oil filled shocks, twin UJ driveshafts, steel bushings.

**BOSSCAT - ON ROAD TOURING 4WD** 

SALE PRICE \$149.70

Choice of 5 body styles: Alfa, Opel Calibra, Escort Cosworth, Mercedes & Mondeo.



6302 Benjamin Road - Suite 404 Tampa - Florida 33634



BUY DIRECT PHONE: (813) 889-9691/889-9489 FAX: (813) 889-9593 SEND \$3.00 FOR CATALOGUE

# New in the Pits


# A Real Speed Merchant


Frank Jr. of Calandra Racing Concepts introduced two new Speedmerchant Roadkill 1/10 and 1/12 on-road racers. Their chassis are made of directional graphite, which is stiffer from front to back than side to side. The 1/12-scale car doesn't have a T-bar, but instead has small side springs and a damper tube for side-to-side damping.

Front-to-back stiffness and damping are controlled by only a shock.

According to Frank Jr., this setup reduces tweaking problems and separates front-and-back and side-to-side stiffness and damping for more precise tuning. Because there isn't a T-bar, the batteries can be centered. The 1/10 racer has a three-way adjustable wheelbase and a dualplane chassis.







# Change is Good!!

TRC has made changing to gas as easy as 1, 2, RC10L. Tim Morton showed me his new, easy, gas conversion kit for the Associated 10L. The gas version is very similar to the electric one, and the kit includes all the parts needed to make the

changeover. Everything from the aluminum motor plate to the air cleaner is here. The kit is available with or without an engine.

TRC now produces wheels, donuts and mounted tires for Tamiya and Kyosho F1 racers. ■ TRC, P.O. Box 1058, 210 Charter St., Albemarle, NC 28001; (704) 982-0507.



# The Fantom Is Back

Batteries, motors and bearing oil. You didn't think you could get all three from Fantom Motors? Well, according to new owner, Jeff Schroeder, you can! With a unique list of modified-motor winds and their re-entry into the battery market, Fantom is striving to become one of the top suppliers of R/C racer power. As an example, their new Screamin' Demon Stock Motor will be trued, have specially treated bushings, high-performance brushes and springs, soldered-on capacitors and will be dyno'ed on their Facts Machine (a performance printout will be included with each one). Fantom Motors, P.O. Box 216, 209 N. Haver St., Hartford, MI

49057; (616) 621-2119.




# **Nifty Niftech**

A hot item for some of the F1 and on-road racers was the Niftech Ultra Precision Motor Extension Shaft—a long name for a little add-on, but it works. Hardened and ground true, with a Thermoforged setscrew, this piece of engineering extends the motor shaft by 1/2 inch. Motor centering is made easy, especially with short-shaft motors.

■ Niftech Precision Racing Products, 5565 Wilson Dr., Mentor, OH 44060; (216) 257-6018.

# **Eppsolutely** Todd Mattson of Pro-


Line/Jaco/Protoform displayed two new F1 bodies designed by Dale Epp. The Benetton Type B fits the Tamiya and HPI chassis. The McLaren Type M can be used on Tamiya, HPI and Kyosho racers. Both kits come with turning vanes, which are short vertical wings that extend from the front sides of the chassis. Both bodies look really hot!



Also new from Pro-Line/Jaco/Protoform are F1 pre-trued donuts. wheels and mounted tires for most F1 cars. Available in most compounds, the combination is lighter than the stock Tamiya setup. The 1/12 racer also gets a chance to try new products with foam tires and wheels in a variety of compounds.

■ Pro-Line/Jaco/Protoform, P.O. Box 456, Beaumont, CA 92223; (909) 849-9781.

# l Heard it through the Grape "Vines'



Known for his company's winning tires, BSR owner Ronnie Vines showed me the new light-fiberglass axle he's now producing. Made for all racecars, it has a very high tensile strength and is centerless ground, and Ronnie guarantees the end won't break off. Tony Niesinger used it to TQ in both the 1/10- and 1/12-scale Mod classes at the On-Road Nats. ■ BSR, Rte. 6 Box 54, Killen, AL 35645; (205) 757-1564.

# Thunder Road

World and Oval Masters champion racer Mike Boylan showed me two products from his new company, Thunder Racing. For stockmotor brush and comm break-in,



thev offer Launch comm drops; for mod motors. Dragon Drops. Both products reduce

carbon build-up, prevent the brushes from glazing and reduce comm wear. According to Mike, use of these products makes comms and brushes last a long time and increases rpm.

■ Thunder Racing, 1834 Nebraska Ave., Palm Harbor, Fl 34683; (813) 786-1898.

# Seeing Is Believing

The Rainbow Rider-Evan Shenfeld-hosted this year's concours and also displayed his unique line of driving glasses. An optician by profession, Evan has studied how wearing different lenses can improve racers' abilities to "track" their cars as they race. Whether it's on-road, offroad, or

oval he has lenses that will make your racer "jump" out at you. I tried them: they work! ■ Rainbow Rider, 118 N.E. 1st Ave., Hallandale,

FL 33009; (305) 456-7200.



# Hey, Norton!!

Ron Norton of Raceway Mfg. showed off some of his new wares. As always, his trailer was loaded with the "little" goodies that pay off big. Included in this trip were a 20A



discharger with alligator clips; a roadcourse, adjustable, threaded body mount; a Delta shock mount for the 10L; LS-type dyed-nylon steering blocks; an adjustable shock mount for the 10L, Hyperdrive, Woods and Cobra cars; and, finally, a really neat diff ball tool that makes installation and removal a lot easier and lets you store the balls in its handle.

■ Raceway Mfg., 283 S. Janice Lane, Ormond Beach, FL 32174; (904) 677-2635.

(Continued from page 116)

• Concours. Sponsored by Evan Shenfeld of Rainbow Riders, this was the day's first event. The cars were beautiful, and the three winners deserved their awards: ½10 Best of Show—Steve "Tinman" Platt for his Parma/PSE Mustang; ½12 honors—past winner Amber Taylor used her Disney Snow White theme to capture this with an Associated Nissan. The newest category—F1/Indy—was the prize of Bobby Taylor with a '95 Protoform Benetton.



"...and she's buy...yi...innnn..." Barry
Baker wows the crowd with his version
of Stairway to Heaven.

The A-Mains were completed first:

• ½12-scale Stock took the starting grid first. Brian Berry held true to his TQ performance by turning consistent 14-second laps to win with 34 laps in 8:12.39. Jacob

# Why the Up-ROAR?

aybe it was the rain. Maybe it was the heat. Tempers were short. Whatever the reason, it was a ROAR National Championships, and one person had to be responsible for decisions that were related to the organization's rules. It didn't work out that way....

The track management was at odds with the ROAR representative over some of the technical rules concerning the legality of bodies in some classes. The Naples track was chosen for this event with the support of the local ROAR officials. Why hadn't the parties resolved their differences of opinion well before the event? Racers had prepared all year and spent their money on the trip, so it wasn't fair to have rule changes at the last minute.

We heard: "Well, this is the way we do it here"—great for the local racers who regularly compete at that track, but what about drivers from elsewhere who had prepared according to the national ROAR rules?

Who was at fault?—probably both parties: the track for not adhering to the rulings of the region director, and ROAR for not issuing a timely, up-to-date rule book. To resolve the problem, before a national event, ROAR could issue the latest rules for a particular class and distribute them to drivers when they register. However it's done, a more organized format must be initiated if these events are to be successful.



Novak's Tyree Phillips (center) walked away with the F1 Stock win.

Pritchard stayed hot on his tail throughout the race, but he had to settle for the second spot with 34 laps in 8:14.61. Taking third by just 0.04 second—8:01.65 to 8:01.69—second-place qualifier Steve Lafara just nosed out Chris Mazzola, who had come up from 10th to take the fourth position.



Trinity's Joel Johnson preps his F1 car. Joel went on to TQ the class by posting an amazing 21 laps in all three qualifiers.

- ½12-scale Mod. This was fast! TQ Tony Neisinger led for a while, but he eventually relinquished his lead to winner Joel Johnson, who turned 37 laps in 8:10.90—better than the TQ time. Floridian Paul Wynn charged to the third spot with 36 laps in 8:02.25. Just watching Johnson and Neisinger duel for the win was a real pleasure.
- 1/10-scale Stock. Randy Rock moved from being second qualifier to take the title





A new category at this year's championships was a "Provisional" F1/Indycar class—"provisional" in the sense that ROAR wanted to see whether there was enough interest to sustain such a class and whether the rules set up for it would work. The answer to both questions is a resounding yes!

Drivers competed in cars by Tamiya, Kyosho and HPI—a true representation of the kits on the market. Many of the manufacturers of on-road cars showed me new products or told me about hop-ups they have on the drawing board for this popular, fast-growing segment of the sport.

The aftermarket names include TRC, Pro-Line/Jaco, Protoform, Calandra Racing Concepts and Kimbrough. The racing fraternity can be sure that if manufacturers are spending time and money on developing these products, the market must be well-established. The class is new; it's innovative; and it's drawing new faces to the track.

Let's hope that ROAR continues to support the development and expansion of the F1/Indy class and makes it an official championship event at next year's Nationals. It gives everyone the opportunity to compete. It also gives everyone the opportunity to win at the national level. Congratulations to class winner Tyree Phillips!

	TOCK					F00	D. W.	D. A.	<b>T</b> 1
in	Qual	Name	Chassis	Motor	Battery	ESC	Radio	Body	Tires
1	3	Tyree Phillips	Tamiya	Handout	Orion	Novak	K0	Tamiya	TRC
2	4	Bob Hall	Tamiya	Handout	Per.Match	Tekin	Futaba	Protoform	PSE
3	5	Joe Conte	HPI	Handout	Per.Match	Tekin	Futaba	Protoform	PSE
4	9	Marc Pritchard	Kyosho	Handout	Trinity	Tekin	Futaba	HPI	Jaco
5	6	Jay Kimbrough	Tamiya	Handout	Ballistic	Novak	Futaba	Tamiya	Jaco
							Airtronics	HPI-Mclaren	PSE
6	8	Scott Schilke	HPI	Handout	Team Smth.	Tekin		State of the State	
7	7	Bill Fraden	Tamiya	Handout	SCR	Tekin	ко	Ferrari	TRC
8	10	Ritch Grubb	HPI	Handout	Team Smth.	Tekin	Futaba	Mclaren	TRC
9	2	Joshua Cyrul	Kyosho	Handout	Stage III	Novak	JR Propo	Protoform	TRC
0	1	Joel Johnson	Kyosho	Handout	Trinity	Novak	Airtronics	Kyosho	Jaco
197	-		100,700,700		0.000%				
	STOC						20.0	21.5	25
in	Qual	Name	Chassis	Motor	Battery	ESC	Radio	Body	Tires
1	2	Randy Rock	Associated	Handout	Max-Cell	Tekin	Airtronics	PSE	Jaco
2	6	Mike Spehn	Associated	Handout	Per. Match	Novak	Airtronics	PSE	PSE
3	3	Peter Maiolo	Speed Mcht.	Handout	Per. Match	Novak	Futaba	PSE	Jaco
4	1	Jacob Pritchard	CRL	Handout	Trinity	Tekin	Futaba	PSE	Jaco
	1							Parma/PSE	TRC
5	4	Steve LaFara	Wood Racing	Handout	Per. Match	Tekin	JR-756		
6	7	Tom Esposito	Trinity	Handout	Trinity	Novak	JR-756	PSE	Jaco
7	8	Walter Henderson	Associated	Handout	Stage III	Tekin	Airtronics	PSE	Associat
8	10	Mike Travis	Associated	Handout	Trinity	Novak	Airtronics	_	-
9	9	Nick Tomlinson	Composite	Handout	Reedy	Novak	Futaba	PSE	TRC
0	5	Tony Padilla	Associated	Handout	G.R.P.	Novak	Airtronics	PSE	Jaco
(SV.		iony i donna	, 10000111100	114110001	9	1100 1100	7.000	140 <del>1.7</del> 2	1000
	MOD								200
in	Qual	Name	Chassis	Motor	Battery	ESC	Radio	Body	Tires
1	3	Mike Lufaso	Associated	Reedy	Orion	Novak	Airtronics	Associated	Jaco
2	1	Tony Neisinger	Associated	Maxtec	Ballistic	Tekin	Airtronics	Andy's	BSR
3	9	Paul Wynn	Associated	Reedy	Reedy	Tekin	Airtronics	PSE	Jaco
4	8	Dave Vera	Associated	Reedy	Per. Match	Tekin	Airtronics	PSE	Jaco
5	5	Mark Matuszek	N/A	Maxtec	Stealth	Novak	Airtronics	PSE	Jaco
6	4	Dave Reiman	Associated	Reedy	World Cla.	Novak	K0 EX-1	Protoform	Jaco
7	10	Bobbe Ochoa	Associated	10 Quint	Orion	Novak	Ko Propo	Andy's	Jaco
8	2	Joel Johnson	Trinity	Trinity	Trinity	Helbing	Airtronics	Andy's	Jaco
9	6	Barry Baker	Yokomo	Maxtec	Stealth	Novak	Airtronics	Protoform	Jaco
0	7	Frank Calandra	Calandra Rc.	Peak Per.	Orion	Novak	JR Propo	Protoform	Jaco
		A A DESIRON TO STATE OF THE STA	odianara no.	r dan r di.	Onon	HOVAIN	оттторо	1100001111	odoo
1/12	STOC	K							
in	Qual	Name	Chassis	Motor	Battery	ESC	Radio	Body	Tires
1	1	Brian Berry	Associated	Handout	Powerpush	Novak	Ko Propo	Protoform	Yokomo
2	3	Jacob Pritchard	CRC/Speed	Handout	Trinity	Tekin	Futaba	Protoform	Jaco
3	2	Steve LaFara	Wood Racing	Handout	Per.Match	Tekin	JR-756	Protoform	TRC
4	10	Chris Mazzola	Associated	Handout	Team Big 1	Novak	JR-756	Protoform	BSR
5	6	Lance Elbertson	The secret	Handout	Sanyo	Tekin	Futaba	Toyota	Pink
	7								
6		Dave Berry	Associated	Handout	Powerpush	Novak	KO	Protoform	Yokomo
7	5	Mike Spehn	Associated	Handout	Per.Match	Novak	Airtronics	PSE	PSE
8	8	Tony Padilla	Associated	Handout	GRP	Novak	Airtronics	Protoform	TRC
9	9	Walter Henderson	Associated	Handout	Stage III	Tekin	Airtronics	PSE	TRC
0	4	Scott Williams	Calandra	Handout	PSE	Novak	KO	PSE	PSE
1/12	MOD								
in	Qual	Name	Chassis	Motor	Battery	ESC	Radio	Body	Tires
1	3	Joel Johnson	Trinity	Trinity	Trinity	Helbing	Airtronics	Andy's	Jaco
2	1	Tony Neisinger	Associated	Maxtec	Ballistic	Tekin	Airtronics	Protoform	BSR
3	6	Paul Wynn	Associated	Reedy	Reedy	Tekin	Airtronics	Associated	Jaco
4	2	Mike Lufaso	Associated	Reedy	Orlon	Novak	Airtronics	Associated	Jaco
5	5	Mike Blackstock	Wood Racing	Fantom	Team Orion	Tekin	JR	Protoform	BSR
	4	Dave Reiman	Associated	Reedy	World Cl.	Novak	КО	Protoform	Jaco
				Peak	Orion	Novak	JR-756	Protoform	Jaco
6	0					DILINGK	1D=13D	F1000300000	
6 7	8	Chris Mockerman	CRC						
6 7 8	7	Joshua Cyrul	Associated	12x2	Reedy	Novak	JR	Protoform	TRC
6 7									

with 17 laps in 4:07.90. Orlando-based Mike Spehn, who's well-known in local racing circles, took second; Pete Maiolo was third.

• 1/10-scale Mod. This was a shocker. Third-place qualifier Joel Johnson shot into the lead by turning sub-13 second laps. It looked as if it would be a double championship for Johnson, but on the fourth lap, his car died because of a blown speed control. Taking advantage of the situation, Mike Lufaso and TQ Tony Neisinger

dueled for the lead; Lufaso eventually took the checkered flag with 19 laps in 4:09.25; Neisinger placed second with 19 laps in 4:12.05; and Paul Wynn took home his second, third-place trophy in the Mod division.

• F1/Indy. The field was narrowed when TQ Joel Johnson failed to make it to the starting line. It was anyone's race. Tyree Phillips flawlessly drove his Tamiya F-103 to victory lane. He spends most of his time in the pits representing Novak Electronics, so it was good to see Tyree in the winners'

circle. Second spot in this inaugural event went to Bob Hall and third to Joe Conti.

# **FINAL THOUGHTS**

New faces, new classes and new champions! It's always a pleasure to see the looks on the faces of the trophy winners, especially if it's their first time in the winners' circle. The race had some problems, but overall, it fulfilled its responsibility—producing the 1995 ROAR On-Road Champions.




by Kevin Hetmanski

# Make Opening Doors your ABS plastic body




Adding hinges and realism to your ABS



A hinge from which the original center pin has been removed.



The custom, L-shaped, brass-rod hinge pin (top) should be cut 3/16inch longer than the original hinge pin (bottom) and bent at the 3/16inch mark as shown.



When it's inserted into the hinges, the L-shaped pins allow the door to be removed easily.

NE OF the great things about the hard-plastic, ABS bodies used on monster trucks such as Tamiya's\* Clod Buster and Bullhead is that you can make them as detailed as any static model. Super-scale engines (such as those by Parma\*), custom lighting and airbrushed paint jobs that could win at any full-size car show are commonplace among the monster-truck set.

One more way to add realism and detail to your car or truck's ABS plastic body is to add doors, hatches and hoods that actually open. It isn't as difficult as it may sound.

You'll need:

- · two bodies—one in good condition (for the vehicle) and one to "donate" its doors:
- · a steady hand;
- · some basic tools;
- · thin brass rod;
- · the desire to make your vehicle stand out from all the others.


ABS bodies are expensive, and you need two for this, so ask friends and hobby shops if they have any that they don't want. Only one body has to be in good condition; the other one could be damaged, as long as the parts you need-doors, hood, etc.-are in good shape. Even if the doors have some



minor scratches, don't worry about it. We can fix that later.

### **OPEN SEZ ME!**

Using a Dremel\* cut-off wheel, cut the door openings out of the good body; cut



Small, nylon, Sonic Tronics hinges look most realistic in this application.



When you're sanding, be careful and take your time; it is much easier to take plastic off than to add plastic.




along the *inside* of the molded door line. Then, on the bad body, cut along the *outside* of the molded door line. When you cut, go as close to the line as you can, but *don't* go over it.

Next, sand the edges of the doors and the door openings until they're smooth and straight. Test-fit the doors often to see whether they fit the openings tightly. If the doors don't fit well, sand the areas around them until they do fit. When you're sanding, be careful and take your time; it is much easier to take plastic off than to add plastic. When the doors fits snugly, you can add the hinges.




# **ADD HINGES**

The simplest type of hinge is the brass butt hinge, but almost any small hinge will do. I chose the small, nylon Sonic Tronics\* hinges that look very realistic because they can be installed in such a way that they don't show.



You'll need two hinges for each door. To make each hinge:

- Remove the pin from the center of the hinge.
- Take a piece of brass rod that has the same diameter as the pin, and cut a piece that's about <sup>3</sup>/<sub>16</sub> inch longer than the original pin.
- At the <sup>3</sup>/16-inch mark, bend the new rod at a 90-degree angle.
- Put the new, L-shaped, brass-rod pin into the hinge. The extra bent piece of pin will allow you to pull out the pin and remove the doors easily whenever you want to.
- Hold the door in place in the opening using a piece of tape, then use a small drop of glue to tack the hinge to the door and the body.
- From the outside of the body, drill a hole though both the body and the hinge. Countersink the hole so that the screw head will fit flush against the body. Put the




The result of all that hard work—scale realism par excellence.

screw loosely into the hinge.

- When the glue has dried, take the tape off the door and check to see whether it swings freely. If it doesn't, remove the hinges re-tack them into position with a little glue, and adjust them until the door swings properly.
- With the screws loosely in place, check the fit of the hinges. Because the doors are curved and the hinges are flat, you might have to insert shims between them.
   Remove the door, put in a shim, then reattach the door to see how it fits.
- When you're happy with the way the door swings, fully tighten the small, flathead screws. Then cover the countersunk screw heads with filler, sand the filler smooth, and sand out any scratches there might be in the doors.
- · The body is now ready for paint.

Now that you know how to make doors that open, you can do almost anything. The next thing you know, you'll be making hood tilts, opening tailgates, or even bed tilts.

\*Addresses are listed alphabetically in the Index of Manufacturers on page 264. ■



A view of the hinged doors from the interior. Door panels add to the truck's scale realism.

# TEAM LOSI

# Budget XX and XX-T

These entry-level Double-X and Double-XT trucks and buggles are almost identical to their national-title-winning siblings, but they lack a few of the high-end items found on the full-blown racers (upgrade them as your budget allows and your skills improve). The kits come with anodized-aluminum shocks, bushings (a bearing is used on the tranny's output shaft), and a friction slipper, minus the


Hydra Drive. **Both kits come** in a version that has a mechanical speed control. and a stock motor is



included. Part nos, and prices: A-0040—Double-X with motor and speed control. \$229.95; A-0041—Double-X without electrics, \$209.95; A-0080—Double-XT with motor and speed control, \$239.95; A-0081—Double-XT without electrics, \$219.95.

by John Howell, Chris Chianelli and George M. Gonzalez

ET'S START the new year right! No, we don't think you should take up flower arranging (do you have to copy everything Chris does?). If you run outdoors, there's not much to do at this time of year except get ready to roll in the new season. That's why we always give you this annual roundup of go-fast goodles, drop-dead doodads, high-tech hop-ups...; you get the idea. We sent spies all over: here's what they saw.



# TRINITY

# Rechargeable **Battery for Airtronics Caliber**

**Transmitter** Tired of hearing that incessant low-battery beep-

ing sound from your Airtronics radio? If you are, check this out. It's a 9-cell rechargeable pack for Airtronics Caliber radios. Currently available rechargeable packs for this radio only have eight Ni-Cd cells (9.6 volts), but the radio was designed to run on eight alkaline batteries (12 volts). This is simply too much of a voltage difference, and battery life between charges is very short. With the Trinity Airtronics transmitter pack, you get 10.8 volts—a lot closer to what's available when you use alkalines. The pack will last longer between charges and you will

have fewer range problems and less glitching caused by a transmitter-pack voltage that's too low.

Part no.—RC555; price—\$55.99.


# PRO-LINE

# Square Fuzzies

Try these tires for maximum traction on slick, hard-packed dirt. They're made of Pro-Line's supersoft M2 compound, and they feature a low-profile, flat carcass with reinforced interior and sidewall. They'll fit any 2.15-, 2.175and 2.2-inch rear wheels, and they come with a set of foam inserts. These hot new rears will

soon be available in a version that's suitable for racing trucks. You, too, can own the same tires as Team Associated's Matt Francis and Mark Pavidis used to dominate the 2WD and 4WD classes at the '95 Worlds.

Part no.-8089M2; price-\$12.50.



TRINITY PRODUCTS Midnight

Reverse **Rotation Motor** 

This is technically identical to Trinity's all-new Midnight stock motor: It's lust designed for reverse rotation. The Midnight Reverse Rotation is ideal for leftside-drive superspeedway cars, and it can complement the standard-rotation Midnight in dualmotor monster-truck

applications. Part no.-RC2096; price-



# **Monster Stock** Jr. 3 Motor

The Monster Stock Jr. 3 has all the same technological advancements as the Midnight, but it features 30 degrees of timing instead of 24 degrees. Why? This pink Monster was designed with NORRCA rules in mind.

Part no.—RC2097; price—\$39.99.

NOVAK



# Speedgem Jade

Also new in the Speedgems lineup is the Jade—a machinewound modified motor, It's a 15-turn guad that's great for racing trucks and 2WD buggles. The Jade features 5.1 magnets. a 1.2mm-thick can, dual ball bearings and adjustable timing. At 6 volts, the Jade kicks out 27,000rpm.

Part no.-9207; price-\$49.99.



# Speedger Quartz

New to Trinity's Speedgem lineup is this Quartz, 19-turn, double modified, machine-wound motor, Ideal for parking-lot racers such as sedans and F1 cars, the Quartz features 5.1 magnets. a 1.2mm-thick can, dual ball bearings and adjustable timing. At 6 volts, the Quartz kicks out 21,500rpm.

Part no.-9206; price-\$49.99.



# LUNSFORD **New Titanium Products**

At last, here's a titanium hinge-pin kit for Tamiya TA02 sedans (part no. SD-600). The new pins are much lighter than the original hardware, and they're almost impossible to bend. The short, "Fat Boy" titanium motor screws are easy to handle, because-predictably!-they're fatter than most screws, and the washers (part no. F-900) have a neat recess for the screws and a larger surface area than conventional washers.

Part nos, and prices \$16; F-900, \$5.95



# THUNDER TIGER "True" ABC Replacement .12-Cylinder Sleeves and **Pistons**

New for the 0.5 C7-R and C7-Z engines, these sleeves are of true ABC construction, not just nickel-plated. The combo will allow 0.S. owners to upgrade their engines to ABC technology at a lower price than the original (nickel) units. What are the benefits of ABC technology? Simple: your engine will last longer.

Part nos. and prices—N0546 (for Thunder Tiger Pro-12B and O.S. CZ-R), \$39.99; AN0547 (for Thunder Tiger Pro-12BZ and O.S. CZ-Z), \$49.99.



range and a cooler operating temperature than conventional controls. In fact, Novak says that the Tempest Pro has the coolest operating temperature in the industry and that heat sinks aren't even necessary. It offers six HYPERFET II drive transistors, Super-Flex 12-gauge wire, a high current rating of 420 amps and a 210A brake circuit (almost twice that of any other racing

This ESC's revolutionary circuitry provides smoother throttle response, quicker acceleration, longer run times, an increased radio

speed control). Other carry-over features are Novak's One-Touch Set-Up™, the CLC II current limiter, and Novak's heavy-duty BEC (6 volts, 5 amps).

Price-\$199 to \$219 (estimate).

Tempest Pro ESC



# PROTOFORM **Nevada XX-T**

Based on the 1996 Chevy S-10, the all-new, authenticlooking Nevada XX-T body was designed to fit the Losi XX-T off-road race truck. It fits like a glove, is made of 0.040-inch-thick Lexan, and It comes with a molded addon spoller and integral dirt deflectors to keep the dirt off the shocks and the chassis.

Part no.-1510; price-\$19.95.

# 1996 T-Bird HS

**Exhaustive wind-tun-**

nel testing led up to the production of this "HS" (high speed) T-



Bird body—the ultimate for all who race on high-banked, high-speed ovals and velodromes (where high downforce is required). Within 24 hours of being produced, the first few bodies shattered the track record at the Indy velodrome, took the top five qualifying positions, and finished in the top four places. Event winner Mike Blackstock set a new track record with an unheard of 20 laps; and he did it three times. This sleek new body is available in "light-" and "regular-" weight versions, and it comes with an add-on rear spoiler. Part no.-1210L HS, or 1210R HS; price-\$19.95



# TRAXXAS Spirit Truck

Traxxas says that this new truck is the least expensive, ready-torun, hobby-class truck on the market. The Spirit features: a plastic chassis; real rubber semi-pneumatic street slicks; a hot, 20-turn motor; a street-rod-style body; and four, adjustable, coil-over, oilfilled shocks; and it comes with a pistol-grip radio.

Part no. 1209 (fully assembled with radio system).



# RAMbunctious ET

The "ET" (electric truck) version of Protoform's popular Dodge Ram truck body was designed to fit the RC10T2 as well as the earlier RC10T. This durable 0.040-inch-thick Lexan body features the latest in truck styling; it's compact, yet it still looks like the real "Walker Evans" race trucks. Its molded-in dirt deflec-

tors keep dirt off the shocks and chassis, and a molded add-on rear spoiler enhances downlorce. Part no.-1509; price-\$19.95.



# OFNA RACING

### Anodized-Aluminum Hardware

OFNA Racing's complete line of anodizedaluminum hardware hop-ups in an assortment of colors includes: 3mm and 4mm ball joints, locknuts, concave washers and cone washers; locking collars; and 45degree, silicone, air-filter tubes in a variety of colors. These colorful parts will dress up your R/C car and make it more durable. Call for prices.

# HOBBY PRODUCTS INTERNATIONAL (HPI)

# **RS4 Touring Car**

The 4WD RS4 touring car features a lightweight, double-deck, black-fiberglass chassis; 4W independent suspension with fiberreinforced components; a three-gear racing transmission with a hall diff and slipper clutch: a belt-driven front ball diff: adjustable universal drive shafts; hard-anodized, oilfilled shocks; adjustable turnbuckles; and much more. You have a choice of Lexan bodies-either a Porsche 911 or a Ferrari F355-but the kit

is also available without a body (most touringcar bodies will fit without modifications).

Part no. -298 (with body): 288 (without body).



OFNA RACING O.S. CZ-R

# and CZ-Z Boost Bottles

This hot new add-on helps the CZ engines accelerate from idle to top speed. According to Dave Morales of OFNA, the bottle's chamber neutralizes the pressure difference between high and low ends below the carburetor. Boost Bottles come in two versions: one includes a finned heat sink and is to be attached to the engine's backplate; the other was designed to be mounted wherever space permits.

Part nos. and prices-32880 (rear cover), \$29.95; 32870 (add-on), \$19.95.



Store up to four pairs of radio crystals safely and neatly in this compact, rugged, injection-molded case. The crystals fit into small holes in the case bottom, keeping their pins straight, clean and protected. The clearly marked case sides allow you to keep your transmitter and receiver crystals separate.

Part no.-8039; price-\$7.95.





# TEKIN ELECTRONICS **BC110L Charger**

Weighing in at 1 pound and measuring 3x4x2 inches, Tekin's new charger has a ton of features: adjustable output current (0.5 to 10 amps); high-performance linear current output: fully automatic peak-detection

operation; light, compact construction; precision components; calibrated dial (for accurately adjusting the current); external voltmeter/ammeter jacks; new 33Khz digital switching circuitry (for cool, safe operation and high performance); and easy, one-button operation. It also works with a variety of power supplies.

Part no.-3000; price-\$110.



Use Buggy Grip tire-traction spray to soften, make stickier and condition off-road tires such as those made by Team Losi and Pro-Line. Spray any part of the tire-sidewalls, spikes, etc.—and let it air dry. The more you put on, the softer the tire becomes.

Part no.-RC6052; price-\$6.99.



# MAXTEC DEVELOPMENT

**Tuned 24-Degree Stock Motor** Every one of these motors has been individually tuned

to suit competitive F1 or touring cars. They feature capacitors, specially tuned spring tension and chemically treated V-slot silver racing brushes, and every motor is packaged in a protective case that also contains its TURBOdyno results.



Here's a new sport version of the '95 European Championship-winning car, the Cat 2000 E.C. The rolling chassis includes: a beltdriven 4WD drive train with ball diffs and a one-way front drive; laydown suspension with oil-filled, coll-over shocks; competition

racing tires; and a low-profile body shell with adjustable wing and undertray. Schumacher says the car may be fully upgraded to full E.C. specifications and beyond, so you can upgrade it as your driving skills Improve. To convert from "buggy" to "touring car," there's an optional body-mount kit.



The 1/10-scale 21-XS nitro-powered stadium truck has a big-block .21 bolted into the chassis (no, this is not a misprint!). The truck features: a super-strong steel chassis; independent suspension with oll-filled. coil-over shocks; full ball bearings; a stylish Storm racing truck body; and a nitro 21-XS pull-start engine with ABS construction, ball-bearing supported crankshaft and a highperformance slide carb.



Schumacher says the 21-XS can reach speeds of more than 40mph, and it's extremely reliable. Price-TBA.



# MAXTEC DEVELOPMENT

Maxtec **Power Drops** 

These Power Drops are an effective way to increase your motor's power and life; they feature the latest in high-speed lubricants and molecularly bonded protection additives. In addition, Power Drops decrease motor heat and eliminate brush glaze. Part no.-MX-101; price-\$10.95.

BUD'S RACING PRODUCTS (BRP)

Super Outlaw Ovals

These are like the original 1/18-scale Outlaw Ovals, but they have a fully independent front suspension and trailing-bar rear suspension. Using R/C electrics of regular size, they operate on four, five, or six AA batteries, BRP also offers a ball diff, 6- or 7-cell assembled battery packs, and

foam tires in various compounds. Part nos. and prices—120 (truck), \$69.95; 121 (stock car), \$69.95.



# **Pro-Swinger Tire Truer**

Racecars with independent rear suspension systems often work

hest with conechaned tires that have usually



been obtained by running stock foams for many laps of break-in. This truer offers a new angle on tire preparation. The swinging bed is calibrated, so you can set the angle, and it's available in 120V and 240V AC versions. Part no.-10-001; price-\$440.

# MAXMOD Deluxe 12V DC **Tire Truer**

The popular Deluxe Truer is now available in a 12V version for use where there's no AC power. Use a variety of nower sources, including auto batteries and Ni-Cds. Part no.-10-018; price-\$350.

# MAXMOD

**Dragonskin Head** 

Tires with a hardness of 40 shore or more are extremely difficult to turn down with abrasive cutters. Suitable for all Maxmod tire truers, using very little power, this blade cutter will neatly remove any amount of rubber.

Part no.-30-001; price-\$15.





# MAXIEC REVELOPMENT Team Addition Stock Motors

Maxtec's Team **Edition Stock** Motors have set track records in all forms of rac-





ing-on-road, off-road, dirt and paved oval. Every motor meets Maxtec's high standards of quality. Sold in a protective plastic case with their TURBOdyno results, their features include: chemically treated V-slot silver racing brushes, tuned spring tension and capacitors.

Part nos.-ms-011 and mm-092; price-\$40.

# ASSOCIATED ELECTRICS

Car Carrier Bags

Team Associated have finally released the Car Carrier Bags their team drivers have been using for years. Made of tough, black nylon, they have durable brass zippers, heavy-duty handles and white silk-screened Associated/Reedy logos, and they're designed to house three double-wall corrugated-cardboard boxes, which the company sells separately.

Part nos. and prices: SP-415 (car carrier bag), \$39.95; SP-100 (car carrier boxes), \$15.



**Limited-Edition Racing Special** For a limited time, R/C'ers can own the competition-proven 4WD TA02 chassis complete with a full array of high-performance enhancements. Bought individually, these components would cost considerably more than the price of a kit. Hop-ups include: GT-R Universal Shaft Set and Speed-Tuned Gear Set from Skyline; a short, hard, prop shaft that was designed for the TAO2: a 4WD stainless-steel suspension shaft and On-Road Tuned Spring Set. There are also upgraded tires and inserts-and much. much more. This option-packed chassis doesn't come with a body, motor, or speed control; you choose your

favorite combinations to go with this souped-up chassis. Part no.-58157; price-\$320.



# **RC10GT Gears**

Check out these 64-pitch RC10GT replacement gears. The diff gear is machined out of hard-anodized aluminum. the idler gear is machined Delrin, and the top shaft and gear are machined steel. Also new from Thorp is this 48pitch direct replacement for the stock idle gear.

Part nos, and prices: 4785-64-pitch gear, \$40; 4786-48-pitch idler gear, \$10.



# TEAM LOSI Five-Spoke Wheels

Looking to style-out your Double-X buggy? Check out these trick 5-spoke front and rear wheels. The 2.2 rears and 2.1 front wheels come in "Natural" (white) and bright "Losi Yellow."

Part nos. and prices-fronts, A-7040 (Natural), A-7041 (Losi Yellow), \$6: rears, A-7140 (Natural), A-7141 (Losi Yellow),

# Ford F-150

Tamiya's newest 4WD off-road race truck is an exact 1/10-scale reproduction of the tough, competition Ford F-150-winner of the grueling SCORE Desert Series. The Rough Riders Off-Road Race Team's F-150 is

accurate right down to the molded spare tire and skidplate bumper. Its special



front bumper protects it when the going gets rough. Like the Chevy S-10 and the Toyota Prerunner, the F-150 is based on a modified 4WD TA02 chassis. It features a rugged steel drive shaft, independent front and rear double-wishbone suspension and oil-filled coll-over shocks. Part no.-58161; price-\$236.

# **Dirt Thrasher**

Tamiya's new 4WD off-road buggy is based on the chassis of the legendary Manta Ray. According to Tamiya, this allout competitor is competitively priced, and it's loaded with high-performance parts,

too, It boasts front and gearboxes

rear sealed with bevelgear diffs, 4W independent suspension, and large-

capacity oil-filled shocks. Also included is a 540-type motor and a forward/reverse, 3-step speed control. Part no .-- 58160; price-\$198.

# VW Golf VR6

The VW Golf was introduced in 1975; 20 years and 16 million cars later, it's still going strong. Tamiya's R/C version uses the FWD chassis that's also found in the limited-release Renault Clio Williams. Its rear toe-in makes

it especially easy for beginners to drive. The kit is a highly detailed



replica of the standard four-door version: It features silver-plastic mesh wheels, radial tires, separately molded mirrors and a sticker sheet that includes the headlights and VW emblem.

Part no.-58162; price-\$276.



# TRINITY Aluminum Servo Mounts

These new, adjustable, purpleanodized aluminum-angle servo mounts fit all popular 1/12- and 1/10-scale on-road pan cars and allow you to adjust the servo up and down to correct bumpsteer.

Part no.—RC6053; price—\$10.99.



# TRAXXAS

**Bandit Racing Buggy** 

This full-blown, high-performance racing buggy incorporates all of the latest in Traxxas design and plastics technology. Traxxas says its performance can be compared with those of the most expensive competition racecars, but its price is closer to those of the least expensive. Features include: a double-deck, reinforced fiber/composite chassis; extra-long suspension arms; competition-proven belicrank steering system; high-volume, oil-filled shocks; and a three-gear tranny with 48-pitch gears (with interchangeable spur and pinion gears).

Part nos. and prices-2401 (with motor and speed control), \$150; 2410 (ready to run with radio), \$260.

# PRO-LINE

Rally Hawgs Designed to provide serious grip on all kinds of terrain, Rally Hawgs are made out of Pro-Line's long-lasting XTR compound, and they feature a directional tread pattern with aggressive square studs that will hook up on dirt, grass, sand and pavement-all the stuff you'll find around your neighborhood. Use them to transform your off-road car into an enduro racer that will bite where other tires fall.

Part nos. and prices-8061 (rear), \$12.50; 8155 (front), \$10.50.



# TA02 and YR-4 CVDs These two-time worldchampionship-winning CVDs are now available for the and the Yokomo YR-4. Precisionmachined of alloyed steel that has been

narrow and wide Tamiya TAG2 sedans hardened for strength, they're finished with a black-oxide, rust-prevention coating. They also offer nearly zero backlash and positive acceleration, and they don't bind. All the parts are sold separately, so MIP CVDs are completely rebuildable, and installation doesn't require modifications.

Part nos. and prices—1098—(narrow, for TA02 front), \$32; 1101 (wide), \$30; 1104 (for TA02 and TA02W rear), \$30; 1106 (for YR-4), \$35.

# RC10T2 Zero

**Maintenance Steering Kit** Here's an ultra-trick steering kit for Associated's RC10T2. Racers can use it to eliminate side play

and bump steer; it's a direct stock replacement. Its light, strong, smooth. super-rigid, plastic bellcranks last



others on the market. Made of glass-filled nylon, they come with machined-aluminum steering posts and Teffen®-sealed ball bearings. Part no.-1080; price-\$29.95.

# TEKIN ELECTRONICS

G-12C ESC

This has all the great features of the G-12, but it also has CoolSwitch™ Circuitry, which gives it higher gower-

handling capabilities and cooler operating temperatures (heat sinks are not required). Other features include special filters that shield the unit from



radio glitches, a higher operating frequency that gives 15 to 30 seconds more run time, and shunted MosFETs that ensure super-low resistance.

Price-\$199.99

# BOLINK

# **All Star Sprinter**

This is sure to be a hit with sprint-car-racing fans. Based on the economically priced Bolink Legends, this kit has many of the same features, including: a vertical-ladder chassis; independent front suspension: a ball diff with 48-pitch gears; a new servo mount for improved geometry; a one-piece body with molded-in roll cage; separate side neri bars; adjustable front and rear wings;

molded-in driver figure and exhaust headers: and an All Star Sprint Car decal sheet. Price \$109.95.



# alvoline

# Rammer Body

New from Dahm's, this wicked-looking stadium truck body fits the Associated RC10T2, and Dahm's says it was designed to be the lightest. lowest most aerodynamic body for the T2. Formed of 0.030-inch-thick G.E. Lexan, it includes a molded-in sunroof/escape hatch, roll bars, number plates and large rear cooling vents.

Part no.-D203; price-\$19.98.

# **Phantasy Coupe Body**

This beautiful, late-'30s, California customcoupe body will fit: most narrow superspeedway cars; wide touring cars; monster trucks: Parma's Hemi Coupe and Hemi Vette; and most F1 cars. Formed of light, strong, 0.030-inch-thick G.E. Lexan, the body has fine detailing, smooth, flowing lines and a chopped top. Set it up as a highspeed oval racecar, a drag coupe, a monster coupe, or a beautiful classic custom street rod. Part no.-D204; price-\$19.98.

# EXTREME MOTORSPORTS F1 and Touring Car Motors

**Extreme MotorSports now** offers modified and stock motors for the popular F1 and touring-car classes.

The line features Standard and **Team Editions** of both motors. The Team motors come prepared for aggressive racing; they feature Extreme's exclusive race-compound brush and capacitors, they have been chemically broken in, and they have been tuned

> using special techniques. Every motor is rigorously tested before it leaves the factory.

rice-\$40.

HORIZON HOBBY DISTRIBUTORS Super Sport 1800 Battery Pack Dynamite's new budget-priced 1800 battery packs are perfect for parking-lot racing and backyard bashing. The 1800s offer longer run times and plenty of punch, and they're great practice packs for diehard racers.

# GREAT PLANES **Kyosho Nitro** Tracker

This is perfect for beginners who want a stylish, rugged, easy-to-assemble vehicle to get into the thrills and spills of nitro-powered monster trucking. The Nitro Tracker comes 80 percent assembled with a **Kelron-N** composite chassis installed. Huge V-tread tires provide an impressive

ground clearance of 1.7 inches, while oilfilled shocks and extra-long A-arms on the double-wishbone suspension deliver the damping and reach to go just about anywhere. The powerful new Kyosho GT-12S-CR engine with easy-to-operate recoil starter has four ball

box. The gearbox also includes a slipper clutch for better handling and "adjustability." Part no.—30505; price—\$339.99.


bearings to protect the gear-

Kyosho Hi-Rider II Based on proven Kyosho Tracker technol-

ogy, the Hi-Rider II has a streamlined. Corvette, street-car body accented with a

chromed engine-dazzling style and carcrushing power. Its lightweight composite-nylon bathtub chassis has been beefed up with chromed truck wheels and high-grip monster truck tires. Oil-filled shocks (excellent damping), a powerful Mabuchi 540 motor and a heavy-duty, rotary speed control round out the package. Replacement and hop-up parts are readily available because many are compatible with Kyosho Outrage Series vehicles.

Part no.-31541; price-\$169.99.



# TRC New Compound Capped Tires

TRC offers capped tires in two new

compounds-Purple and White. If you run on short concrete tracks and asphalt, try long-lasting Purple for fast starts and great traction. The medium-firm White compound's traction characteristics fall between those of the Gold and Silver compounds, but it lasts longer. TRC says that for concrete tracks, try this combo: Purples on the inside (for traction) and Whites on the outside (to take the punishment in turns).

Part no.-DYN1100; price-\$42.95.

Part nos. and prices—Purple, 4467 (front), \$23; 4567 (rear), \$25; White, 4463 (front), \$23; 4563 (rear), \$25.

# MOTOR MAN Thin CA

lise this to glue tires to rims. The special bottle has an airtight. snap-on top that won't

allow glue to harden at the tip. Part no.—MM8021; price—\$3.99.



# HOT BODIES **New Lexan Bodies**

A modified version of Ford's new concept truck of the same name, the Triton stadium truck body fits Team Losi's Double-XT like a glove. It captures the vigor of the Ford concept right down to its

distinctive front end and stylish flared sides. The truck's roll bar, number plates and rear spoiler make it a real showstopper-and stadium basher! Part no.-10401;

price-\$18.95.

For the Team Losi

Double-X, try Double Vision—a body that was designed to fit the Double-X like no other. It also has air scoops and convenient trim lines-and great decals, of course.


Part no.-10303; price-\$16.95

New for Associated and Losi cars and trucks, the sleek, easy-

to-mount Stealth Fighter snugly fits Associated's RC10 **Team and Worlds** Car chassis. The body also has an ESC inlet with cooling vent, trim lines and a set of hot decals. The optional 4and 5-inch Hot Wings

look great and are also functional. Part no.-10302; price-\$16.95.







# JAPAN R/C IMPORTS TF-2 Hop-Up **Parts**

Distributed here by Japan R/C Imports, these Kose hop-up parts for the new Kyosho TF-2 include:

Part nos. and prices-7050 (carbon-fiber upper deck), \$43; 7051 (center belt-tensione post), \$16.50; 7052 and 7053 (front and rear aluminum suspension arms), \$42: 7013B (front-end reinforcement set),



\$35; 7009 and 7010 (front and rear adjustable upper arm set), \$8.50: 7005 (front and rear universal drive shafts), \$40.



# RACE PREP **Hack Attack** Stock Motor

This new 24-degree stock motor features Race Prep's new R-40 armature, which is divided into four sections to allow air to cool more of the wire's surface area. The weight of the armature is balanced so that its magnetic field is never disrupted. Other features include 5.3 wet magnets, a 1.3mm-thick can, Teflon™-bushing shims, Race Prep's "R"-compound brushes and three capacitors.

Part no.-RP-244; price-\$40.

# Eliminator Lexan Body

This body is designed to fit on the Associated

RC10T2 without any modifications. It comes with a rear spoiler and a molded-in number plate, and the cutout and body-mount positions are clearly marked, so mounting it is easy; its recessed windows look cool and increase strength, and its narrow front improves aerodynamics.

NOVAH







Price-\$12.95

FACTORY WORKS XX-YZ2 Lexan

This XX-YZ2 body for the Losi XX will fit both short- and long-

chassis versions, and the cutouts

and body-mount positions are

clearly marked for easy trimming. A molded-in air scoop

allows extra ESC clearance and

helps to cool your controller. The

body's tight fit makes your car

namics and prevents dirt from

look slimmer, improves aerody-

accumulating inside the chassis.

Body

**Monsoon Motor** 

This 14 triple machine-wound, bushing-equipped, modified motor is very popular with Tamiya sedan racers and is legal for **Tamiya Championship Series** races.

Part no. - MM1114; price-\$28.



# Stock Master Motor

Motor Man's newest 24-degree motor features the latest in stockmotor technology: a 1.3mm-thick can, 5.2 wet magnets and silver h-cut brushes.

Part no.-MM1003; price-\$39.99.



# HOBBY PRODUCTS INTERNATIONAL (HPI)


Mini Cooper Hop-Up Parts

These hop-up items for the Tamiya Mini Cooper include: a lightweight graphite chassis set with aluminum standoffs; a super-tough diff gear; trick, machined-aluminum suspension arms; hot-looking, 5-spoke, chrome wheels; and a totally awesome Suzuki RS/7 Lexan body.


# PARMA

**Mystery Drag Car** 

This is so new that Parma would only let us show this much of it. In their own words, "Parma International will be releasing the hottest R/C kit of the '96 season at the Chicago Hobby Show...." Well, we'll see more soon!



Made to fit Tamiya, Yokomo and Kyosho 4WD sedan chassis, this trick-looking Eagle Talon body is molded out of 0.040-inch-thick Lexan and








# TRAXXAS **Nitro Stampede**

The Stampede is one of the most popular Traxxas monster trucks, and now the Nitro Stampede is headed your way. It features Traxxas's all-new, more powerful TRX-12 engine, a disk brake, dual exhaust outlets, a new transmission with a super-low 3.72 final drive ratio, heavy-duty steel and composite gears and a new, even tougher planetary gear diff, a new body, adjustable gear ratios, and much, much more.

Part no. and prices-4110, \$495 (fully assembled, without radio); \$595 (with radio).



# HITEC RCD INC. High-Speed/High-Torque

# Servos

This precision-grade HS-525BB servo's 5-pole motor means precise servo movement; its top ball bearing ensures smooth operation; and its custom integrated circuit promises reliability. The unit's transit time is a speedy 0.16 second, and it offers 47 oz.-in. of torque. Available with three styles of connector, it's listed at a low price. The HS-545BB servo has the same features and price, but it has 62 oz.-in. of torque and a transit time of 0.22 second.

Part nos.-HS-525BB, HS-545BB; price-\$59.95.



### 64-Pitch Stealth Silencer Spur Gears

Robinson's new Pro Series profiled spur gears are 50 percent thinner and 40 percent lighter than stock gears, and this means lower rotating mass and better



racing performance. Made with diamond-ground master tools, these precise gears improve acceleration and top-end performance. They don't contain any glass that can excessively wear the pinion, and they're available with from 96 to 125 teeth.

Part no.-RRP 1796-1825; price-\$6.50.



# DAVIS MODEL PRODUCTS (DMP) O.S. RFB .21 Diesel Conversion

Imagine getting 25 minutes of run time on one tank of gas and never having to buy another glow plug for your O.S. RFB .21-ever! DMP's diesel conversion for the big-block .21 is similar to their successful O.S. CZ-R .12 conversion. DMP's owner, Bob Davis, says the diesel conversion is more economical and will boost the performance of your 1/8-scale vehicle to beyond your wildest dreams. He does admit one flaw: it's hard to stop the tires being ripped off the wheels when you peg the throttle!

Price-\$74.95



# PRO-LINE **Jaco Mounted** and Trued F1 **Foams**

Tired of mounting foam donuts on your Tamiya F1 cars? Well, check out these new Jaco foams. They're completely ready to bolt on and go-no need for glue or tane. These hassle-free tire/1.41 composite wheel combos come in a wide variety of standard and exotic compounds to help you get dialed in to all types of track-everything from carpet to parking-lot racing.

Prices-from \$14.95 to \$27.95



# FUTABA Fail-Safe Unit

Avoid having your prize R/C vehicle go out of control! Plug this small, light unit in between your servo and

receiver; if you lose your radio signal or it's interrupted for some reason, the servo goes to a setting you programmed in, or to a neutral setting. This is a must for gas-powered cars, and it can also be used with any electric car that has a mechanical speed control. Formerly only available on expensive PCM radios, now you can have a fail-safe option on your inexpensive AM unit.

Part no.-FP-FSU1; price-\$79.95.



# **Dynamite Thermal Grip Coupler**

Because standard tie-wraps just aren't designed to handle high temperatures, they often fall when used to secure a header-to-pipe connection on an R/C gas engine. These 8-inch-long, 0.140-inchwide Thermal Grips are made of a special, black, temperatureresistant material, and the clasp's locking pin is made of corrosion-resistant spring steel. These ties will never be affected by heat, so they won't fall apart during that Main event. Part no.-DYN 2259 (pack of 6); price-\$1.99

# **Dynamite** MC59 Glow Plugs

The MC59 glow plugs were designed to work better than the original MC9s in cold and humidity. Such conditions can make a glow plug cause the engine to idle roughly or load up in the mid-




range. Even the MC9 sometimes has problems when the weather is at its worst. The new plug has a higher heat range, so performance is great in the cold and wet. If you're serious about gas racing. you'll always have both MC9s and MC59s in your pit box to match race-day conditions.

Part no.-DYN2508; price-\$7.49

# ESP HOBBY MFG.

# Clodzilla IV Full Race Package


Based on the latest full-scale monster-truck technology, the Clodzilla IV Full Race Package features the smallest, lightest chassis frame ever available for the Clod Buster and Bullhead. Its extra-low profile is also extremely narrow: the battery pack is lengthwise in the bottom of the chassis (helps to lower the truck's center of gravity) and the kit includes: the Clodzillalever IV Cantilever suspension kit; the



Clodzilla anti-sway bar kit; the longwheelbase, multilink suspension kit: the heavy-duty steering rods with rod ends: and the dualservo conversion kit Part no.-ESP045; price-\$299.95

# Piston Locking Tool

Without this tool. changing the clutch on your R/C gas engine could be a pain. Just screw the **Piston Locking Tool** into the glow-plug



socket, and it will hold the piston and crankshaft in place. Removing the clutch, the clutch nut and flywheel is now a simple operation. Part no.-DYN2512; price-\$7.95



by MIKE OGLE



Building

the ultimate

CIRCUIT

BREAKER

WELCOME TO the first in a series on the creation of Project F1! Step by step, I'll take you through the assembly of the latest high-tech components and accessories until we end up with a dual-threat concours killer/take-no-prisoners parking-lot racing machine.

And, just as R/C Car Action did with the previous Project Car (Project '29), we'll be giving this dream car away to some lucky reader! That's right! We'll give away a full-blown, tricked-out already-built racecar with all the side orders! You won't find a better Formula 1 deal than that—unless, of course, your name is Michael Schumacher!



Instead of being in the usual place, over the kingpins, the front-end springs are inboard, under those little round pivot balls on either side of the front bulkhead.

# **RECRUITING A RIDE**

All great racecars start with a great chassis. The annals of racing history are filled with their names: Benetton, Lola, Jordan, Tyrrell, McLaren, Ligier and dozens of others. Every one represents the expenditure of hundreds of thousands of hours and dollars; they're perfectly balanced platforms for exotic, temperamental, million-dollar pow-




The HPI Graphite chassis' edges are rounded with 400-grit sandpaper. Don't forget the upper chassis plate, upper and lower motor-pod plates and the rear roll-spring plate.



The completed front end. The extra-long independent front A-arm suspension can be fitted on a late-model Tamiya F1 chassis. With adjustable caster, camber and front spring rates, it gives you significantly more tuning latitude than most F1 kits' front ends.

PHOTOS BY MIKE OGLE

# Project Rormula 1 Part 1



Color-coded rear roll springs (from 1.1 to 1.4mm) are available for fine-tuning. Reportedly, many of the local SoCal racers are opting for the lighter springs.

erplants (and their equally exotic, temperamental, million-dollar drivers)—all in pursuit of world championships!

Fortunately, a number of R/C manufacturers supply relatively affordable, hightech, purpose-built racing chassis. More than a few have thrown their hats into the ring once occupied solely by Tamiya and brought out competitive F1 parking-lot racers.

After reviewing the current crop of cars, I selected a new HPI Racing\* Limited Edition graphite F1 chassis as the basis for Project F1. Why? Because it's one of the best-engineered kits on the market.

It has it all:

- a fully independent front end with adjustable caster and camber;
- · super-stiff, but light, graphite components;
- oil-filled shock- and friction-plate-damped rear end;
- ½10-scale, on-road wheels—the common type, so I could easily experiment with a

wide range of tire/wheel combos.


And it looks cool! Just one look at that low-slung, lean meanie gets my throttle finger a-twitchin'! Gentlemen...start your screwdrivers!

• Prep the chassis plates. Before we start bolting together the graphite chassis, we'll smooth the edges of the chassis plates with a small file and some 400-grit wet-or-dry sandpaper. No, it won't increase speed or make the car hug the corners any better, but it will help you to avoid getting a nasty graphite splinter in your finger. Remember that you'll handle the chassis a lot while you assemble the car—and even more when you race it; rounding the rough edges makes the car a pleasure to handle.

As a bonus, many of the kit's parts, e.g., the trick independent front end, will fit a Tamiya type 103 chassis, so even if you already have a Tamiya F1 car, you'll probably find some useful information you can use to trick it out.

# PRE-SEASON SUSPENSION TWEAKS


Front suspension. HPI's "neato" independent front end blends some familiar concepts and components and some really unique geometry. The molded upper and lower Aarms are strong enough to take the abuses of



To get the rear friction plates to move around really smoothly, I installed a set of Parma/PSE Teflon™ damper disks. The high-quality, aluminum, coil-over, oil-filled rear shock works great; no need for aftermarket replacements here!



The HPI F1's rear diff is of modern design (no thrust washers) and features twin ball bearings as standard equipment in the Graphite kit.




racing, but thin enough to give a pretty good scale appearance.

The seemingly bulletproof machined-aluminum front axles have a solid block at their base, which also holds the kingpin. They're drilled with two holes, so you can choose whether you want the axle to trail the kingpin (increases straight-line stability), or be directly in line with the axle (for quicker steering response). HPI recommends the "milder" trailing-axle position, and I


wanted this car to "drive friendly," so I went with their suggestion!

The front springs (0.8mm) are unique in that they aren't on the kingpin, as you'd expect, but they're way inboard on the bottom of the lower suspension arms next to the hinge pins. HPI's Kent Clausen kindly sent a couple of front-spring options: 0.7mm and 0.9mm. For even smoother steering, the kit comes with extra rubber O-rings that you can use in place of the springs. Again, because I don't know who'll eventually race this car and where, I set it up to be very forgiving.

• Rear suspension. The rear end is also a refreshing blend of the familiar and the unique. At first glance, the rear pod looks like a typical "tennell" damper/friction plate setup, but it's mounted on the chassis by means of lateral pivot balls instead of the typical T-bar setup; chassis roll is con-



The completed chassis, ready for the motor, battery, ESC and radio gear. Most of the white nylon parts—including the Kimbrough\* servo-saver—were dyed royal blue.



The triple-element rear wing's largest, top deck is adjustable for more or less rear-end downforce. Initially, we'll set it up for max bite and then, by making front-end adjustments, we'll add enough steering to defeat any resulting "push."

trolled by springs. I like this setup a lot, because the rear pod seems to "center" better than just depending on the friction plates to bring the pod back to neutral. Again, there's a ton of "adjustability" in this end of the car.

The supplied springs are 1.2mm long, and optional rear roll springs (Orange—1.1mm; Green—1.3mm; and Blue—1.4mm) are available to suit a variety of track conditions. For the smoothest possible action, I also opted to install a set of adhesive Teflon® disks between the friction plates.


Molded in white plastic, the rear suspension parts (parts tree no. A004) include the damper washers and suspension ball sockets; I dyed them a royal blue to match the eventual paint scheme (which replicates the '95 Mild Seven Benetton car of Michael Schumacher). The Graphite version of the HPI kit comes with a black-anodized-aluminum shock body and 50WT shock oil—all high-quality stuff here; no plastic shocks or the too-familiar "nail-with-aspring" being passed off as suspension.

# **FINISHING TOUCHES**

HPI includes a great-looking, true-to-scale "bent" rear wing (royal blue to fit the Benetton color scheme); up front, I opted for a Benetton wing—strictly for its looks, and it's a choice that only a scale fanatic might make. But, hey; that's part of the fun of these F1 racers: they can look good and run competitively.

In Part 2, I'll outfit the chassis with some of the latest state-of-the-art radio gear, an electronic speed control, a motor and batteries. As we get closer to the completion of the series, I'll fill you in on the details of how you can enter to win Project F1. So keep watching; this could be *your* next racecar!

\*Addresses are listed alphabetically in the Index of Manufacturers on page 264.



by DOUG MERTES

Make
your
parkinglot racer
do what
YOU
want it to

HIRRRR...Zzziiiip...Ponk! "Ouch!" Whirrrr...Zzziiiip...Ponk! "Darn!" Whirrrr...Zzziiiip...Ponk! "That's it! I'm packin' up."

So, you went ahead and bought this superadjustable, complex-o-tronic sedan because you just knew it would make you the fastest driver in the state. You spent a week's worth of late nights putting it together and painting a really cool body for it. There's a whole bunch of cash tied up in this thing now, as well as a lot of your sweat and time. Unfortunately, your new ride doesn't seem to appreciate your efforts. It doesn't glide through the corners as if it's on rails; it's whacking every corner like some sort of insane billiard ball. Instead of looking like Joel Johnson, you're driving like Joe Idiot. How come? 'Cause you don't have the right setup.

I'm sure you've witnessed this sad scene before; I've experienced it more than once myself. It takes a lot of experience to develop chassis and suspension setup skills in any form of racing.

We'll take a look at some setup basics and get you started in the right direction. Then, we'll go over some specific setup tips for your parking-lot sedan car. By the time we've finished, you'll be able to tell the difference between "tight" and "loose," and you'll know how to get both ends of the car to do what you want them to do.

# BASIC BASICS

There are some simple rules to remember when setting up your sedan.

- You don't have to spend a lot of money on go-fast stuff to go fast. Often, you only have to maximize what you already have to be a frontrunner.
- Start by spending your money on things that will allow you to adjust your vehicle's traction, suspension and gearing. Fast motors and expensive batteries are useless if you can't put the power to the ground or get around a corner.
- Change only one thing at a time, then test for results. Making several traction and suspension adjustments at the same time will only confuse you; you won't know which adjustment produced which result.
- Keep a setup journal so that you know what change you made and what difference it made to your car's handling. Often, you'll only have to refer to your journal to resolve a

handling problem. A simple spiral notebook works well, and it fits neatly into your toolbox.


- Learn how to measure. Keep a set of inexpensive calipers in your toolbox (K&S\* makes a set for less than five bucks). Also have a small, flexible, plastic ruler. Small measurements can make big differences.
- Ask around and observe. Don't pay attention to the car that's hideously fast but spins out or bangs the wall on every other corner.
   Watch the cars that run a consistent line quietly and smoothly. They'll turn out to be the fast guys.
- Buy a decent stopwatch. Forget the stopwatch function on your wristwatch; spend 30 or 40 bucks on a good stopwatch with a lapcounting function so that you can review your laps over several minutes of running. Going fast for a lap or two won't get you to the front; going fast for the entire race will do the trick, and you'll need to know the difference.
- Beginning drivers need the security of having a car that "pushes"—or understeers. A car that's set up to push will have to slow down to get around a corner, and that's a good thing for novices. They need plenty of rear traction, because they find it maddening and frustrating to spin out. A car that has spun out is also right in the path of every other car coming down the track, and that spells b-r-o-k-e-n-p-a-r-t-s.
- More experienced drivers can handle a car that's "loose" or on the verge of oversteer. These drivers have steadier hands on their steering wheels and the hand/eye coordination necessary to keep their cars under control. Looser is also faster, because less time is wasted slowing down for the turns. If you can keep the throttle on through the turn and hit

# Shocking Developments

use regular old stock shocks on my sedan cars; I've tried others, but noneincluding the manufacturer's own upgrade shocks-seem to offer any performance advantage. I also use the manufacturer's recommended ride height for the car: one thick and one thin spacer on Tamiya cars-no more. Yokomo\* cars run without any spacers, but some of the Kyosho\* and Schumacher\* cars use them. Check your car's manual. I've tried reducing the ride height, but that has never given me any gains in handling. You might be able to go faster on a super-smooth track, but most of us run on parking lots that include dips, small holes and bumps. Low cars tend to snag on that stuff and break shock towers and hub carriers. A car that's set to normal ride height also has enough body roll to slow down left/right transition in the turns. That's a good thing because, otherwise, the car will rebound after a turn and snap around on you unexpectedly. Leave the low ride heights to the carpet guys.

Get some 20, 40, 60 and 80WT shock oils. Trinity\*, Associated\* and Losi\* make high-quality silicone shock oil that won't thin out on hot days and turn into Karo™ syrup when it gets a little chilly. Use the two-hole (or medium)

shock pistons, and start with 40WT in the back shocks and 80WT up front; but take the oil with you when you go to the track. I've often had to go up or down in the front or the rear to respond to surface changes. Next to tires, shock oil makes the biggest differ-



ence to traction.

Buy some Associated front shock springs in green, silver and black. The colors indicate the spring wire's thickness. Blacks are the softest, and silvers are the hardest. So that I'll remember which wire has which thickness, I keep a notebook with me and write down the information that comes on the parts header card. They fit the Tamiya and Yokomo shocks perfectly, but

because they're slightly longer than stock Tamiya and Yokomo springs, you'll probably need fewer, if any, spring pre-load spacers.

When you set ride height, you want the shocks to return to just a little less than full extension when a fully loaded chassis is pushed down and allowed to rise back up. Too much pre-load will make the car go boingo and "jitter" all over the place; too little will make it saggy and lazy. You'll figure out what I mean. Shock oil and springs work together to keep the tires on the ground as much as possible, and they're the third weapon in your traction arsenal.

There may be times when you can afford to further reduce your car's rear traction and make it corner flatter and faster in the bargain: install a well-engineered anti-roll bar on the rear suspension. You'll usually end up with a car that kicks its back end out before the front end slides. It's an interesting, amusing and rapid way around a racetrack, but it will also wear out some rear tires. Most people should leave the rear anti-roll bars to those who race on flat, carpeted surfaces, where antiroll bars are almost a necessity to prevent cars from rolling in the turns.

ave you ever taken a really close look at the available sedan bodies? Some of them have really steep front-end angles, and others have very blunt ones. Some have humungo rear wings, and others have little teeny ones. Wider bodies more easily accommodate wide wheels and tires in the back, while

narrower bodies are better suited to stock wheels and tires.
Borrow a couple of bodies from some of your

fellow racers for a few laps to see what effect they have on your car's handling. For instance, a Tamiya Mercedes-Benz ProMarkt or D2, or an Elite Mercedes Evolution body will give you a lot more steering than a round-nosed Skyline, Escort or Supra. The Opel Calibra bodies from Tamiya, Trinity and HPI have a little lip in the front of the bodies that seems to hold the air better than some of the other



Different bodies produce different amounts of front and rear downforce.



bodies; it's great for adding a little steering to a car that pushes. The blunt-nosed BMW M3 from Elite and the Audi Quattro from HPI are great bodies for drivers who like a lot of rear downforce but not much steering from their bodies. Granted, it's possible for your car to handle great with any of these bodies, but you should be aware of the differences that each of them can make to your car.

# Tire Buyer

Poke around the pits, and find out what seems to work for the drivers whose cars run more smoothly. You'll get a couple of opinions, and you'll probably wind up buying two or three sets of tires and rims. That's not cheap, but it's worth every penny. Parking-lot surfaces can change drastically according to temperature, how recently it rained and whether the sun is out. You'll need tires that will handle slippery to tacky surface conditions.

When people ask me which tires to buy for their sedan car, I generally have several recommendations.

- Stock kit Tamiya\* slick and radial tires with very soft, thin, foam liners work especially well if you use the kit motor. To balance out the traction on any given day, you can mix slicks and treads on the front and rear as necessary.
- HPI\* Super Radials are good all-around tires that I mount on HPI's excellent rims; I probably run them the most. I use wide on the back and regular width on the front. The "V" in the tread should point toward the front of the car.
- Pro-Line\* Sedan Hawgs are some of the stickiest tires available. If you have a situation where you need a ton of traction, these are the tires to get.
- · If the track is regularly cleaned or treated with some sort of trac-

tion enhancer, i.e., sugar water or VHT, start with HPI slicks, which are available in narrow and wide. These tires generally don't work well on dirty or unswept parking lots, but they're the hot ticket for a real racing surface.

Tires probably make the biggest difference to traction. You can get almost any 4WD car to handle well by swapping tires until you find the right combination for that day on that car. When I first put my car down on a new track, I spend my first couple of runs trying to find a good tire combination. Then I move to the more subtle tuning aids to drop the last couple of tenths in lap times.



You need several sets of tires in your tuning arsenal; get some soft, treaded tires as well as some soft slicks. The tires that came with your car are usually pretty good, too!

# Troubleshooting Handling Problems

et's say you get to the parking-lot track, and your car exhibits undesirable handling characteristics. What do you do first? Here are some examples of setup changes. Remember to make only one change at a time, test it, and then make the next change.

Your car won't go around the corners very well; it plows through them even with the front wheels at full lock. The car feels very lazy through the infield, even though it has plenty of speed on the straight.

# Too much front traction!

**COMMON PROBLEMS** 

Your car spins out in almost every turn

and weaves all the way down the front

- Use a softer, wider, treaded tire, such as the HPI Super Radial, at the rear.
- Install a harder, lower-traction front tire, such as a Tamiya Radial or Slick.

straight.

- Check the ride height: dogbones level in front; dogbones a little above level in the rear. The front of the chassis should be a little lower than the rear.
- Use a shock oil with a lower weight in the rear shocks.
- Use a softer spring on the rear shocks; maintain proper ride height.
- Use a shock oil with a heavier weight in the front shocks.
- Use a stiffer spring on the front shocks.
   By now, if your car doesn't run well, you should make sure that both front and rear diffs are operating and that the wheels or dogbones aren't locked up on one side.

# Too much rear traction!

- Swap front and rear tires, and make sure that the tread still points in the proper direction.
   Don't bother if they're the same, i.e., both sets are Pro-Line Sedan Hawgs. Those things stick like glue, and I love 'em.
- · Go to a harder, narrower tire on the rear.
- Use a heavier-weight shock oil in the rear shocks.
- Use a stiffer spring on the rear shocks.
- Try the anti-roll bar.
- Install a body with a steeper front-nose section.

If you still have the problem, put in another motor; yours may be dying a slow death and have too little bottom-end power to bring the chassis around in the turn. You may also have geared the motor incorrectly. If your motor is really hot after just a minute or two of running, drop the pinion by a couple of teeth and see what happens.


the apex just right, you'll lower your lap times.

# SETTIN' UP YOUR PARKING-LOT SEDAN CAR

• Traction action. Remember I told you to spend your money on traction- and suspension-oriented parts? That means buying tires in a variety of compounds, tread designs and widths as well as shock oil in a couple of weights, some shock springs and, possibly, a new body. Depending on the track you run, your driving style and your experience, you may have to add an anti-roll bar to that list. These parts will allow you to adjust the traction at both ends of your car and, ultimately, will get you to the finish line ahead of the competition.

A car that spins out in a turn is said to be loose, or to oversteer. If you zip down the front straight, turn into the infield and find yourself going the wrong way, your car oversteers. Even very experienced drivers can find it difficult to control a car that handles this way. More traction in the front of the car than in the rear causes this spinout.

A car that won't get through a turn at speed even when the steering is cranked all the way over is said to be tight, or to understeer. If your car won't go through the turn at the end of the straight without slowing to a crawl, your car understeers. And yes, you guessed it, this is caused by having more trac-



An anti-roll bar works well when you can afford to reduce rear traction on a smooth track.

tion in the rear of the car than in the front. Of course, there are variations of both understeer and oversteer

A car that drifts through a turn without losing speed and remains under control at full throttle while negotiating a turn, is said to be "neutral." If, on the straightaway, your car passes everything in sight because it has maintained its momentum through the previous turn, and after the straight, it does a fourwheel drift through the corner and sets a new track record lap time, it's probably set pretty neutral.

How do you get your car to that neutral handling condition?—through traction management. By using the right tires, shock oil, springs, settings and body type, you will be able to amaze your friends, win a few races and take home a trophy.

## THE BIG FINISH

The whole point of this article is to let you know that you don't have to just accept the way that your car handles. You can change it all around very easily and make it do what you want it to. To get to neutral handling, you'll have to think and experiment and take notes, and think and experiment some more. And then do some more thinking. In the end, you'll have a lot of fun, you'll go a lot faster, and you'll be a much better driver. Isn't that what this hobby is all about?

\*Addresses are listed alphabetically in the Index of Manufacturers on page 264.

Does Nobody

Check Out These Advantages

- ✓ Toll Free Ordering !!
- Free Shipping (ON ORDERS OVER \$100)
- Lowest Prices !!!

Guaranteed Satisfaction !!!

Let our cells help to launch you ahead of the competition

We Offer Precision Matched Cells and Proudly Stand Behind Every Pack We Sell.

If You Have Any Questions, please feel free to call. LOW PRICE GUARANTEED. If you see a lower price advertised in this magazine, we will match it.

SANYO 1400 SCR 20.50 280+ 25.00 290+ 34.00 300+ SANYO 1700 SCRC 340+ 30.00 350+ 36.00 360+ 46.00 370+ 59.00 4+7 CELLS AVAILABLE HIGH OUTPUT CELLS AVAILABLE

TOLL FREE (ORDERS ONLY PLEASE) 1-800-770-4643

SUPPORT & SERVICE

HOURS: MON-FRI 8-5, SAT 8-12 (MST) DEALER INQUIRIES INVITED

VISA/MC AMEX/COD

PRO-MATCH, 1850 McCULLOCH BLVD., #B2, LAKE HAVASU CITY, AZ 86403




**Battery Protector** 

Helps: prevent cell damage develop more run time longer battery life save's big dollars

ERFORMANCE OBBY

1293 NW Wall #1492 Bend OR 97701 (541) 389-6160



Zig Batt & Light's sold separately



Order yours today!! \$39.95

1-800-308-6160 Dealer calls welcome



Performance Hobby **Thanks** 

# **Cary Bennett**

For taking Zig Batts (Integrated Batteries) to a

1995 2wd & Truck ROAR Stock National Championship

SUPER LOW **PRICES** 

For

R/C Cars,

Trucks,

Boats.

Planes,

&

Helicopters



DELIVERY **ALWAYS** 

# MINIATURE BEARINGS FOR HOBBY & INDUSTRY

3 Complete Product Lines

Premium Ultra-Seal frictionless, sealed maintenance-free bearings Econo-Power bearings, engineered for strength & durability

**High-Speed** high-heat engine bearings · · · Standard US and Metric sizes · · ·

Ask us about MIDAS TOUCH and Our Other Fine Products Send \$3.00 for Catalogs - Dealer Programs Available

the Largest Inventory and Widest . Selection IN STOCK

We Have

BOCA BEARING Co.

7040 W. Palmetto Park Rd., Suite 2304 A1, Boca Raton, FL 33433 Tel 407-998-0004 • Fax 407-998-0119



# PHOTOS BY RICK SCHWARTZ

# Equalopportunity Racing by Rick Schwartz

Does your track accommodate the physically challenged?

OU'VE WORKED on your car all week getting ready for the big race. The diff is as smooth as silk, the shocks have been rebuilt, and everything is working perfectly. You get to the track early to set up your pits, charge your batteries and get ready for a full day of competition. When your heat is called, all the other racers head up the stairs to the drivers' stand for a perfect view of the track. You can't go! You've been told you have to drive your race from ground level. Wait a minute—that's unfair! You'll be at an extreme disadvantage. You protest loudly! "Why am I being penalized? How do you expect me to compete on an equal basis?" Pretty bleak, huh? This, ladies and gentlemen, is what disabled and wheelchair-bound racers face at most tracks every time they compete.



# TOO MUCH MONEY FOR TOO LITTLE USE

One of the great aspects of R/C racing is that it provides an opportunity for everybody to compete on an equal level. It doesn't matter whether you're young or old, male or female, tall or short, heavy or thin; everyone has access to the same equipment-well, almost everyone. The area that has been sorely overlooked is accessibility for racers who, for whatever reason, are unable to walk up the stairs to the drivers' stand. The two arguments (excuses) for this are: there aren't enough physically challenged racers to justify building a ramp, and it would cost too much to build one in compliance with ADA (Americans with Disabilities Act) federal, state and local regulations. The resolution to this dilemma isn't easy, but with a little effort, it is attainable.

# **COMMUNITY EFFORT**

The first step is to contact schools and organizations that work with the physically challenged in your area. Introduce them to R/C racing, and make them aware that all a participant needs is a willingness to compete. Invite them to a race or practice, and allow them to drive a few practice laps. There are not a lot of competitive activities available to wheelchairbound individuals, and this could open up the world of R/C racing to them. These organizations can help your group resolve the two previously mentioned problems, too. Their networking connections will make your track known throughout the community and increase the number of racers who participate. They're also very good at helping to organize fund raisers, and they'll know who to contact about ADA regulations.



Gregg Newman, Adam Meiggs and Eric Cappozolli race on an equal basis with the other drivers.

# the ADA

about the intent and history of the Americans With Disabilities Act (ADA), I spoke with Jack Humburg of Abilities of Florida, an organization that provides information and assistance related to compliance with the ADA. I also spoke with L. Jerry

One of the great aspects of R/C racing

is that it provides an opportunity for

everybody to compete on an equal

level. It doesn't matter whether you're

young or old, male or female, tall or

short, heavy or thin.

# STRICT COMPLIANCE?

The next step is to determine what is required at your facility to meet the building code and what it will cost. Usually, the local building department or a contractor who specializes in ADA projects can help to design a ramp for your facility. This is where the process can get a little sticky. The law requires that the ramp be 1 foot long for every inch that it rises. This means that if the drivers' stand is 5 feet high, the ramp must be 60 feet long. In most instances, this would be physically impossible, especially for an existing drivers' stand. After much research and

several discussions with attorneys who specialize in this aspect of the law, we found that exceptions can be made. In the ADA Accessibility Guidelines, Appendix IV, Section 4.1.6-Accessible Buildings: Alterations (i), there is a waiver for strict compliance with the code if the addition is "technically infeasible." It doesn't release your group from compliance with the law, but it may allow you to build a facility that won't break your bank. Remember, before you do any-

thing, check with someone who has expertise in the matter. The key phrase to remember is "substantially compliant."

# A TOUGH CALL

I've been involved with R/C racing for more than eight years. I've been to national events in which physically chal-

lenged racers have been carried up the stairs to the drivers' stand. No one seems to mind, but maybe that's because the physically challenged racers have no choice. The positive side is that

every R/C participant I know is more than willing to help these racers. The question is, "Is that enough?" Building a facility that can accommowheelchairdate bound racers can be a time-consuming, expensive proposition. Will the number of physically challenged racers who use the facility justify its construction? If you've ever been to a track that has these facilities, and you've seen everyone competing on an equal basis, I'm sure you already have your answer. So, why

don't you work on promoting accessibility for everyone at your track. ■



qualifier has finished.

Cohn, a Florida attorney who specializes in representing disabled clients. The Act was passed in 1990, and it expands on the Civil Rights Law of 1964. The intent of the law is to provide equal accessibility and employment to handicapped Americans and to ensure that individuals are not discriminated against owing to their particular disability. For more information regarding the law and its implications, you can call the U.S. Department of Disability and Business Technical Assistance Center at (800) 949-4232.





The display on this KO-Propo\* EX-10 radio shows that the throttle curve is set two percent to the positive side. The "F" on the display shows that the setting is for forward throttle.

# Getting dialed with today's high-tech radios

ow many of you own expensive, high-tech radios? OK, how many of you know how to use 'em? That's what I thought. If you're one of those people who bought a new computer radio just to impress your buds, you should know that your hi-zoot radio can actually make your car much easier to drive!

## THROTTLE CURVE

The first thing you'll want to mess with, especially if you're running electric off-road, is your radio's throttle adjustable rate control (ARC), or "throttle curve." Throttle ARC is the best way I know to

control wheelspin on slippery tracks. It also makes your driving more efficient, because your car spends less time in "fullpunch" mode.

Most radios come preset with linear or "straight line" throttle control response that is directly proportionate to how much you move the throttle trigger. Throttle ARC lets you change linear throttle response to a curved response—either positive or negative (see Fig. 1).


For example, if you set your radio's ARC to a negative value, throttle response will be slow at first, then become progressively faster after you've moved the trigger past the halfway point. The more negative the value, the greater the difference between the "curved" throttle response and that of the linear response.


Conversely, if you select a positive value for the throttle ARC, throttle response will initially quicken and then slow after the halfway point. I can't think of a situation in which you'd want quicker throttle response early in the trigger's throw.

To experiment with throttle ARC, set your transmitter's display screen to the ARC or throttle-curve mode, and place your car on the track and head up to the drivers' stand. If your radio has an adjustable potentiometer for setting ARC (such as Futaba's\* Magnum PCM), take your little screwdriver with you. Start driving your vehicle, and note the throttle response. After two laps, stop the vehicle and adjust the throttle ARC to negative 10 percent. Drive for two more laps. The throttle will seem to have more midrange, i.e., you'll have to pull the trigger a little farther to get the vehicle up to speed. If wheelspin still occurs, set the ARC to a larger negative value. At slower speeds, keep doing this until wheelspin is virtually eliminated. Also, no matter how you set the throttle ARC, your vehicle's full-throttle setting will not be affected by it.

# STEERING CURVE

Do you have a super-quick steering servo but not the reflexes to control your car? Your radio can be set





The ARC-P setting changes the point at which the greatest change from linear to curved response occurs.

Fig. 2. Moving the adjustable rate control point (ARC-P)

to slow your steering servo's response in the same way that it slows throttle response: set your radio's display to the steering ARC function, and follow the procedure you used to set the throttle ARC: drive for a few laps: stop; and set the steering ARC value to a larger negative value; repeat this until the steering response is in tune with your driving style and reflex speed.

So, why would you want to slow your steering servo, especially when you've paid big bucks for its lightning-quick action?—because of torque. Most high-torque "super" servos offer fast transit time. You want the torque, but for some applications, these servos can be too fast and might even slow you down.

If your car's front wheels are turned at an angle greater than that needed to negotiate a corner, the resulting wheel scrub significantly reduces



This control panel belongs to a Futaba\* Magnum PCM radio. This radio has potentiometers to set its functions instead of the LCD display and microprocessor that many other systems have. The "EXP" (exponential) pots control the throttle and steering curves.

corner. If you set the radio's steering curve to a negative value, the steering-wheel movement will not be proportionate to how far the wheels turn; you'll have better control over steering response


the steering- or throttlecurve ARC point, i.e., the point at which the greatest change in throttle or steering response occurs.

Normally, the ARC point is at 50 percent of the steering or throttle travel, i.e., at half-throttle or at half of the steering wheel's travel. After this point, response quickly curves back down to linear response.

By adjusting the ARC point, you can change the shape of the curve (see Fig. 2)—closer to or farther from neutral (for throttle), or center (for steering). I leave the ARC point at 50 percent for both throttle and steering to provide the most consistent "feel."

I hope you're on your way to becoming a "radio-active" racer. As always, keep those letters and e-mails coming. If there's a topic you'd like to see addressed in this column, write to Tech Head, c/o Radio Control Car Action, 251 Danbury Rd., Wilton, CT 06897, or e-mail frankm@airage.com.

\* Addresses are listed alphabetically in the Index of
Manufacturers on page 264.



This is the display screen of an Airtronics\* Caliber transmitter. Highlighting the ARC function allows you to alter the throttle or steering curves. This radio also has an ARC-P function that allows you to alter the exponential curve.

the amount of speed your car carries through the corner. Scrub is when a tire slides sideways, against the car's direction of travel. People tend to confuse wheel scrub with "lots of steering," but in reality, scrub is just slowing the car enough for increased low-speed steering.

Ideally, your car's front wheels should steer just far enough to make the because you'll be able to make minute control movements and corrections while steering.

Changing the steering ARC to a positive or negative value does not affect full-steering travel.

# SETTING THE THROTTLE/STEERING CURVE POINT

Some radios have a function that allows you to set

# ROLL YOUR OWN!

If you race with foam tires, you need a tire truer. **MAXMOD** offers several sizes to suit your budget.

# Check these out!



Bench Racer DC Truer PN 10-003

Our "Entry Level" model runs on 12 volts DC. Big performance for a small budget. Powerful enough for even 1/8 scale tires.

# Pro Tire Truer 120V PN 10-001 240V PN 10-019



20 pounds of pure muscle. Our top of the line unit. Massive torque with constant speed make short work of even the toughest tires. 120 VAC.



Deluxe Tire Truer 120V PN 10-002 12VDC PN 10-018

Our most popular model. 71/2 pounds of power and accuracy. Its size makes it great for the racer who travels. 120 volts AC.

# Tire Durometer PN 40-001



To really know your tires you need one of these. Accurately measures rubber hardness. Can be used on foam and cap tires.

MAXMOD tire truers include adaptors for 1/10 and 1/12 electric pan cars. Many other adaptors are available.

# GET SMOKIN' with





P.O. Box 538 Monrovia, CA 91017 Ph (818) 359-7737 • Fax (818) 359-5434

# From the track to the parking lot. This is the R/C action as you see it. GESSIGNED SALES

his is YOUR PAGE—YOURS!! It belongs to you, the optimistic local racer on a budget who's looking for some evenly matched action; the individual who's in it for the fun of it all: the grassroots racer—whether on-road or off-road. We at *Car Action* really do want to see your tracks, your cars and your local heroes—men, women, boys and girls (we love cats and dogs, too!). Show us your local racing scene! Send photos with captions to "Grassroots Racing," *Radio Control Car Action*, 251 Danbury Rd., Wilton, CT 06897-3035.




# CCR—Carolina Style

he racers at the Sandhills Raceway in Aberdeen, NC, have developed cost-controlled racing (CCR) programs for drivers of every skill level. For the beginner, there's a large Legends class. Intermediate-level drivers can race in the Novice Truck class; they run oval chassis with a Legends motor, a fixed gear ratio and Trinity Street Spec tires. Advanced drivers are required to use a modified Procar motor, a fixed gear ratio and Trinity's Street Spec tires; aside from that,

Left: Ernie Roberts receives his firstplace trophy for the Legends class A-Main. Right: two supertrucks roll out of turn one.

anything goes.



Call now! Whether you're a dealer or just a

Bolink Legend Series (404) 963-0252

Tamiya R/C Championship Series (800) TAMIYA-A

Kyosho R/C Sport Racing (800) 682-8948 ext. 085F

Hobby Shack Parking Lot (714) 964-8846

Hobby Town USA Parking Lot (402) 434-5050


Trinity's Street Spec Series (908) 862-1705

# N RACINE

ighty-nine entrants turned out to participate in the 17th Tamiya Championship Series race, which offered heavy parking-lot competition in all of the six classes The event also attracted a large number of spectators—99 to be exact—from the Racine, WI, area.

Top right: racers took advantage of this photo opportunity before the qualifiers got under way. Bottom left: the winners from all six classes gather in front of Gary's Hobby Center—the host store and one of Tamiya's official Regional Qualifier sites for the U.S. Nationals.





# WINNERS

F1 Stock James Arnold Michael Lemanczyk Alex Kikel

Sedan Stock Jim Scott John Wicht Joe Grimm

GTO/GTP John Wicht Scott Ernst Ken Jones F1 Modified Ken Jones Jeff Howard Greg Hilber

Sedan Modified Tom Knuth Scott Ernst Nathan Johnson

4x4 Race Truck Scott Ernst Frank Krivita Brad Johnson

# CRA Hosts the ROAR Region 11 Championships

ompetition Racing Association (CRA) proudly hosted the ROAR Region 11 Off-Road Championships held at Aero Sports and Hobbies in Portland, OR. The CRA officers diligently prepared the impressive track, which included an elevated section, stairs, a tabletop jump and a major double jump. Throughout the event, racers from all around the area did their best to become the top driver in one of the seven classes. It was a weekend full of fast, furious racing and nail-biting excitement.

Qualifiers were held on Saturday. The first round saw some very fast runs on the fresh track for the 2WD Stock and Stock Truck classes. John Walentia took TQ in 2WD Stock with a time of 12/4:18.19, and Cary Bennett, ROAR national champ, earned TQ honors with his third-round pace of 11/4:04.69. Qualifying in the Mod classes was marked by some very close competition. In 2WD Mod, six drivers boasted 12-lap runs. In Gas Truck, only 12 seconds separated TQ Craig Ricci from seventh-place qualifier Billy Wilson. The CRA also added a Newcomer class, which isn't recognized as an official event, but does give novices a chance to race among the bigger boys.

Held on Sunday, the Mains also featured exciting racing. Racers in all classes fiercely challenged one another for the first-place throphy; but by far the best race of the weekend had to be the 2WD Stock D-Main. Jeff Day and Earnie Beasley put on a

# WINNERS

# 2WD Stock John Walentia

Terry Schultz Jason Peffers

# Truck Stock Cary Bennett

Ron Smith Doug Nelson

# **4WD Modified**

Jeffery Phelps Kevin Patrick Jack Leighan

### 2WD Modified

Scott Brown Chris White Clayton Petree

# Truck Modified

Scott Brown Chris White Clayton Petree

# 1/10-Scale Gas

Truck
Dale Ferry
Craig Ricci
Todd Shreve

# Newcomer Class

Jarrod Anderson Mark Wignall Brian Schmidt great show of sportsmanship. Jeff waited for Earnie to catch up and make a race of it—not just once, but four times. They battled side by side, lap after lap. In the end, Earnie—who went to the track with no equipment and borrowed a car to race—took the win a mere 0.12 second ahead of Jeff. These two really proved the notion that R/C racing isn't just about winning.





Top to bottom: this impressive display of trophies is a CRA trademark; everyone goes home with something. The 2WD buggies line up on the starting grid. The huge double jump in front of the drivers' stand kept the turn marshal busy all day. The impressive track layout put everyone's driving skills to the test.

Going Dutch





f someone mentions the Netherlands and all you can think of are windmills, tulips and wooden shoes, think again! Better yet—think off-road racing! Robbert Hozee sent in these shots of his club's new, permanent off-road track (above) and explains that R/C racing is rapidly gaining popularity in his area. When the weather gets too cold to race outside, the club members take their buggies to race indoors on the slippery, wooden floor of a nearby gym. Or, if a national title is your pleasure, you can compete against Robbert and his Losi Double-X (left) in the Dutch National Off-Road Championship.



# ALABAMA

#### **■ MOBILE**

The largest selection of R/C planes, cars and rockets in the Gulf Coast area. Open 7 days a week. Airport at Schillinger Rd.

HobbyTown USA 450-Q SCHILLINGER RD. (334) 633-8446

# ARIZONA

# **■ GILBERT**

Arizona's best source of R/C cars, planes and boats! Specialists can help you choose a first/advanced R/C and performance parts. Open 7 days a week. Hobby Town USA GILBERT RD. & BASELINE RD. (602) 892-0405

#### **■ PHOENIX**

Arizona's best source of R/C cars, planes and boats! Friendly service to assist you with your beginning or advanced R/C needs. Open 7 days a week. **HobbyTown USA** 

I-10 RAY RD. (602) 598-5282

# ■ SCOTTSDALE

Arizona's best source of R/C cars, planes and boats! Specialists will help you choose a first/advanced R/C and performance parts. Open 7 days a week. **HobbyTown USA**INDIAN BEND RD. & PIMA RD.
(602) 948-3946

# CALIFORNIA

## **■ EL CAJON**

You always save more at a Hobby Shack store! Open: Mon. – Fri., 10 – 9; Śat., 10 – 6; Śun., 10 – 5. Corner of Ballantyne and Broadway. HOBBY SHACK

469 BROADWAY (619) 444-6135

# **■ ENCINO**

You always save more at a Hobby Shack store! Open: Mon. - Fri., 10 - 9; Sat., 10 - 6; Sun., 10 - 5. Balboa and Burbank. 5541 BALBOA BLVD. (818) 995-1162

### **■ FOUNTAIN VALLEY**

Join us at our exciting parking-lot races! See store for details. Open: Mon. – Fri., 10 – 9; Sat., 10 – 6; Sun., 10 – 5. Corner Bandilier and Ellis.

**HOBBY SHACK** 18480 BANDILIER CIRCLE (714) 964-8846

# **■ FRESNO**

Most complete hobby store in the Fresno area. Large selection of R/C, school projects, railroad, games and plastics. Open 7 days a week

HobbyTown USA 3069 W. BULLARD AVE. (209) 435-3342

## **■ LA HABRA**

You always save more at a Hobby Shack store! Open: Mon. - Fri., 10 - 9; Sat., 10 - 6; Sun., 10 - 5. Beach near Imperial. HOBBY SHACK

1401 SO. BEACH BLVD. (310) 947-2574

#### ■ LAKEWOOD

You always save more at a Hobby Shack store! Come to us for great selection and best service! Open: Mon. - Fri., 10 - 9; Sat., 10 - 6; Sun., 10 - 5. Bellflower and South.
HOBBY SHACK

5449 SOUTH ST. (310) 804-2515

#### ■ LAKEWOOD

Largest R/C car selection in So. California. On-road, off-road, gas, electric, parts and more parts! All major credit cards. Open: Mon. - Thu., 10 - 8; Fri.,10 - 9; Sat.,10 - 6; Sun., 10 - 5.

**HOBBY WAREHOUSE** 4118 SOUTH ST. (310) 531-1413

#### **■ LAWNDALE**

You always save more at a Hobby Shack store! Come to us for great selection and best service! Open: Mon. – Fri., 10 – 9; Sat., 10 – 6; Sun., 10 – 5. 168th and Hawthorne. **HOBBY SHACK** 

16725 HAWTHORNE BLVD. (310) 214-0244

### **■ MILPITAS**

Great selection of models, paints, tools, games, R/C cars, boats and planes. Open 7 days a week! Mon. - Fri., 10 - 9; W/end, 10 - 6. Visa, MC, AmEx, Discover and ATM cards.

HobbyTown USA 1465 LANDESS AVE. (408) 945-6524

# **■ PASADENA**

You always save more at a Hobby Shack store! Come to us for great selection and best service! Open: Mon. - Fri., 10 - 9; Sat., 10 - 6; Sun., 10 - 5. Corner N. Hill and Locust

HOBBY SHACK 270 N. HILL AVE. (818) 568-0883

### ■ RIVERSIDE

You always save more at a Hobby Shack store! Open: Mon. – Fri., 10 – 9; Sat., 10 – 6; Sun., 10 – 5. Tyler Village Center. HOBBY SHACK

10128 INDIANA AVE. (909) 785-6773

## ■ SACRAMENTO

Indoor, off-road racetrack with the most complete R/C car hobby shop in the country!
HOBBY WAREHOUSE

OF SACRAMENTO 8950 OSAGE AVE. (916) 381-7588

### SAN DIEGO

Join us at our exciting parking-lot races! See store for details on upcoming races.

Open: Mon. – Fri., 10 – 9; Sat., 10 – 6;

Sun., 10 – 5. South of Balboa.

HOBBY SHACK

3860 CONVEY ST. (619) 268-7997

# **■ VACAVILLE**

Permanent racetrack. "The Place to Race." Large inventory of R/C cars and parts. Open 7 days a week.

RC SPORTS 759 E. MONTE VISTA AVE. (707) 446-5555

# COLORADO

# ■ MONTROSE

Full-line hobby shop. R/C cars, boats, planes, models, trains, science and games. Open 7 days a week. Visa, MC,

Hobby Town USA 1011 TOWNSEND (970) 249-5451

# CONNECTICUT

#### ■ ENFIELD

Two on-site, off-road racetracks. Batterymatching facility. Full line of R/C cars, boats and accessories. Open: Tue. - Thu. and Sat., 10 - 10; Fri. and Sun., 10 - 7.

R/C MADNESS TRACK & HOBBY 640 ENFIELD ST. (203) 741-6501

# ■ NEW MILFORD

Largest in-stock selection of R/C cars, boats and planes in the area! No waiting for weeks on special orders. Open 7 days a week. All major credit cards accepted.

HobbyTown USA 168 DANBURY RD. (203) 355-3000

# FLORIDA

# ■ ORMOND BEACH

Great prices on a large selection of R/C planes, boats and cars; I-95, exit 88, 1/8 mile east. Open 7 days a week. Visa, MC, Discover.

HobbyTown USA 1474 WEST GRANADA BLVD. (904) 672-5441

# GEORGIA

# **■ MACON**

Middle Georgia's only full-line hobby store. Open: Mon. - Sat., 10 - 9; Sun., 1 - 6. Visa MC Discover

Hobby Town USA 225-B TOM HILL SR. BLVD. (912) 474-0061

# HAWAH

# ■ PEARL CITY

Electric and gas cars and trucks. Formula 1 and sedan specialists. Parking-lot racing. Closed on Wed. Visa. MC.

SANDY FLEMINGS'S FAST ELEC-TRICKS 941 KAMEHAMEHA HWY #105 (808) 456-7272

# IDAHO

# **■** BOISE

Idaho's largest R/C inventory. We also take special orders. Stop in and see us! Open: Mon. – Fri., 10 – 8; Sat., 10 – 6; Sun., 12 - 6. HOBBYTOWN USA

501 NORTH MILWAUKEE (206) 376-1942

# ILLINOIS

# ■ MACHESNEY PARK

Among the largest selections of R/C planes, boats and cars in Machesney Park. Open 7 days a week.

HobbyTown USA 8750 NORTH SECOND ST. (815) 282-0727

# INDIANA

#### **■ MERRILLVILLE**

Among the largest selections of R/C planes, boats and cars in the Merrillville area! Open 7 days a week. Visa, MC, AmEx, Discover.

HobbyTown USA 1962 EAST 80TH AVE. (219) 736-0255

# KANSAS

# **■ OVERLAND PARK**

One of the largest selections of R/C cars, boats and planes, including giant-scale. Full line of competition R/C car products. Open 7 days a week.

HobbyTown USA 9120 METCALF (913 (913) 649-7979

# KENTUCKY

# ■ MAYFIELD

The largest selection of R/C planes, boats, cars and trucks! Open 7 days a week. Visa, MC, Discover

Hobby Town USA 111 SOUTH 7TH ST.

# (800) 782-6111

# MARYLAND

# **■** CROFTON

Maryland's largest hobby selection-R/C cars, boats, airplanes and helis. Discount pricing. Mon. - Fri., 10 - 8; Sat., 10 - 6; Sun., 12 - 4. GPA HOBBIES

2431 CROFTON LANE, STE. 6 (301) 858-0004

# **■ EASTON**

Best selection, lowest prices on Delmarua R/C dirt track (Spring 1995). R/C flight instructor on staff. Open 7 days a week.

Visa, MC, AmEx, Discover. **HobbyTown USA** 8223 ELLIOT RD. (410 (410) 820-9308

# **■ LAUREL**

The biggest hobby store in town! Has R/C cars, planes and boats, plus an awesome selection of models and trains!!! We've got the works! Open 7 days a week.

**HOBBY WORKS** LAUREL SHOPPING CENTER (800) 345-4475

# MINNESOTA

# ■ EAGAN

Great R/C selection! Discount prices. Planes, boats and cars. Open 7 days a week. Visa, MC, AmEx, Discover.

HobbyTown USA 1960 CLIFF LAKE RD. (612) 452-9260

## ■ MINNETONKA

Great selection of R/C planes, cars and boats. Friendly, knowledgeable staff. Open 7 days a week

HobbyTown USA HWY. 7 & 101 - 7HI CENTER (612) 470-7474

# MISSISSIPPI

# ■ JACKSON

Largest selection of R/C planes, boats, cars, trucks and helicopters in Mississippi!

Open 7 days a week.

HobbyTown USA 6380-D RIDGEWOOD COURT (601) 957-9900

# MISSOURI

# **■** COLUMBIA

Among the largest selections of R/C planes, boats and cars in the Columbia area! Open 7 days a week.

Visa, MC, Discover.

HobbyTown USA
2300 BERNADETTE #202 (314) 446-7418

■ KANSAS CITY

Best selection of R/C, models, games, trains and paints. Open 7 days a week HobbyTown USA 303A N.E. ENGLEWOOD (816) 459-9590

SAINT LOUIS

Among the largest selection of R/C planes, boats and cars in the St. Louis area.

Open 7 days a week.
Visa, MC, Discover
HobbyTown USA
13875 MANCHESTER (314) 394-0177

■ SPRINGFIELD

SW MO's best full-line hobby store; the largest selection of R/C cars, boats planes, parts and accessories. Paints, tools, models, trains and more. Open 7 days a week.

HobbyTown USA 3312 S. GLENSTONE (417) 889-5757

# NEBRASKA

**■ GRAND ISLAND** 

Among the largest selections of R/C planes, boats and cars in the areal Open 7 days a week. Visa, MC, Discover.

HobbyTown USA
3537 WEST 13TH ST.
(308) 382-3451

**■ LAVISTA** 

The Omaha Metro's R/C HQ! We're here to help you with your R/C needs. We also carry more than 20 different hobbies.

Open 7 days a week. **HobbyTown USA**8090 SOUTH 84TH ST.
(402) 597-1888

■ LINCOLN

Among the largest selections of R/C planes, boats and cars in the Lincoln area! Open 7 days a week. Visa, MC, Discover. HobbyTown USA 5130 NORTH 27TH

(402) 434-5076

**■ LINCOLN** 

Among the largest selections of R/C planes, boats and cars in the Lincoln area! Open 7 days a week. Visa, MC, Discover.

HobbyTown USA 220 NORTH 66TH (402) 434-5056

NEVADA

■ LAS VEGAS

While in Las Vegas, come see our wide selection of R/C planes, boats and cars! Open 7 days a week!

HobbyTown USA 4719 FAIRCENTER PKWY. (702) 259-0166

■ LAS VEGAS

While in Las Vegas, come see our wide selection of R/C planes, boats and cars!

Open 7 days a week!

HobbyTown USA
3121 NORTH RAINBOW BLVD.
(702) 655-0693

**NEW JERSEY** 

■ JACKSON

Full-line, full-service hobby shop. Planes, boats, cars, helicopters, R/C equipment. Extensive inventory, knowledgeable personnel. Established 1969.

**JACKSON HOBBY SHOP** 2275 RTE. 526 (908) 364-3334

**■ PARSIPPANY** 

R/C cars, boats, planes, helicopters. Everything for the R/C hobbyist! Rockets, models and die-cast, too! Professional repairs. Open 7 days a week.

**TECH TOYS** 370 ROUTE 46 WEST (201) 227-7012

**■ PENNSAUKEN** 

R/C cars, trucks and parts; slot cars and track go-carts, mini bikes, mopeds and scooters. Mon., Tue., Thu., Fri., 10 – 8; Wed. and Sat., 10 – 5. All major credit

cards. Fax (609) 662-CARS.

MOTOR BIKES IMPORT 6007 S RTE. 130 (609) 662-6110

■ RIVER EDGE

Everything for R/C, U/C and F-F modeling. R/C cars, boats, planes, helis, tanks; rocketry. Modeling tools and equipment at discount prices. Huge inventory. Visa, MC, Discover. AMERICA'S HOBBY CENTER 820 KINDERKAMACK RD. (201) 265-2044

**■ WEST BERLIN** 

Among the largest selections of R/C planes, boats and cars in the South Jersey area. Open 7 days a week. Visa, MC, AmEx, Discover.

HobbyTown USA BERLIN CIRCLE PLAZA RTE. 73 (609) 768-7550

**NEW YORK** 

**■** AMHERST

Largest selection of R/C planes, boats and cars, models, games and trains. Open 7 a week. Visa, MC, Discover.

Hobby Town USA 3332 SHERIDAN DR. (716) 833-7700

■ CORAM, L.I.

Long Island's best-stocked R/C store. If you have our cars, we have your parts. Mon. - Fri., 3 - 8; Sat., 12 - 6; Sun., 12 - 4; Wed., closed. TOP QUALIFIER R/C CENTER

YANKEE TRADER PLAZA ROUTE 112 & GLENMERE LN. (516) 928-2040

■ NEW YORK CITY

Everything for R/C, U/C and F-F modeling. R/C cars, boats, planes, helis, tanks; rocketry. Modeling tools and equipment at discount prices. Huge inventory. Visa, MC, Discover.

AMERICA'S HOBBY CENTER 146 W. 22ND ST. (212) 675-8922

■ NEW YORK CITY

All major brands, personalized service for boats, cars, helis, planes, trains, rockets, plastics, tools, parts/supplies, R/C car repair. Special orders welcome.

Visa, MC, AmEx, Discover.

MACH 1 HOBBY CENTER 249A WEST 29TH ST. (212) 947-0157

**■ PLATTSBURGH** 

Among the largest selections of R/C planes, boats and cars in the Plattsburgh area! Open 7 days a week. Visa, MC, Discover. **HobbyTown USA** 

47 SMITHFIELD BLVD. (518) 562-0142

NORTH CAROLINA

**■ CHARLOTTE** 

Large selection of R/C cars, trucks, planes and boats-parts and accessories, too! Open 7 days a week. Visa, MC, Discover.

HobbyTown USA 8332-204 PINEVILLE-MATTHEWS RD. (704) 544-2303

NORTH DAKOTA

■ GRAND FORKS

Area's largest full-line hobby store! R/C planes, cars, boats and rockets; Z, N, HO Lionel and G-scale trains.

Open 7 days a week! **HobbyTown USA**2500-D SOUTH COLUMBIA RD. (701) 746-0708

**■ ELYRIA** 

ELYHIA
Lorain County's only full-time hobby store.
Everything for the R/C enthusiast, modeler, railroader and general hobbyist. Open 7 days a week. Major credit cards accepted.
HobbyTown USA
233 MIDWAY BLVD.
(216) 324-5833

NILES

Largest, indoor, oval, high-banked carpet track in Ohio. Full-line hobby shop; onand off-road cars, trucks and accessories, plastic kits, NASCAR collectibles. Call for hours

SCOOTERS HOBBY HUT 234-D ROBBINS AVE. (216) 544-9411

PENNSYLVANIA

**■ BLOOMSBURG** Your R/C headquarters. We stock the largest line of parts, kits, slot cars and accessories in the area.

R/C racing! Mon. - Fri., 3:30 - 9; Sat., 10 – 9. Visa, MC, Discover. R/C PRO HOBBY II

2920 MAPLE LANE (717) 387-0266

■ BLOOMSBURG

Pennsylvania's premier R/C race center, featuring a 220-foot carpet oval and the area's largest off-road course. "Where racers meet to shop and compete!"

ROAD RUNNER RACEWAY 1027 EAST 7TH ST. (717) 784-1260

Off-road cars/trucks, kits and parts, a huge selection. Low prices. Since 1983. Indoor off-road dirt track races Sunday Route 422, 8 miles east of I79. Call us! Open Tue. – Fri., 12 – 7; Sat. and Sun., 11 – 5. Races, Sun.

WAGONHILL HOBBIES 967 NEWCASTLE RD., RTE. 422 (412) 865-9877

■ STATE COLLEGE

We carry major brands of R/C vehicle kits, motors, tires, gears, accessories, radios. We want to serve you!

NITTANY LINE HOBBIES 127 SOUTH FRASER ST. (814) 237-7100

TEXAS

■ ARLINGTON

Among the largest selections of R/C planes, boats and cars in the DFW Metroplex! Open 7 days a week. Visa, MC, Discover.

HobbyTown USA 3701 SOUTH COOPER #163 (817) 557-2225

The only full-time hobby store in Austin. R/C cars, planes, boats, helicopters, models, trains, rockets, science, kites. Open 7 days. Visa, MC, Discover.

Hobby Town USA 4107 S. CAPITAL OF TX HWY. (512) 440-7877

■ HOUSTON

Full-line hobby shop with super-low prices. R/C planes, cars, boats, trains, rockets, models, games, tools. Open 7 days a week. Major credit cards accepted. **HobbyTown USA**7516 FM 1960 WEST

(713) 955-7097

■ SAN ANTONIO

Among the largest selections of R/C planes, boats and cars in the San Antonio area. Open 7 days a week. Visa, MC, Discover.

HobbyTown USA 999 EAST BASSE RD. STE. 177 (210) 829-8697

VIRGINIA

**■ STAFFORD** 

Full line of R/C cars, planes and boats. Accessories, magazines; dirt track, repairs, Mail/fax orders. All major credit cards. Open: Tue. – Sat., 10 – 7; Sun., 12 – 6. HEARTLAND HOBBIES INC. 2055 JEFFERSON DAVIS HWY. (703) 659-2411

■ VIRGINIA BEACH

Among the largest selections of R/C planes, boats and cars in Virginia Beach. Open 7 days a week. Visa, MC, AmEx, open / oays a week. Visa, MC, AmE: Discover. Haygood Shopping Center. **HobbyTown USA** 1063 INDEPENDENCE BLVD. (804) 464-4140

WISCONSIN

■ OSHKOSH

Across from the EAA Museum. Large selection of R/C planes, cars, boats, models, parts and services. Open 7 days

a week. Visa, MC, Discover.

HobbyTown USA

AVIATION PLAZA ON HWY. 41 (414) 426-1840

CANADA

■ CHATHAM, ONTARIO
One-twelfth-scale electric, ½0-scale gas; pro shop; Canadian Corally/Serpent Connection; Canadian National Gas Champions; indoor circuit racing. Contact John Elliot.

HONDA HOUSE RACE SHED 384 RICHMOND ST. (519) 354-5530

■ STE-THERESE, QUEBEC

Montreal's regional best source of all your R/C cars, planes, boats and parts. Awesome selection of die-cast and plastic parts. Atlas and Kato trains. Balsa and

MINIATURES & PASSIONS 204 ST. CHARLES (AUTOROUTE #15, EXIT 23) TEL. & FAX (514)979-7989, ORDERS (800) 505-4629

# Attention **Hobby-Shop** Owners!

Promote your hobby shop to over 500,000 R/C enthusiasts nationwide


> THE FORMAT IS SIMPLE, THE COST IS LOW AND THE REACH IS IMMENSE!

For more information (203) 834-2900

This section is also available in Model Airplane News

Next Month in...

Radio Control G/AVR3 (A GITION)



NEW SECOND LOOK SERIES: Kyosho Spider

1/4-SCALE COVERAGE: QRS Daytona Cobra

HOW TO:
Rebuild a
transmission

RACING ACTION

ROAR off-road nats

THRASH TESTS

TRAXXAS
Nitro Stampede

FLYING POINT Pizazz

TAMIYA Renault Clio

PARMA
Dodge Ram



A Matter of Record

# Make Your Own Racing Log

by GARTH FINLEY

AVE YOU EVER forgotten the viscosity of the shock oil you used the last time you drove your car? Maybe you haven't—if you have a wonderful memory, or if you own only one bottle of shock oil. But for those of us who are constantly changing motors and chassis settings to attain the ultimate setup, it can be confusing, and we often forget what we've changed. More important, we might forget how the car actually performed on the track after these changes had been made. Well, folks, why don't you take out paper and pencil and simply record this information in a racer's log?

Preparation at home and efficiency at the track are two important factors that can help you to win races. A comprehensive record can help your setup efforts in both areas and assist you when practice between qualifying heats is a luxury. At a large, 1/10-scale off-road race, the track's surface can vary drastically between qualifying rounds. Can you think of a better aid than a personal diary to help you handle this situation? It can take some of the guesswork out of your decisions.

Now is the time to start keeping a record of your racing. The completed sample page shown illustrates just how thorough your records can be. Believe me, factory drivers go into this much detail to describe their setups to their teammates at large races.

How you keep your records is totally up to you. I've found the best way to keep an accurate log is to use a form that allows me to enter the most information in the least time. Let's face it: at the track, we're always in a hurry.

Keeping records of setups used under a variety of track conditions can give you an advantage when the track's surface varies, and it can boost your confidence in your car before the green flag drops. I encourage you to develop a form that's su'table for your needs and for the type of car you race. An accurate log can give you a winning edge!

# **ADVERTISER INDEX**

Ace Hardware	120 122
Aero Sport	
Airtronics	
America's Hobby Center	221-227
Associated Electrics12-13,30	111-15 77 121
B&B Software	
B&T R/C Products	
Bennett Equipment	
Bolink R/C Cars, Inc.	
BRP Products	
Byron Originals	
C&M Team Cobra	
Calandra Racing Concepts	
Competition Electronics	
Competition R/C Imports	
Davis Diesel Development	
Dayton Plastics	
Deans	
Dillon Racing	
Dynamite	
Elite Speed Products	
Endless Horizons	
ERI Associates, Inc	
ESP Hobby Manufacturing	
Extreme Motorsports	
Factory Works	
Full Speed Racing (FSR)	
Futaba	184

Great Planes Distributors	226-229
Hitec/RCD, Inc	
Hobby Etc., Inc	178
Hobby Mart	214
Hobby Products International	39
Hobby Shack	126
Hobby Shop Directory	
Hobby Warehouse of Sacrame	nto250-253
Hobbytown USA	
Holeshot Racing Products	
I & G Hobbies	
I.M.S. International Model Short	w34
JR Remote Control	
Japan R/C Imports	
Kyosho1	
Litespeed	
Max-Cell	
MaxMod Mini Sports	
Maxtec Development	
Model Rectifier Corporation	
Moore's Ideal Products	201.259
Novak Electronics	
Omni Models	
O.S. Engines	
Parma/PSE	
Peak Performance	
Performance Hobby/Zig Batts.	
Progressive Technologies	
Pro-Line USA	
Pro Match	

Raborn Racing Originals	200
Race Prep	146
Ranch Pit Shop	230
RCCA Classified	265
R/C Motorsports of Miami	174
Robinson Racing Products	
RPM	
S.P.R. Publishing	238
Savon Hobbies	222-225
Schumacher, Inc	116
SCI Power Corporation	238
Serpent Model Racing Cars	30
Sheldon's Hobbies	
Southside Hobby's Inc	176
Stormer Hobbies	242-247
Tamiya America, Inc	
Team Losi	15,28-29,64-65
Team Losi Tech Talk	202
Tekin	185-188
Testor Corp	262
Thorp Manufacturing, Inc	
Total Racing Connection, Inc	203
Tower Hobbies	204-212
Traxxas	
Trinity Products3,8,9,1	1,16-17,24-25,
	49,83-104,141
Wagon Hill Hobbies	58
Wheels & Wings, Etc	191
World Class Inc	
Yokomo Ltd	50-51

# Finish First with Pactra! New Colors! Formulated specifically to bond Fluo. Racing Red to Lexan®, Pactra R/C Car Fluo, Racing Yellow Racing Finish is capable of surviving lots of tough races. Bright Yellow It is resistant to cracking, Brilliant Blue chipping and impact damage. It's flexible and dries quickly to Bright Red facilitate masking and detail CheZoom Teal work. Look for Pactra R/C Racing Grape Pearl Finish at your local hobby store. True Blue Pearl Window Tint pactra

The Testor Corp., 620 Buckbee Street

Rockford, IL 61104/An RPM Company

TESIORS

# STATEMENT OF OWNERSHIP

Statement of Ownership, Management, and Circulation (Required by 39 U.S.C. 3685). 1A. Title of publication: RADIO CONTROL CAR ACTION. 1B. Publication number: 001087. 2. Date of filing: October 2, 1995. 3. Frequency of issue: monthly. 3A. Number of issues published annually: 12. 3B. Annual subscription price: \$34.95. 4. Complete mailing address of known office of publication: 251 Danbury Rd., Wilton, CT 06897. 6. Full names and complete mailing address of publisher, editor and managing editor: Publisher: Louis V. DeFrancesco, 251 Danbury Rd., Wilton, CT 06897. Editor: Thomas Atwood, 251 Danbury Rd., Wilton, CT 06897; Managing editor: none. 7. Owners: Grace E. DeFrancesco, Louis V. DeFrancesco and Yvonne M. DeFrancesco, 251 Danbury Rd., Wilton, CT 06897. 8. Known bondholders, mortgages and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages or other securities: None. 9. Does not apply. 10. Extent and nature of circulation: awrage number of copies each issue during preceding 12 months: A. Total number of copies (net press run): 143,072. B. Paid and/or requested circulation. (1) Sales through dealers and carriers, street vendors and counter sales: 35,057. (2) Mail subscription (paid and/or requested): 44,637. C. Total paid and/or requested circulation: 79,695. D. free distribution by mail, carrier, or other means, samples, complimentary and other free copies: 4,013. E. Total distribution: 83,708. F. Copies not distributed: (1) Office use, left over, unaccounted, spoiled after printing: 4. (2) Returned from news agents: 59,360. G. Total: 143,072. Actual number of copies of single issue published nearest to filing date. A. Total number of copies (subscription (paid and/or requested): 42,101. C. Total paid and/or requested circulation: (1) Sales through dealers and carriers, street vendors and counter sales: 30,447. (2) Mail subscription (paid and/or requested): 42,101. C. Total paid and/or requested circulation: 75,548. D. Free distribution by mail, carrier or other means, s

I certify that the statements made by me above are correct and complete.

Model supplied by

Parma International, Inc.

Gary W. Dolzall Associate Publisher

# INDEX OF MANUFACTURERS

Airtronics, 11 Autry, Irvine, CA 92718; (714) 830-8769.

A-Main Racing, 3731 W 95th St., Overland Park, KS 66206.

**Associated Electrics Inc.,** 3585 Cadillac Ave., Costa Mesa, CA 92626-1403; (714) 850-9342; fax (714) 850-1744.

**Bolink R/C Cars Inc.,** 420 Hosea Rd., Lawrenceville, GA 30245; (404) 963-0252; fax (404) 963-7334.

**Bud's Racing Products (BRP),** 1575 Lowell St., Elyria, OH 44035; (216) 284-0270; fax (216) 284-0271.

**Dahm's Racing Bodies,** P.O. Box 360, 278 Braden Court, Cotati, CA 94931-0360; (707) 792-1316; fax (707) 792-0137.

Davis Model Products (DMP), P.O. Box 141, Milford, CT 06460; (203) 877-1670.

**Dremel,** P.O. Box 1468, Racine, WI 53406-1468; (414) 554-1390; fax (414) 554-7654.

**Du-Bro**, 480 Bonner Rd., P.O. Box 815, Wauconda, IL 60084; (708) 526-2136; fax (708) 526-1604.

**DuraTrax**; distributed by Great Planes Model Distributors (see address below).

**Dynamite**; distributed by Horizon Hobby Distributors (see address below).

**ESP Hobby Mfg.,** 6215 Lou Ave., Unit C, Crystal Lake, IL 60014; (815) 455-5440; fax (815) 455-5441.

Extreme Motorsports, P.O. Box 15903, Station F, Ottawa, Ontario, Canada K2C 2S8; (613) 823-6952.

Factory Works, 505 Smith Ave., #105, Corona, CA 91718.

Flying Point; distributed by Racer's Choice R/C, P.O. Box 405, Medinah, IL 60157; (708) 980-4863.

Futaba Corp. of America, P.O. Box 19767, Irvine, CA 92713-9767; (714) 455-9888; fax (714) 455-9899.

Great Planes Mfg. P.O. Box 9021, Champaign, IL (217) 398-6300; fax (217) 398-1104

**Great Planes Model Distributors,** P.O. Box 9021, Champaign, IL (217) 398-6300; fax (217) 398-1104.

**Hitec/RCD Inc.,** 10729 Wheatlands Ave., Ste. C, Santee, CA 92071-2854; (619) 258-4940; fax (619) 449-1002.

**Hobby Products Intl. (HPI),** 22600-C Lambert St., Ste. 904, El Toro, CA 92630; (714) 837-3250; (714) 837-3251.

**Hobby Shack,** 18480 Bandilier Cir., Fountain Valley, CA 92728-8610; (714) 964-0827; fax (714) 962-6452.

Horizon Hobby Distributors, 4105 Fieldstone Rd., Champaign, IL 61821; (217) 355-9511; fax (217) 355-8734. Hot Bodies, 308 Serrano Trail, Browns Mills, NJ 08015; (609) 893-7716; fax (609) 893-2632.

House of Balsa, 10101 Yucca Rd., Adelanto, CA 92301; (619) 246-6462; fax (619) 246-8969.

**HPI,** 22600-C Lambert, Ste. 904, El Toro, CA 92630; (714) 837-3250; fax (714) 837-3251.

IRS Racing, 411 Cannon Range Rd., Milmay, NJ 08340; (609) 476-2371.

**JACO,** P.O. Box 456, Beaumont, CA 92223; (909) 849-9781; fax (909) 849-2968.

Japan R/C Imports, P.O. Box 7009-152, Lafayette, CA 94549; (510) 284-5778; fax (510) 284-5778.

JR Remote Control; distributed by Horizon Hobby Distributors (see address above).

**Kimbrough Products,** 1322 Bell Ave., Unit 1-C, Tustin, CA 92680; (714) 258-7425; fax (714) 258-7426.

**KO Propo;** distributed by Great Planes Model Distributors (see address above).

**K&S Engineering,** 6917 W 59th St., Chicago, IL 60638; (312) 586-8503; fax (312) 586-8556.

Kyosho/Great Planes Model Distributors, P.O. Box 9021, Champaign, IL (217) 398-6300; fax (217) 398-1104.

LRP, Whilhelm-Enssle-Str. 134, 7064 Remshalden, Germany.

**Lunsford Racing,** 2500 Three Lakes Rd., Ste. A, Albany, OR 97321; (503) 928-0587; fax (503) 967-5917.

**Maxmod Mini Sports,** P.O. Box 538, Monrovia, CA 91017-0538; (818) 359-7737; fax (818) 359-5434.

**Maxtec Development,** 3740 Overland Ave., Ste. B, Los Angeles, CA 90034; (310) 815-0251; fax (310) 815-0253.

Motor Man; distributed by Hobby Warehouse of Sacramento, 8950 Osage Ave., Sacramento, CA 95828; to order (800) 333-3640; (916) 381-7588; fax (916) 381-7589.

MIP, 746 E. Edna Place, Covina, CA 91723; (818) 339-9008; fax (818) 966-2901.

MRC (Model Rectifier Corp.), P.O. Box 391, Edison, NJ 08818; (908) 248-0400.

Mugen USA, 402-404 7th Ave., Ste. 404B, Brooklyn, NY 11215; (718) 251-7660.

Novak, 18910 Teller Ave., Irvine, CA 92715; (714) 833-8873; fax (714) 833-1631.

**OFNA Racing,** 22600-D Lambert, Ste. 1009, Lake Forest, CA 92630; (714) 586-2910; fax (714) 586-8812.

**O.S. Engines;** distributed by Great Planes Model Distributors (see address above).

Pactra, 620 Buckbee St., Rockford, IL 61104; (815) 962-6654; fax (815) 962-7401.

Parma, 13927 Progress Pkwy., North Royalton, OH 44133; (216) 237-8650; fax (216) 237-6333.

**Peak Performance**, 23352-J Madero Rd., Mission Viejo, CA 92691; (714) 707-4683; fax (714) 707-4684.

Pro-Line, P.O. Box 456, Beaumont, CA 92223; (909) 849-9781; fax (909) 849-2968.

Protoform, P.O. Box 456, Beaumont, CA 92223; (909) 849-9781; fax (909) 849-2968.

Race Prep, P.O. Box 494, Paulden, AZ 86334; (602) 636-1955; fax (602) 636-1956.

Reedy; distributed by Associated Electrics Inc. (see address above).

**Robinson Racing Products,** 4968 Meadow View Dr., Mariposa, CA 95338; (209) 966-2465; fax (209) 966-5937.

**RPM,** 14978 Sierra Bonita Ln., Chino, CA 91710; (909) 393-0366.

**Schumacher USA**, 6302 Benjamin Rd., Ste. 404, Tampa, FL 33634; (813) 889-9691; fax (813) 889-9593.

**Sonic-Tronics,** 7865 Mill Rd., Elkins Park, PA 19117; (215) 635-6520; fax (215) 635-4951.

Tamiya America Inc., 2 Orion, Aliso Viejo, CA 92656-4200; (800) TAMIYA-A; fax (714) 362-2250.

Team Losi, 13848 Magnolia Ave., Chino, CA 91710; (909) 465-9400; fax (909) 590-1496.

**Tecnacraft**, 304 Hurricane Creek Rd., Piedmont, SC 29673; (404) 995-1560; fax (404) 995-1523.

**Tekin Electronics,** 940 Calle Negocio, San Clemente, CA 92673; (714) 498-9518; fax (714) 498-6339.

**Thorp Manufacturing,** 4054 E. Mission Blvd., Pomona, CA 91766; (909) 622-6518; fax (909) 622-2947.

**Thunder Tiger USA,** 2430 Lacy Ln., #120, Carrollton, TX 75006; (214) 243-8238; fax (214) 243-8255.

Traxxas, 12150 Shiloh Rd., #120, Dallas, TX 75228; (214) 613-3300; fax (214) 613-3599.


**TRC,** P.O. Box 1058, 210 Charter St., Albemarle, NC 28001; (704) 982-0507; fax (704) 982-0672.

**Trinity Products,** 1901 E. Linden Ave., #8, Linden, NJ 07036; (908) 862-1705; fax (908) 862-6875.

Wolfe Motorsports, 9431 Tedford Ln., Knoxville, TN 37922; (615) 693-4665; fax (615) 691-8728.

Yokomo, P.O. Box 5872, Orange, CA 92613; (714) 921-0322; fax (714) 921-0134.

# C H R I S'



# This is my page-mine!

The opinions expressed on this page do not necessarily represent the opinions of the entire Car Action staff. Any resemblance to reality is purely coincidental. Send your correspondence, hate mail, love letters, photographs—anything you like—to Chris's Back Lot, c/o RCCA, 251 Danbury Rd., Wilton, CT 06897. My internet address is: chrisc@airage.com

# Delivered just in time

his letter came to the office when I was on a long vacation and when my stuff was being moved into a larger space—a dangerous combination of events, when organization (something I never excelled at to begin with) is paramount (as it is in publishing). As a result, it got "filed-in-a-pile," as it were. At first, I was upset—a Christmas story missed. Then I remembered that it's the January issue, not the December one, that you'll all be reading at the heart of the holiday season.

The December issue is already ancient history. Just in time for the January issue—seemingly of its own volition or moved by some invisible force—this letter was resurrected from under a mass of papers stacked in the "still waiting to be filed pile." As if by wizardry, it appeared on the floor just to the left of my comfy chair.

In these disillusioning times of political and judicial chaos, it is somewhat comforting to know that we still have one another.

# Dear Chris:

My family and I would be in your debt forever if you would print our letter. We recently had a fire in our home and lost almost everything. We were about as down as we could get, sitting in a boring hotel room, when someone suggested that we go to our local hobby shop (Hobby House in Downington, PA) to watch our friends in the Sunday races. Well, let me tell you, Chris, we were stunned by what happened. J.T. Nelson (owner of Hobby House) and everyone else there helped us more than they'll ever know.

First and foremost, they gave us the emotional support you can get only from true friends. They helped us get our equipment back in shape. When rain shortened our race day and we were ready to go back to the hotel, we were surprised by a collection J.T. had been taking all day. Considering how few people were there because of the weather, the donation was huge. These people are the best!!

To all the true competitors and friends (one and the same) I say thank you. On that day, and the ones that followed, I was helped by many more, too. Everyone we came in touch with helped in a big way: Eddie, Ron, Marie, Jan, Colin, Jackie, Al, J.T., Gary and anyone I missed, I again say thank you. I would like to thank all of them personally, and, in time, I will. In a sport in which the competitive spirit is high, it's nice to know people can reach out to help those less fortunate. Please print this letter Chris, because right now, it's all we can offer. Thanks

# John K. Smith

(also Maryann, Sarah Ann, John Erik and Joshua Raymond Smith—somewhere in Pennsylvania, driving on hotel carpet).

### Dear Smith family:

I think the last thing those people are looking for is a "thank you." In truth, I'd bet they are the grateful ones—grateful

they were in a position to help. They are, after all, your friends. Merry Christmas.